



SDI Review Form 1.6

| | |
|--------------------------|---|
| Journal Name: | Asian Hematology Research Journal |
| Manuscript Number: | Ms_AHRJ_39571 |
| Title of the Manuscript: | Validation Hematological Analyzer for Assay of Hemoglobin in Hodeidah City , Yemen |
| Type of the Article | |

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

| | Reviewer's comment | Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here) |
|-------------------------------------|---|--|
| Compulsory REVISION comments | | |
| Minor REVISION comments | This manuscript highlights the haematological analyzer method which was validated using a classical approach based on the Sysmex guideline and applied to the Hodeidah (Yemen) sample population. The determination of reference values of blood indices was validated with aid International Conference on Harmonization (ICH Q 2). The purpose of the paper is accomplished. There were used an appropriate methodology. The paper is written in according to the journal requirements. | |
| Optional/General comments | | |

Reviewer Details:

| | |
|----------------------------------|--|
| Name: | Daniela Hanganu |
| Department, University & Country | Department of Pharmacognosy, "Iuliu Hatieganu" University of Medicine and Pharmacy, Romania |