



SDI Review Form 1.6

Journal Name:	<u>Advances in Research</u>
Manuscript Number:	Ms_AIR_24734
Title of the Manuscript:	Biosensor strategies to detect serum glycobiomarkers
Type of the Article	Review paper

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	<p>Abstract:</p> <p>The abstract is completely sufficient.</p> <p>Introduction:</p> <p>The introduction part is suitable and covers the correct data for the review.</p> <p>Methodology:</p> <p>The sampling and methodology part is suitable and makes the review original and significant.</p> <p>Discussion:</p> <p>The interpretation of the results is perfect.</p>	
<u>Minor</u> REVISION comments		
<u>Optional/General</u> comments		

Reviewer Details:

Name:	Sema Kalkan Ucar
Department, University & Country	Ege University, Turkey