

SHORT RESEARCH ARTICLE

CONSTRAINTS IN LIVESTOCK REARING AMONG RESOURCE POOR FARMERS IN RURAL TAMIL NADU

ABSTRACT

The present study was undertaken in rural Tamil Nadu to explore various constraints in livestock rearing in rural Tamil Nadu using randomly selected 100 dairy farmers and 113 sheep and goat farmers from six sample districts. The data pertaining to the objectives of the study were collected through personal interview. Most of the poor livestock farmers expressed fodder shortage (with RBQ more than 60), water scarcity (RBQ – around 60 for buffalo and sheep), labour problems (RBQ – 55.71 to 62.08) as their major constraints. However, priority of the constraints varied with respect to the livestock species reared.

Key words: Constraints, Livestock, Cattle, Buffalo, Sheep and Goat, Rank Based Quotient

INTRODUCTION

Livestock rearing is critical for many of the poor in the developing world, often contributing to multiple livelihood objectives and offering pathways to come out of poverty. Livestock rearing also acts as an indispensable asset to the poor, their human capital, through its impact on their own nutrition and health (Randolph *et al.*, 2007). Livestock also serves as the key risk mitigation tool especially for the poorest cultivators in rain-fed regions as they face uncertain and erratic weather conditions. With this background, the present study was conducted to explore various impediments in livestock rearing in rural Tamil Nadu.

MATERIALS AND METHODS

A Composite Index (CI) was constructed through factor analysis based on secondary data related to livelihood in order to select six sample districts of Tamil Nadu *viz.*, Thiruvannamalai, Villupuram, Dharmapuri, Pudukottai, Ariyalur and Ramanathapuram. Among the selected districts, Villupuram, Thiruvannamalai and Pudukottai districts contributed about 22 per cent of the total cattle population of the state. Similarly, the buffalo population of the selected districts *viz.*, Dharmapuri, Villupuram and Pudukottai districts comprised about one-tenth of the total buffalo population of the state. In case of small

ruminants, Pudukottai district contributed remarkably in sheep (4.54 per cent) and goat (4.71 per cent) population of the state. Villupuram, Ramanathapuram and Thiruvannamalai districts were bestowed with notable proportion of the small ruminant population of the state. Thus a total sample of 100 dairy farmers were selected randomly from Thiruvannamalai, Villupuram and Dharmapuri districts and 113 sheep and goat farmers were randomly selected from the rest of the sample districts. The data pertaining to the objectives of the study like livestock farm size, management practices, investment, cost and returns and various constraints they perceive in farm management were collected through personal interview using structured pre-tested interview schedule . The period of data collection was from August 2013 to October 2014. The constraints which were encountered in various livestock farming activities were listed and the sample respondents were asked to rank those constraints. The data so obtained were quantified by calculating Rank Based Quotient (RBQ) as used by Sabarathnam (1998) and Mukherjee (2015).

$$RBQ = \frac{\sum f_i (n+1-i)}{N n} \times 100$$

where,

- f_i : Frequency of farmers for the i^{th} rank of the attribute
- N : Number of farmers contacted for factor identification
- n : Maximum number of ranks given for various factors
- i : Rank of the attributes

RESULTS

The constraints which were encountered in various livestock farming activities were enlisted along with the calculated RBQ scores for various livestock enterprises is shown in Table 1 and Table 2. The average herd / flock size of the cattle, buffalo, sheep and goat farms of the sample respondents were calculated as 2.31, 1.59, 55.83 and 8.50, respectively. Major breeds reared by the farmers were found to be cross-bred and non-descript animals and these animals act as the primary source of income for the resource poor farmers.

DISCUSSION

Dairy cattle farming

The study revealed that the majority of farmers expressed high feed cost as their prime constraint (RBQ : 65.00). The farmers felt that the price of cattle feed available in the market and price of the raw materials for dairy ration formulation was continuously increasing when compared to stagnant / slowly increasing milk price. The result concurs with the findings of Belay *et al.* (2013) and Dhindsa *et al.* (2014). Next major constraints were unremunerative price for milk (RBQ – 59.17), inadequate labour and high wage rate (RBQ – 58.75) and non-availability of paddy straw (RBQ – 53.13). The moderately felt constraints in dairy cattle farming were observed to be disease outbreak and parasitic infestations, non-availability of pasture land / fodder, breeding problems and water scarcity with the RBQ values ranging between 49.58 and 46.25. Better service delivery by the field veterinarians might have reduced the severity of constraint namely disease outbreak and parasitic infestation to moderate level. The results were in accordance with the previous studies of Roy *et al.* (2002). Lack of marketing facility was identified to be the least severe constraint (RBQ – 22.08), as the dairy cattle farmers had immediate access to milk co-operative societies and private dairies.

Dairy buffalo farming

Non-availability of pasture land / fodder was perceived to be the foremost constraint in buffalo farming with the highest RBQ of 68.75. The results concurs with the findings of Kathiravan and Selvam (2011). As the farmers were resource poor, none of them cultivated green fodder and highly dependent on common pasture land for grazing. Shrinkage in grazing land and poor fodder output in grazing land lead to the farmers to perceive non-availability of pasture land / fodder as their major constraint. The reduction / shrinkage of common property resources of grazing land and water resources intensified the pressure among the buffalo farmers, who were highly dependent on these resources. Inadequate labour and high wage rate (RBQ – 62.08), inadequate rainfall and water scarcity (RBQ – 59.58) were perceived as next major constraints. High feed cost (RBQ – 62.08) and non-availability of paddy straw (RBQ – 56.25) were observed to be the next level constraints among buffalo farmers as the feed and fodder occupied major share in cost of production. Timely and superior service provided by the veterinarians reduced the breeding problems and disease incidence among the buffalo population.

91 *Sheep farming*

92 Sheep farmers in the study area professed non-availability of pasture land (RBQ –
93 71.67) as their top-most constraint followed by inadequate rainfall and water scarcity (RBQ –
94 63.81). The findings were in line with Mutivbu *et al.* (2012) and Meganathan *et al.* (2010).
95 The sole dependence of resource poor sheep farmers on natural resources might be the reason
96 for the above results. Inadequate labour and high wage rate (RBQ – 55.71) was felt as the
97 next major constraint as the sheep farming is highly labour intensive due to grazing practice.
98 High mortality rate (RBQ – 49.76) and disease outbreak and parasitic infestation (RBQ –
99 45.48) were identified to be moderately severe constraints among the sheep farmers. Further,
100 it was noted that the exploitation by middlemen (RBQ – 43.57) was found to be an important
101 constraint among sheep farmers due to lack of organized marketing facilities. Predators and
102 theft (RBQ – 41.90) was also considered as notable constraint among sheep farmers. The
103 least severe constraint as perceived by the sheep farmers in the study area were breeding
104 problems and high feed cost.

105 *Goat farming*

106 Similar to sheep, goat farmers also expressed their greater concern over non-
107 availability of pasture land / fodder scarcity, which was reflected by the highest RBQ value of
108 71.67 and it concurs with the previous study by Kathiravan and Selvam (2011). Disease
109 outbreak and parasitic infestation (RBQ – 59.40) and predators / thefts (RBQ – 52.24) were
110 considered as next major constraints, which concurred with the findings of Ngambi *et al.*
111 (2013). They might have expressed this constraint, as the goats are docile and prone to be
112 attacked by stray dogs. Poor productivity of animals and high mortality especially among
113 kids were found to be moderately severe constraints among goat farmers. Lack of finance /
114 support from Government was expressed by the goat farmers as sixth ranked constraint (RBQ
115 – 39.10), followed by inadequate labour and high wage rate, exploitation by middlemen and
116 breeding problems. High feed cost and lack of insurance coverage were felt to be the least
117 severe constraints with the RBQ value of 16.35 and 10.47, respectively.

118 **CONCLUSION**

119 Most of the poor livestock farmers expressed fodder shortage and water scarcity as
120 their major constraints in livestock rearing and they depend largely on common property
121 resources. Hence, necessary steps have to be taken to improve the availability of common
122 property resources (grazing land and water resources) without causing negative externalities.

Further, fodder development programmes have to be implemented effectively at the grass root level to overcome fodder shortage. Low cost and area specific nutritive compounded feed might be produced and distributed at subsidized rate for the resource poor livestock farmers to improve the animal productivity. Further, various livestock development programmes should be framed and implemented by giving appropriate attention to the species specific constraints.

REFERENCES

- Belay, D., Getachew E., Azage T. and Hegde B.H. (2013). Farmers' perceived livestock production constraints in Ginchi watershed area: Result of participatory rural appraisal. *International Journal of Livestock Production*, **4(8)**: 128-134.
- Dhindsa, S.S., Nanda, R., and Kumar, B. (2014). Problems and constraints of dairy farming in Fatehgarh Sahib district of Punjab. *Progressive Research* **9 (1)** : 250-252.
- Kathiravan, G. and Selvam, S. (2011). Analysis of constraints to livestock production in Tamil Nadu. *Indian Journal of Animal Research*, **45(1)**: 56-59.
- Meganathan, N., Selvakumar, K.N., Prabu, M., Pandian, A.S.S., and Senthilkumar, G. (2010). Constraint analysis of tribal livestock farming in Tamil Nadu. *Tamil Nadu Journal of Veterinary and Animal Sciences*, **6(1)**: 12-18.
- Mukherjee, A. (2015). Prioritization of problems in integrated agriculture: A case of Rampur village in sub humid region of Eastern India. *Indian Research Journal of Extension Education*, **15 (1)** : 53-59.
- Mutibvu, T., Maburutse, B.E., Mbiriri and Kashangura, M.T. (2012). Constraints and opportunities for increased livestock production in communal areas: A case study of Simbe, Zimbabwe. *Livestock Research for Rural Development*, **24 (9)**.
<http://www.lrrd.org/lrrd24/9/muti24165.htm>.
- Ngambi, J.W., Alabi, O.J. and Norris, D. (2013). Role of goats in food security, poverty alleviation and prosperity with special reference to sub-saharan Africa: A review. *Indian Journal of Animal Research*, **47(1)**: 1-9.
- Randolph, T.F., Schelling, E., Grace, D., Nicholson, C.F., Leroy, J.L., Cole, D.C., Demment, M.W., Omore, A., Zinsstag, J. and Ruel, M. (2007). Role of livestock in human nutrition and health for poverty reduction in developing countries. *Journal of Animal Science*, **85**: 2788-2800.

Roy, B.C., Shiyani, R.L. and Ganguly, K. (2002). Dairying in rain-fed groundnut based production system: Prioritizing constraints and implication for future research. *Proceedings of eighth annual conference of AERA*, pp. 133-142.

Sabarathnam, V.E. (1998). *Manual on field experience training, NAARM, Rajendranagar, Hyderabad.*

ACKNOWLEDGEMENT

The present study is the part of the Ph.D. thesis of the first author submitted to the Tamil Nadu Veterinary and Animal Sciences University, Chennai. The authors thank Tamil Nadu Veterinary and Animal Sciences University, Chennai for giving permission and support for completion of research work.

TABLES

Table 1

Impediments in cattle and buffalo farming as perceived by the sample respondents

Serial Number	Constraints	Cattle		Buffalo	
		RBQ	Rank	RBQ	Rank
1	High feed cost	65.00	I	59.17	IV
2	Unremunerative price for milk	59.17	II	52.50	VII
3	Inadequate labour and high wage rate	58.75	III	62.08	II
4	Non-availability of paddy straw	53.13	IV	56.25	V
5	Disease outbreak and parasitic infestation	49.58	V	37.92	IX
6	Non-availability of pasture land / fodder	46.25	VI	68.75	I
7	Breeding problems	43.44	VII	51.67	VIII
8	Inadequate Rainfall and water scarcity	38.75	VIII	59.58	III
9	Poor productivity of animals	37.50	IX	23.75	X
10	Lack of finance / support from government	32.29	X	52.92	VI
11	Predators / thefts	24.90	XI	13.33	XII
12	Lack of marketing facility	22.08	XII	17.92	XI

RBQ – Rank Based Quotient

173

Table 2

174

Impediments in sheep and goat farming as perceived by the sample respondents

Serial Number	Constraints	Sheep		Goat	
		RBQ	Rank	RBQ	Rank
1	Non-availability of pasture land / fodder scarcity	71.67	I	61.75	I
2	Inadequate rainfall and water scarcity	63.81	II	35.47	X
3	Inadequate labour and high wage rate	55.71	III	38.89	VII
4	High mortality rate	49.76	IV	42.20	V
5	Disease outbreak and parasitic infestation	45.48	V	59.40	II
6	Exploitation by middlemen	43.57	VI	38.35	VIII
7	Predators / thefts	41.90	VII	52.24	III
8	Lack of finance / support from government	39.76	VIII	39.10	VI
9	Poor productivity of animals	31.43	IX	48.72	IV
10	Lack of insurance coverage	19.52	X	10.47	XII
11	Breeding problems	13.57	XI	38.03	IX
12	High feed cost	11.19	XII	16.35	XI

175

RBQ – Rank Based Quotient