

Determinants of Cropping Pattern Changes in Andhra Pradesh, India

Abstract

This paper has examined changes in cropping pattern in the state of Andhra Pradesh at the aggregate and regional levels for the period 1969-71 to 2004-05. A zero-order correlation coefficients for the change in the area under different crops were estimated. The results indicate that the Andhra Pradesh state has witnessed shifts in cropping pattern during the past three decades, and these shifts are towards cultivation of total pulses except (horse gram), fruits and vegetables, spices, drugs and narcotics and sugarcane. The fixed effect regression model was used to recognize the fundamental factors of shifts in the cropping pattern. The magnitude of these change, however, vary across the regions and also across districts within a region. These changes have been driven by sub-division of landholdings, mechanization, irrigation, technological change and farmers' improved access to institutional credit and infrastructure.

Keywords: Cropping pattern, determinants, Andhra Pradesh

Introduction

Andhra Pradesh continues to be largely an agricultural state with a population of over 84.6 million, living on 2.75 lakh sq. km of land, the rural area accounting for about 70.0 percent population of 56.3 million as per the latest Census 2011. The average farm-size is small, at 1.08 ha as per 2010-11 data. Among the total holdings, 26.08 percent are marginal (<1 ha), 28.8 percent are small (1-2 ha) 25.8 percent are semi-medium (2-4 ha) 15.5 percent are medium (4-10 ha) and 3.9 percent are large (>10 ha) in the state. The net sown area is 10.9 M ha, and 27.1 per cent of it is cultivated more than once. Irrigation covers only 6.7 M ha area i.e., 48.4 percent of the gross cropped area. Since geographical spread is quite large, the soils and climate across the state differ significantly. Due to these divergent soils, climate, and other resource endowments, several types of crops are grown in the state, and can be classified broadly as food crops and non-food crops, high-value crops and low-value crops. Over the years, there has been a significant change in the cropping pattern in the state due

33 to changing consumer preferences and changes in the government policies, technological
34 improvements, development of infrastructure, and improvements in agricultural support systems.
35 A close examination of these factors and the related aspects form the basis for the present study.
36 The state agriculture is fraught with risks and uncertainties as about two-thirds of the cultivable land
37 depend on monsoon for irrigation. The farmers are often not sure about the outcome of agriculture
38 due to uncertain weather and market-induced risks. Under such circumstances, concentration of crop
39 production may result in high degree of uncertainty in farm income and employment. Therefore,
40 shifts in the cropping pattern, which involve transformation of a mono-cropped farm into a
41 multifaceted enterprise, is a welcome step.

42 Earlier studies on cropping pattern in South Asia reveals that there is gradually shifting in favour of
43 high value crops such as fruits and vegetables, livestock and fish products (Joshi et al., 2004;
44 KinlayDorjee et al., 2003). Similarly, in the Indian context, the previous studies discussed the patterns
45 in the growth of crop sector in India has experienced substantial changes with a significant move from
46 area under food grains to commercial crops (Kannan et al., 2011). In fact, there is a great leap forward
47 with crop pattern changes taking place at micro level and the nature of cropping pattern changes is
48 mainly from low level coarse cereals to high value crop and other food grains (Acharya, 2003).
49 However, the implications of these shifts for crop diversification and balance in the inter-crop
50 allocation of existing and additional areas brought under cultivation and the output and productivity
51 impact of crop pattern changes (Hazra, 2001). The cropping pattern changes have emphasized two
52 important characteristics of agricultural land, viz. its heterogeneity and the possibility of crop
53 substitution. Heterogeneity arises from the agro-climatic differences arising due to soil, temperature,
54 rainfall, which differ from region to region (Venkataraman et al., 1978). The studies on cropping
55 pattern assume importance taking cognizance of soil-climate factors and the crops that could be
56 grown within the environment (James, 1959). The changes in cropping pattern represent response to
57 the changing economic, technological, and institutional factors. The farmers tend to develop a stable
58 cropping pattern in the given agro-climatic region and they do not shift much from this position,
59 except to the extent dictated by the price factors in adjusting acreage allocations. However, they do
60 change their cropping pattern, maybe with some time lags, in response to newer production

61 opportunities provided by a new technology such as using high-yielding crop varieties along with
 62 fertilizers, pesticides, insecticides, and increase in irrigated area (Kannan et al., 2011; Chand and
 63 Raju, 2009; Joshi et al, 2004; KinlayDorjee, 2003; Utpal Kumar De, 2003).

64 The state of Andhra Pradesh has a good potential for changes in the cropping pattern. In responseto
 65 this potential and the changing market conditions, farmers have been changing their cropping pattern.
 66 A study on the nature of changes in the cropping pattern, whether they lead to crop diversification or
 67 crop concentration, in a detailed and analytical way will be useful for designing the policy for
 68 agricultural diversification. The present study is one such attempt. It has investigated the changes in
 69 cropping pattern in Andhra Pradesh, and has identifiedthe causal factors behind cropping pattern
 70 shifts in the state.

71 **Dataand Methodology**

72 This study is based on the secondary data drawn from the issues of Statistical Abstracts of Andhra
 73 Pradesh, published by Bureau of Economics and Statistics, Government of Andhra Pradesh. Some
 74 data were also drawn from the Statistical Abstracts of India, published by the Central Statistical
 75 Organization, Ministry of Statistics and Programme Implementation, Government of India.The study
 76 has covered the post-green revolution period from 1969-70 to 2004-05. To analyze the pattern ofshifts
 77 in cropping pattern, the triennium averages of areas under various crops for the periods 1969-1971,
 78 1979-81, 1989-91, 1999-01, and 2003-05 wereconsidered. The analysis was carried out in terms of
 79 changes in the proportion of area under the crops to the total gross cropped area, at the state and
 80 regional levels, considering 27 crops. For analyzing crop replacement or crop substitution,a zero-
 81 order correlation matrix was developed. To identifying the causal factors of shifts in thecropping
 82 patterns, the following fixed effect regression modelwasestimated. We carried out analysis with using
 83 Stata version 12, StataCorp LLC, Texas, USA.

$$\begin{aligned}
 &84 \\
 &85 \quad Y_{it} = \beta_1 X_{1,it} + \beta_2 X_{2,it} + \beta_3 X_{3,it} + \beta_4 X_{4,it} + \beta_5 X_{5,it} + \beta_6 X_{6,it} + \beta_7 X_{7,it} + \beta_8 X_{8,it} + \beta_9 X_{9,it} + \\
 &86 \quad \beta_{10} X_{10,it} + \alpha_i + U_{it} \quad \text{--- (1)}
 \end{aligned}$$

87 In equation (2) we add dummies for the different regions.

$$Y_{it} = \beta_1 X_{1,it} + \beta_2 X_{2,it} + \beta_3 X_{3,it} + \beta_4 X_{4,it} + \beta_5 X_{5,it} + \beta_6 X_{6,it} + \beta_7 X_{7,it} + \beta_8 X_{8,it} + \beta_9 X_{9,it} + \beta_{10} X_{10,it} + \gamma_2 R_2 + \gamma_3 R_3 + \alpha_i + U_{it} \quad \text{--- (2)}$$

where, Y_{it} is one of the six dependent variables viz., respective share in gross cropped area (GCA) of total cereal and millet crops (TC&M), share of total pulse crops (TP), share of total oilseed crops (TOS), share of total commercial crops (TCC), share of total fruits and vegetable crops (TF&V) and finally share of total other crops (TOC))¹, with i is the district and t is the time.

$X_{1,it}$ is the proportion of gross irrigated area in total cropped area, $X_{2,it}$ is the rainfall in (mm), $X_{3,it}$ is the institutional agricultural credit, $X_{4,it}$ is the number of tractors per '000 ha of cropped area, $X_{5,it}$ is the proportion of smallholders in the total landholders, $X_{6,it}$ is the average land-size in hectares, $X_{7,it}$ is the number of cultivators and agricultural workers per hectare, $X_{8,it}$ is the road density in sq km per 100 km of geographical area, $X_{9,it}$ is the fertilizer-use per hectare, and $X_{10,it}$ is the population density in number of persons per 100 sq km,

In Equation (2), R_2 and R_3 are regional dummy variables (Rayalaseema and Telangana); α_i ($i=1, \dots, n$) is the unknown intercept for each district by region; $\beta_1, \dots, \beta_{10}$ are the coefficients for the endogenous variables i , γ_2 and γ_3 are the coefficients for binary regressors (regions), and U_{it} is the error-term.

Results

Shifts in Cropping Pattern


In 1970-71, the major crop grown in the state was rice. It covered 25.30 percent of the gross cropped area of 13.04Mha. The next major crop wassorghum(19.44%) followed by groundnut (11.58 %), small millets (6.59 %), pearl millet (4.25 %), green gram 3.66 (%) and horse gram (3.22 %). The area covered by finger millet, cotton, spices and fruits and vegetables each ranged between 2 and 3 percent, while the area covered by maize, red gram, black gram, sesamum, tobacco and chillies ranged

¹ Total cereals and millets: Rice, wheat, sorghum (jowar), pearl millet (bajra), maize, finger millet (ragi) and total minor millets; Total pulses: Horse gram, green gram, black gram, red gram, bengal gram, cow gram and other pulses; Total oilseeds: Groundnut, sesamum, safflower, sunflower, coconut, rapeseed and mustard, soyabean, castor, linseed and nigerseed; Total commercial crops: Chillies, turmeric, sugarcane, mangoes, banana (for harvest), cashewnut, potato, onions, cotton, mesta, and tobacco; Total fruits and vegetables: Total citrus fruits, grapes, guava, papaya, sapota, total fresh and dry fruits, bottle gourd, bhendi, brinjal, green leafy vegetables, cabbage, peas, beans and tomatoes; Total other crops: Flowers and aromatic plants, betel leaves, total drugs, narcotics & plantation and fodder crops (GoAP, Statistical Abstract of Andhra Pradesh, 2006).

110 between 1 and 2 percent only. The rest of the crops, viz. bengal gram, other pulses, sugarcane and
111 other oilseeds covered less than 1 percent each of the gross cropped area.

112 While the changes in the cropping pattern in the state during the period 1970-71 to 2004-2005,
113 position of the most dominant crop, rice, remained more or less the same (see Figure 1). In fact, the
114 proportion of rice area in gross cropped area kept increasing reaching a peak of 31.27 percent in 2000-
115 2001. However, there was a drastic fall thereafter and in 2004-05 it fell to 25.17 percent. The area
116 under total cereals and millets also declined drastically, the only exception being maize. The
117 proportion of area under maize increased from 1.95 percent in 1970-71 to 2.55 percent in 1980-81,
118 2.36 percent in 1990-91, 3.67 percent in 2000-2001 and 5.39 percent in 2004-05. Similarly, a
119 significant area increases in the prominence of pulses, especially, the bengal gram (chickpea), red
120 gram and green gram except horse gram. The area under oilseeds was subjected to wide fluctuations
121 mainly on account of groundnut. Though, a substantial shift was perceived in favour of the
122 commercial crops, particularly, sugarcane, whereas, the area under other commercial crops, viz.
123 chillies, tobacco and cotton was noted instable. An impeccable change in favour of the cultivation of
124 spice crops and drugs and narcotics was witnessed in the state. Remarkably, the proportion of area
125 under high-value crops (fruits and vegetables) increased from 2.7 percent in 1970-71 to 3.8 percent in
126 1990-91 but after 1990s, it uplifted rapidly reaching 6.06 per cent in 2000-01 and 6.90 per cent in 2004-
127 05.


128 **Figure 1. Cropping pattern in Andhra Pradesh during 1970-71 to 2004-05**



Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

The shifts in cropping pattern differed significantly across the three regions, viz. coastal Andhra, Rayalaseema and Telangana (Figures 2 to 4). In 1970-71, the predominant crop in the coastal Andhra region was rice. The proportion of area under rice declined from 43.86 percent in 1970-71 to 39.59 percent in 2004-05. The area under coarse cereals also declined drastically. On the other side, a significant shift was observed in favour of pulses: green gram, horse gram, black gram; commercial crops (sugarcane, cotton, chillies); and high-value crops (fruits and vegetables).


Figure 2. Cropping pattern in Coastal Andhra region during 1970-71 to 2004-05



Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

143 In the Rayalaseema region, the principal crop was groundnut and the area under groundnut
 144 grew impressive growth 29.39 per cent of the gross cropped area in 1970-71 to 45.61 per cent in 2004-
 145 05. However, a drastic decline was seen in the area under coarse cereals, but a progressive shift in
 146 favour of maize cultivation, especially, in Anantapur district. The proportion of area under pulses has
 147 exhibited optimistic growth, 5.98 percent in 1970-71 to 12.80 percent in 2004-2005: more towards
 148 bengal gram (chickpea) and red gram. Nevertheless, a notable shift in cropping pattern was observed
 149 in favour of high-value crops (fruits and vegetables) in this region.


150
 151 **Figure 3. Cropping pattern in Rayalaseema region during 1970-71 to 2004-05**



152
 153 Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

154
 155 Until 1980s sorghum was the main crop in the Telangana region and area under this was somehow
 156 increased from 29.35 percent in 1970-71 and 29.47 percent 1980-81, but, after that sorghum area was
 157 declined drastically to 17.47 percent in 1990-91 and further to 9.73 percent in 2004-05. The area under
 158 commercial crop cotton has exhibited sharply increasing from 1.85 percent in 1970-71 to 13.98
 159 percent in 2004-05. The cropping pattern changes in favour of chillies, spice crops and fruits and
 160 vegetables was witnessed in all the periods.

161
 162
 163 **Figure 4. Cropping pattern in Telangana region during 1970-71 to 2004-05**



Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

Remarkably, significant area gains were identified in the crops like maize, bengal gram (chickpea) and red gram in all the three regions of the state. For instance, in 2000-01 onwards, the expansion of area under maize and bengal gram (chickpea) crop noticed increasing growth due to the adoption of single cross hybrids. Particularly, there are eight districts includes Karimnagar, Nizamabad, Mahbubnagar, Medak and Khammam in Telangana region and Guntur and West Godavari districts in Coastal Andhra jointly contributes above than 80 per cent in the total maize production in the state. Although, the growth of maize yield is higher in a resource poor district in Mahbubnagar, which accounts 33 percent followed by the Guntur district during TE 2000-01 to 2004-05. Furthermore, in these two districts the area under maize crop were expanded 7000 ha in every year from the past 5 years (Kumar et al. 2013).

On the other hand, black gram, green gram, red gram and bengal gram (chickpea) are the principal pulse crops, whereas, 70 per cent of chickpea production were predominantly grown in Kurnool, Prakasam and Anantapur districts in the state. Moreover, it is emerging as a commercial crop in black cotton soil of Andhra Pradesh, particularly, because of higher returns and stability in productivity. Besides, a low risk crop and its suitable in a diverse dry land agro-climatic conditions (Suhasini et al. 2009 and Bantilan et al. 2014).

183 **Crop Substitution Effect**

184 The overall study period of 1970-71 to 2004-05, there was a gradual decrease in the gross cropped
185 area in Andhra Pradesh accounts from 48.64 per cent to 45.62 percent of the geographical area. There
186 are clear significant shifts in the cropping pattern have been observed, which means, some of the
187 crops are replaced or substituted by other crops. In order to study the crop replacement or crop
188 substitution of major and minor crops includes rice, coarse cereals, total pulses, total oilseeds, cotton,
189 sugarcane, tobacco, chillies, total fruits and vegetables, total spice crops and other crops, a zero-order
190 correlation coefficients for the change in the area under different crops were estimated with district-
191 wise cross section data for the each periods, viz. 1970-71 to 1980-81, 1980-81 to 1990-91, 1990-91 to
192 2000-01 and 2000-01 to 2004-05 and the results are presented in Tables 1 to 4. The negative sign of
193 the coefficient indicates crop replacement or crop substitution.

194
195

**Table 1. Zero-order correlation coefficient of changes in area under specific crops in Andhra Pradesh^a
: TE 1970-71 to TE 1980-81**

Crops	Δ Rice	Δ Coarse cereals	Δ Total pulses	Δ Total oilseeds	Δ Cotton	Δ Sugarcane	Δ Tobacco	Δ Chillies	Δ Total fruits and vegetables	Δ Total spice crops	Δ Total other crops
Δ Rice	1.00										
Δ Coarse cereals	0.259 (0.232)	1.00									
Δ Total pulses	0.383 (0.072)	0.346 (0.105)	1.00								
Δ Total oilseeds	0.230 (0.291)	0.325 (0.130)	0.078 (0.724)	1.00							
Δ Cotton	0.084 (0.703)	-0.204 (0.351)	-0.054 (0.806)	-0.017 (0.939)	1.00						
Δ Sugarcane	0.218 (0.317)	0.153 (0.485)	0.028 (0.900)	0.001 (0.997)	-0.001 (0.995)	1.00					
Δ Tobacco	-0.053 (0.811)	0.250 (0.249)	-0.020 (0.928)	0.112 (0.610)	-0.734** (0.000)	-0.012 (0.958)	1.00				
Δ Chillies	0.035 (0.873)	0.321 (0.136)	0.015 (0.945)	0.088 (0.689)	-0.722** (0.000)	0.046 (0.835)	0.740** (0.000)	1.00			
Δ Total fruits and vegetables	0.759** (0.000)	0.463* (0.026)	0.508* (0.013)	0.404 (0.056)	-0.147 (0.502)	0.164 (0.453)	0.152 (0.489)	0.074 (0.736)	1.00		
Δ Total spice crops	0.815** (0.000)	0.513* (0.012)	0.388 (0.067)	0.338 (0.115)	-0.154 (0.484)	0.258 (0.234)	0.135 (0.540)	0.147 (0.504)	0.849** (0.000)	1.00	
Δ Total other crops	-0.170 (0.439)	-0.158 (0.470)	-0.021 (0.924)	-0.028 (0.898)	0.304 (0.159)	-0.124 (0.573)	0.024 (0.915)	-0.499* (0.015)	0.020 (0.928)	-0.026 (0.907)	1.00

Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

Notes: a. List wise N=23 (Number of districts).

Upper rows figures are simple correlation coefficient,

Figures within the parentheses are p-values.

** Correlation is significant at the 0.01 level (2-tailed)

* Correlation is significant at the 0.05 level (2-tailed)

Δ indicates the change in the area under a crop category

196
197
198
199
200
201
202
203
204
205

**Table 2. Zero-order correlation coefficient of changes in area under specific crops in Andhra Pradesh^a
: TE 1980-81 to TE 1990-91**

Crops	Δ Rice	Δ Coarse cereals	Δ Total pulses	Δ Total oilseeds	Δ Cotton	Δ Sugarcane	Δ Tobacco	Δ Chillies	Δ Total fruits and vegetables	Δ Total spice crops	Δ Total other crops
Δ Rice	1.00										
Δ Coarse cereals	-0.100 (0.649)	1.00									
Δ Total pulses	0.004 (0.985)	0.178 (0.416)	1.00								
Δ Total oilseeds	-0.265 (0.222)	-0.758** (0.000)	-0.265 (0.221)	1.00							
Δ Cotton	0.346 (0.106)	0.051 (0.817)	0.231 (0.289)	-0.387 (0.068)	1.00						
Δ Sugarcane	-0.039 (0.861)	0.330 (0.124)	-0.211 (0.335)	-0.234 (0.282)	-0.112 (0.611)	1.00					
Δ Tobacco	-0.210 (0.335)	-0.101 (0.648)	-0.248 (0.254)	0.175 (0.425)	-0.048 (0.827)	-0.067 (0.761)	1.00				
Δ Chillies	0.421* (0.046)	-0.404 (0.056)	0.259 (0.233)	-0.070 (0.752)	0.472* (0.023)	-0.106 (0.632)	-0.367 (0.085)	1.00			
Δ Total fruits and vegetables	0.279 (0.197)	0.093 (0.673)	0.227 (0.297)	-0.066 (0.765)	-0.185 (0.398)	0.331 (0.122)	0.055 (0.802)	-0.003 (0.988)	1.00		
Δ Total spice crops	0.309 (0.151)	0.269 (0.214)	-0.107 (0.626)	-0.564** (0.005)	0.175 (0.426)	-0.055 (0.804)	0.095 (0.666)	-0.004 (0.984)	0.009 (0.966)	1.00	
Δ Total other crops	0.164 (0.453)	-0.257 (0.237)	0.104 (0.638)	0.035 (0.874)	-0.229 (0.294)	-0.043 (0.844)	-0.257 (0.236)	0.546** (0.007)	0.194 (0.376)	-0.071 (0.749)	1.00

Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

Notes: a. List wise N=23 (Number of districts),

Upper rows figures are simple correlation coefficient,

Figures within the parentheses are p-values.

** Correlation is significant at the 0.01 level (2-tailed)

* Correlation is significant at the 0.05 level (2-tailed)

Δ indicates the change in the area under a crop category

217 The changes in area under rice is negatively correlated with the changes in area under tobacco and
218 other crops, although, the correlation coefficient is not statistically significant. Nevertheless, it is
219 stated that tobacco and other crops replaced the rice crop. Similarly, cotton and other crops substituted
220 the shifts in area under coarse cereals in 1970-71 to 1980-81. In addition, the commercial crop cotton
221 could have replaced by tobacco, chillies, sugarcane, fruits and vegetables and spice crops. Alike, the
222 other important commercial crop sugarcane was switched by tobacco and other crops. As a result, in
223 the late 70's, the shutdown of sugar factories in Adilabad district leads to divert particularly, cotton
224 crop (Singh, 2016).

225 On the other hand, the study identified that the area under rice and coarse cereals crops were replaced
226 by oilseeds and tobacco in the period of 1980-81 to 1990-91. Apart from, the coarse cereals are
227 statistically significant with changes in area under oilseeds. Likewise, the pulses were substituted by
228 oilseeds, sugarcane, tobacco and spices. In Krishna and Guntur district, one of the pulse crops named
229 black gram was a major producer, but, after 1990's, it declines with larger area and production, and
230 switches to crop like sunflower, maize, and cotton. While, the changes of area under oilseeds were
231 replaced by the spice crops, which is statistically significant. Whereas, the commercial crops like
232 sugarcane and tobacco substituted by chillies and other crops. Furthermore, the situation with respect
233 to other commercial crop chillies was statistically insignificant among the shifts in area under spices,
234 fruits and vegetables.

235
236
237
238
239
240
241
242
243

**Table 3. Zero-order correlation coefficient of changes in area under specific crops in Andhra Pradesh^a
: TE 1990-91 to TE 2000-01**

Crops	Δ Rice	Δ Coarse cereals	Δ Total pulses	Δ Total oilseeds	Δ Cotton	Δ Sugarcane	Δ Tobacco	Δ Chillies	Δ Total fruits and vegetables	Δ Total spice crops	Δ Total other crops
Δ Rice	1.00										
Δ Coarse cereals	-0.004 (0.986)	1.00									
Δ Total pulses	0.098 (0.656)	-0.621** (0.002)	1.00								
Δ Total oilseeds	0.017 (0.937)	0.326 (0.129)	-0.120 (0.585)	1.00							
Δ Cotton	0.004 (0.986)	-0.116 (0.599)	-0.308 (0.153)	-0.506* (0.014)	1.00						
Δ Sugarcane	0.058 (0.794)	0.156 (0.478)	-0.057 (0.798)	-0.119 (0.587)	-0.156 (0.477)	1.00					
Δ Tobacco	0.004 (0.984)	0.554** (0.006)	-0.199 (0.361)	-0.039 (0.859)	-0.079 (0.722)	0.061 (0.784)	1.00				
Δ Chillies	0.052 (0.812)	-0.121 (0.583)	0.108 (0.625)	0.047 (0.830)	-0.261 (0.228)	-0.202 (0.356)	-0.128 (0.560)	1.00			
Δ Total fruits and vegetables	-0.229 (0.294)	-0.113 (0.607)	0.129 (0.558)	-0.386 (0.069)	-0.078 (0.722)	0.524* (0.010)	-0.019 (0.933)	-0.060 (0.786)	1.00		
Δ Total spice crops	0.182 (0.405)	0.323 (0.132)	-0.262 (0.227)	-0.052 (0.813)	0.336 (0.117)	-0.021 (0.923)	0.149 (0.496)	-0.146 (0.508)	-0.229 (0.294)	1.00	
Δ Total other crops	0.316 (0.142)	-0.141 (0.521)	0.114 (0.604)	-0.029 (0.897)	-0.093 (0.672)	-0.139 (0.529)	-0.042 (0.849)	0.648** (0.001)	0.154 (0.482)	-0.310 (0.150)	1.00

Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

Notes: a. List wise N=23 (Number of districts).

Upper rows figures are simple correlation coefficient,

Figures within the parentheses are p-values.

** Correlation is significant at the 0.01 level (2-tailed)

* Correlation is significant at the 0.05 level (2-tailed)

Δ indicates the change in the area under a crop category

256
257

**Table 4. Zero-order correlation coefficient of changes in area under specific crops in Andhra Pradesh^a
: TE 2000-01 to TE 2004-05**

Crops	Δ Rice	Δ Coarse cereals	Δ Total pulses	Δ Total oilseeds	Δ Cotton	Δ Sugarcane	Δ Tobacco	Δ Chillies	Δ Total fruits and vegetables	Δ Total spice crops	Δ Total other crops
Δ Rice	1.00										
Δ Coarse cereals	-0.585** (0.003)	1.00									
Δ Total pulses	-0.113 (0.609)	-0.310 (0.150)	1.00								
Δ Total oilseeds	-0.032 (0.884)	0.161 (0.464)	0.495* (0.016)	1.00							
Δ Cotton	0.040 (0.854)	-0.004 (0.987)	-0.498* (0.016)	-0.333 (0.121)	1.00						
Δ Sugarcane	-0.018 (0.935)	0.086 (0.698)	0.008 (0.971)	0.146 (0.507)	0.025 (0.911)	1.00					
Δ Tobacco	-0.103 (0.640)	-0.119 (0.590)	0.371 (0.081)	0.177 (0.419)	0.034 (0.877)	-0.015 (0.945)	1.00				
Δ Chillies	-0.285 (0.187)	0.399 (0.059)	-0.487* (0.018)	0.018 (0.934)	0.317 (0.141)	0.039 (0.861)	-0.381 (0.073)	1.00			
Δ Total fruits and vegetables	-0.024 (0.913)	-0.063 (0.777)	0.157 (0.475)	-0.265 (0.221)	-0.066 (0.765)	-0.140 (0.052)	0.255 (0.240)	-0.121 (0.581)	1.00		
Δ Total spice crops	-0.342 (0.111)	0.118 (0.592)	-0.250 (0.251)	-0.457* (0.028)	0.345 (0.107)	-0.229 (0.293)	0.417* (0.048)	0.102 (0.645)	0.121 (0.582)	1.00	
Δ Total other crops	0.284 (0.189)	-0.325 (0.131)	-0.162 (0.460)	-0.495* (0.016)	0.371 (0.081)	-0.126 (0.568)	-0.196 (0.370)	-0.300 (0.165)	0.193 (0.378)	0.178 (0.417)	1.00

Source: GoAP, Statistical Abstract of Andhra Pradesh (various issues)

Notes: a. List wise N=23 (Number of districts).

Upper rows figures are simple correlation coefficient,

Figures within the parentheses are p-values.

** Correlation is significant at the 0.01 level (2-tailed)

* Correlation is significant at the 0.05 level (2-tailed)

Δ indicates the change in the area under a crop category

258
259
260
261
262
263
264

265 There is robust evidence that the area under coarse cereals and oilseeds are statistically significant and
266 depict a negative correlation with the changes in area under total pulses and cotton. Also, the cotton
267 and tobacco was replaced among the changes in the area under chillies, fruits and vegetables and other
268 crops. Remarkably, the prominent crop rice was substituted by the high-value crop fruits and
269 vegetables in 1990-91 to 2000-01. Not only that, even in the period of 2000-01 to 2004-05, a
270 tremendous continuous change in the area under rice has been observed and switched to crops like
271 pulses, oilseeds, sugarcane, tobacco, chillies, fruits and vegetables, spice crops and cereal crops. At
272 the district level, coarse cereals (maize crop), which is statistically significant and performed well in
273 Karimnagar, pulses (chickpea) in Prakasam and Kurnool, and oilseeds (sunflower) in Kurnool,
274 Kadapa and Mahabubnagar, Fruits and Vegetables in Nalgonda and Krishna, sugarcane in
275 Visakhapatnam, West Godavari, Chittoor, Medak and Krishna and Chillies crop in Gunter, Warangal
276 and Khammam (Rama Rao et al. 2008). The pulse crops are negatively correlated, which means in
277 some of the districts, the area under pulses that are statistically significant and replaced by the cotton
278 and chillies. Equally, the oilseeds are statistically significant and substituted with the changes in area
279 under spice crops and other crops. On the other hand, the commercial crops of sugarcane and chillies
280 were observed to be replaced by the fruits and vegetables and other crops, which clearly indicates that
281 the growth of horticulture incomes and demand of produce leads to increase growth in fruits and
282 vegetables that supports in boosting export earning and nutritional wellbeing. Fruits and vegetable
283 cultivation has become an impressive growth in Andhra Pradesh with crop area increase 2.73 per cent
284 in 1970-71 and 6.90 per cent in 2004-05.

285 286 **Determinants of Cropping Pattern Changes**

287 Cropping pattern shifts are influenced by percentage of gross irrigated area in the gross cropped area,
288 number of tractors, rainfall, fertilizer application, number of smallholders, agricultural labour, road
289 length, access to institutional credit, average land-size, and population density. In the present study,
290 these causal factors were considered for explaining the shifts in cropping pattern.

291 The estimated values for the parameters of fixed effect regression model are presented in Table 9.
292 Among the set of explanatory variables considered in the model under different cropping pattern, the

coefficients of irrigation, institutional agricultural credit, mechanization (tractors), smallholdings, agricultural labour, road length, fertilizer-use and population density are statistically significant for the coastal Andhra region. In the Rayalaseema region, the coefficients of irrigation, institutional credit, mechanization (tractors), agricultural labour and road length are statistically significant. In the Telangana region, the coefficients of irrigation, rainfall, agricultural credit, tractors, smallholders, average land-size, agricultural labour, road length, fertilizer-use and population density are statistically significant. However, the regression coefficients do not have the expected signs in case of cereals and millets, pulses, fruits and vegetables, oilseeds, and commercial crops in the three regions. Generally, we expect that growing of more number of crops results in use of same piece of land more number of times, but, it was not observed in Andhra Pradesh agriculture. In fact, with increased opportunity for using the same piece of land more number of times, the farmers switch over to high-value crops. The same argument is applicable to fertilizer-use, agricultural credit, tractors and irrigation. In other words, the increase in irrigation facilities, fertilizers-use, road length and mechanization (tractors), induce the farmers to switch over to more remunerative crops like paddy, fruits and vegetables, spice crops, sugarcane, cotton and chillies from less-remunerative crops. This process was leading to crop concentration. Some other coefficients like road length and agricultural credit also have a similar effect. Perhaps the farmers in all the three regions of Andhra Pradesh are not much aware about the benefits of shifts in cropping pattern and consider switching over to newer and riskier crops. The smallholders can easily switch over to the new crops and naturally diversity of cropping among them is high. Although their risk bearing capacity is low, they play a larger role in cultivation of high-value (fruits and vegetables) crops (BIRTHAL et al. 2012).

In equation 2, the coefficients of irrigation, rainfall, institutional credit, mechanization (tractors), smallholders, average land-size, labour, road length, fertilizer-use, population density and regional dummies have been statistically significant. But, regression coefficient for cereals and millets, pulses, fruits and vegetables, oilseeds, and commercial crops did not have the expected signs in Andhra Pradesh. The effect of irrigation variables, viz. proportion of irrigated area and rainfall on cereals and millets, oilseeds, and fruits and vegetables was positive. Similarly, the effect of technological and institutional variables, mechanization and agricultural credit was expected to have a positive impact on

321 the cropping pattern shifts. The coefficient of variables representing mechanization (tractors), rainfall,
322 agricultural labour and population density was positive and statistically significant on fruits and
323 vegetables. The coefficients of smallholders, average land-size, road length, number of tractors
324 and fertilizer-use are positively and statistically significant to the cropping pattern shifts in the total
325 pulse regression and total commercial crops regression in equation 2. The coefficients of the
326 irrigation, rainfall, average land-size, population density and regional dummy for Telangana were
327 positive and statistically significant in total cereals and millets regression. One possible explanation
328 is that Andhra Pradesh state (including Telangana region) prefers to grow maize instead of other
329 cereal crops.

UNDER PEER REVIEW

330
331

Table 9. The value of district-level fixed regressions by region and state of Andhra Pradesh

Explanatory variable	Coastal Andhra Pradesh						Rayalaseema					
	TC&M	TP	TOS	TCC	TF&V	TOC	TC&M	TP	TOS	TCC	TF&V	TOC
Irrigation (% of total cropped irrigated area)	0.86* (7.0)	-0.51* (-3.3)	-0.16 (-1.5)	-0.25** (-2.0)	0.01 (0.3)	0.06 (0.7)	0.08 (0.3)	-0.95** (-2.0)	0.1 (0.3)	0.64 (1.6)	0.08 (0.6)	0.06 (0.4)
Rainfall (mm)	0.001 (0.7)	-0.002 (-1.3)	-0.002 (-1.4)	0.001 (1.6)	-0.001 (-1.2)	0.001 (1.3)	0.003 (1.1)	-0.004 (-1.2)	-0.003 (-1.4)	0.003 (0.9)	0.002 (1.4)	0.001 (0.3)
Institutional agricultural Credit (Rs/ ha.)	-0.001 (-1.5)	-0.001 (-1.6)	0.001* (2.8)	0.001 (0.5)	0.000 (1.3)	0.000 (0.3)	-0.001 (-1.3)	-0.001** (-2.4)	0.001* (2.7)	0.001 (0.9)	0.001* (2.6)	0.000 (-0.3)
Tractors (No./1000ha)	0.24 (1.1)	0.15 (0.6)	-0.34*** (-1.8)	-0.01 (-0.1)	0.25* (3.6)	-0.29** (-2.1)	0.74 (1.1)	-0.64 (-0.7)	-1.66** (-2.5)	1.03 (1.3)	0.42 (1.5)	0.14 (0.4)
Smallholders (% in total landholdings)	0.26 (0.2)	3.56*** (1.7)	-1.04 (-0.7)	-2.5 (-1.5)	0.45 (0.9)	-0.71 (-0.7)	-0.62 (-0.4)	2.8 (1.2)	1.46 (1.0)	-3.12 (-1.6)	-0.26 (-0.4)	-0.26 (-0.4)
Average land-size (ha)	-0.06 (-0.0)	48.2 (1.1)	-22.8 (-0.8)	-42.2 (-1.2)	5.67 (0.5)	11.5 (0.5)	-1.68 (-0.1)	22.4 (0.9)	13.7 (0.8)	-29.7 (-1.4)	-2.71 (-0.4)	-1.76 (-0.2)
Labour- Agriculture and cultivar (No./ha)	-2.35 (-0.9)	-6.79** (-2.0)	-2.59 (-1.1)	8.72* (3.2)	2.31* (2.7)	0.87 (0.5)	-5.45 (-1.3)	11.2 (1.8)	-11.3* (-2.7)	-2.12 (-0.4)	7.71* (4.2)	-0.14 (-0.1)
Road length (km/100 sqkm)	6.49 (0.8)	17.8*** (1.7)	-14.7** (-2.1)	-15.8*** (-1.9)	7.04* (2.7)	-0.87 (-0.2)	-9.49 (-0.8)	20.4 (1.2)	16.2 (1.4)	-22.6 (-1.5)	-9.05*** (-1.8)	4.72 (0.8)
Fertilizer-use (kg/ha.)	0.01 (0.5)	-0.08* (-2.6)	0.02 (0.8)	0.06** (2.4)	-0.01 (-1.7)	0.001 (0.3)	0.09 (1.7)	-0.002 (-0.0)	-0.09 (-1.6)	0.02 (0.2)	-0.01 (-0.5)	-0.01 (-0.2)
Population density (No. of persons/100 sqkm)	0.02 (0.8)	0.01 (0.2)	-0.03 (-1.3)	-0.04 (-1.2)	-0.02*** (-1.9)	0.06* (3.0)	0.06 (0.5)	-0.18 (-1)	-0.01 (-0.1)	0.14 (0.9)	-0.02 (-0.4)	0.02 (0.4)
Year fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
R-squared	0.98	0.93	0.92	0.92	0.98	0.85	0.96	0.88	0.99	0.93	0.99	0.48

Contd.

*, ** and *** denotes significance at 1 per cent, significance at 5 per cent; significance at 10 per cent levels, respectively.

Note: Total cereal and millet crops (TC&M), total pulse crops (TP), total oilseed crops (TOS), total commercial crops (TCC), total fruits and vegetable crops (TF&V) and total other crops (TOC).

340
341
342
343

Table 9. The value of district-level fixed regressions by region and state of Andhra Pradesh ----Contd

Explanatory variable	Telangana [§]						Andhra Pradesh [§]					
	TC&M	TP	TOS	TCC	TF&V	TOC	TC&M	TP	TOS	TCC	TF&V	TOC
Irrigation (% of total cropped irrigated area)	0.98* (7.5)	-0.44* (-4.6)	-0.54* (-4.5)	0.03 (0.2)	-0.01 (-0.2)	-0.01 (-0.4)	0.58* (11.4)	-0.55* (-14.9)	0.19* (3.2)	-0.17* (-3.1)	0.03 (1.4)	-0.08* (-6.0)
Rainfall (mm)	0.01** (2.1)	-0.000 (-0.0)	-0.002 (-0.8)	-0.003 (-0.9)	-0.000 (-0.3)	-0.001 (-1.3)	0.01** (2.0)	-0.001 (-1.5)	-0.001 (-2.9)	0.002 (0.8)	0.01* (3.8)	0.000 (0.5)
Institutional agricultural Credit (Rs/ ha.)	-0.001** (-2.2)	-0.000 (-1.2)	0.001*** (1.9)	0.0002 (1.0)	0.0001 (1.0)	-0.000 (-1.1)	0.001 (1.6)	-0.00** (-2.0)	0.001 (1.6)	-0.001*** (-1.8)	0.000 (0.4)	-0.000 (-1.2)
Tractors (No./1000ha)	0.52* (3.0)	-0.02 (-0.1)	-0.45* (-2.7)	-0.04 (-0.2)	0.01 (0.3)	-0.02 (-0.9)	0.03 (0.1)	0.43* (2.9)	-0.43*** (-1.8)	-0.27 (-1.2)	0.27* (3.0)	-0.03 (-0.5)
Smallholders (% in total landholdings)	-1.42** (-2.0)	0.33 (0.6)	0.9 (1.4)	0.53 (0.6)	-0.27 (-1.4)	-0.06 (-0.6)	0.74 (1.6)	1.6* (4.8)	-1.32** (-2.4)	-0.5 (-1.0)	-0.66* (-3.3)	0.14 (1.1)
Average land-size (ha)	-14.55 (-1.3)	6.15 (0.7)	12.77 (1.2)	1.62 (0.1)	-5.86** (-2.0)	0.09 (0.1)	20.0** (2.4)	16.7* (2.8)	-11.9 (-1.2)	-18.8** (-2.1)	-8.12** (-2.2)	2.1 (0.9)
Labour- Agriculture and cultivar (No./ha)	-0.64 (-0.3)	-2.44 (-1.5)	-1.46 (-0.7)	3.32 (1.2)	1.4* (2.3)	-0.22 (-0.7)	-3.76 (-1.8)**	-8.64* (-5.8)	2.16 (0.9)	1.23 (0.6)	8.38* (9.4)	0.68 (1.2)
Road length (km/100 sq km)	14.13 (1.4)	17.43** (2.3)	-19.5** (-2.0)	-14.51 (-1.2)	1.86 (0.7)	-0.28 (-0.2)	-12.12 (-1.5)	18.16* (3.2)	10.9 (1.2)	-8.16 (-1.0)	-9.71* (-2.8)	0.83 (0.4)
Fertilizer-use (kg/ha.)	-0.004 (-0.3)	-0.01 (-0.5)	0.02*** (1.7)	-0.001 (-0.3)	-0.001 (-1.2)	-0.01** (-2.1)	-0.05* (-3.4)	0.08* (7.3)	-0.09* (-5.0)	0.06* (3.6)	-0.02* (-3.4)	0.03* (6.5)
Population density (No. of persons/100 sq km)	0.01 (0.5)	0.03 (2.4)	-0.01 (-0.7)	-0.04 (-1.6)	-0.0001 (-0.0)	0.01* (3.2)	0.05* (4.3)	-0.04* (-4.6)	0.01 (1.0)	-0.05* (-3.4)	0.03* (5.6)	-0.01* (-3.6)
Regional dummy 2	-	-	-	-	-	-	-16.77* (-8.8)	-10.13* (-7.4)	35.07* (15.3)	-6.23* (-3.1)	0.77 (0.9)	-2.72* (-5.2)
Regional dummy 3	-	-	-	-	-	-	10.48* (6.4)	-5.01* (-4.3)	0.96 (0.5)	0.36 (0.2)	-2.78* (-3.9)	-4.0* (-8.9)
Year fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
District fixed effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
R-squared	0.96	0.93	0.97	0.93	0.97	0.92	0.86	0.67	0.85	0.40	0.66	0.45

*,** and *** denotes significance at 1 per cent, significance at 5 per cent; significance at 10 per cent levels, respectively

[§] Excluded Hyderabad district

Note: Total cereal and millet crops (TC&M), total pulse crops (TP), total oilseed crops (TOS), total commercial crops (TCC), total fruits and vegetable crops (TF&V) and total other crops (TOC).

344
345
346
347

348 **Conclusions**

349 As an evidence from the results presented that the state has witnessed shifts in cropping pattern during
350 the past three decades, though they vary across regions and across districts within a region. There has
351 been a significance area gains in the prominence of dominant crops like sugarcane, maize and pulse
352 crops: bengal gram (chickpea), red gram (pigeon pea) and black gram performed well in all three
353 regions as well as state. Interestingly, from the year 2000 onwards, the state leading crop area under
354 rice is gradually replaced by the maize, bengal gram, oilseeds (sunflower), sugarcane, tobacco, fruits
355 and vegetables, perhaps, lack of water resources. In addition, the farmers' opinion towards cultivating
356 only cereals is not a favorable choice (Rama Rao et al. 2008). Among the high-value fruits and
357 vegetables, spice crops and drugs and narcotics has been observed substantial area expansion in the
358 state. It is clearly specifying that farmers in Andhra Pradesh now prefer to cultivate high
359 demanding crops to low-value cereal crops.

360 The estimated fixed effect regression analysis, has revealed that the common causal factors of
361 cropping pattern in the three regions of Andhra Pradesh are irrigation, access to institutional
362 agricultural credit, number of tractors, agricultural labour, and road length, except rainfall,
363 smallholders, average land-size, fertilizer-use and population density in coastal Andhra and Telangana
364 region. The changes in these various determinants such as irrigation facilities, access of markets by
365 road length are influenced to shifting to the commercial crop like sugarcane and the high-values
366 crops: fruits and vegetables, for instance, the promotion of Andhra Pradesh Micro Irrigation Project
367 (APMIP) has certainly fostered the horticulture sector. Besides, the farmers were attracted towards the
368 cultivation of pulse crops especially, bengal gram (chickpea) and red gram (pigeon pea) due to low
369 risk, high income and less agricultural labour requirements (Suhasini et al. 2009).

370
371
372
373
374
375
376
377
378
379
380

References

- Acharya, S. S., (2003) Crop Diversification in Indian Agriculture, Agricultural Situation in India, August, 2003, pp.239-250.
- Bantilan, C., Kumara Charyulu, D., Gaur, P.M., Shyam, M.D., and Jeff, D. (2014) Short-Duration Chickpea Technology: Enabling Legumes Revolution in Andhra Pradesh, India. 2014. Research Report no. 23. Patancheru 502 324. Telangana, India: International Crops Research Institute for the Semi-Arid Tropics. 208 pp.
- Birthal, P. S., Joshi, P.K., Roy, D. and Thorat, A. (2012) Diversification in Indian agriculture toward high-value crops: The role of small farmers, Canadian Journal of Agricultural Economics, 61(1): 61-91.
- Chand, Ramesh and S S Raju (2009) Instability in Indian Agriculture During Different Phases of Technology and Policy. Indian Journal of Agricultural Economics, 64 (2): 283-88.
- ElumalaiKannan and SujataSundaram (2011) Analysis of Trends in India's Agricultural Growth, Working Paper 276, The Institute for Social and Economic Change, Bangalore.
- GoAP(Government of Andhra Pradesh) (1969-2006) Statistical Abstract of Andhra Pradesh, Directorate of Economics and Statistics, Hyderabad.
- Harpal Singh, S. (2016) Ryots keen to replace cotton with sugarcane, The Hindu <http://www.thehindu.com/news/national/andhra-pradesh/ryots-keen-to-replace-cotton-with-sugarcane/article4232794.ece>
- Hazra, C. R., (2001) Diversification in Indian Agriculture, Agricultural Situation in India, December, 2001, p.409-422.
- ICAR (Indian Council of Agricultural Research) (2003) Farmers of India: Madras, Andhra Pradesh, Mysore and Kerala, New Delhi.
- James, M. H. (1959) The utilization of agricultural land- A theoretical and empirical analysis. The Review of Economics and Statistics, 41(3): 242-259
- Joshi, P. K., Ashok Gulati, Pratap, S., Birthal, LaxmiTewar, (2004) Agriculture Diversification in South Asia: Patterns, Determinants and Policy Implications", Economic and Political Weekly, June 12, 2004, pp.2457-2467.
- KinlayDorjee, SumiterBroca and PrabhuPingali, (2003) Diversification in South Asian Agriculture : Trends and Constraints", ESA Working Paper No.03-15, July, 2003, www.fao.org/es/esa.
- Kumar, R., Srinivas, K., and Sivaramane, N. (2013) Assessment of the maize situation, outlook and investment opportunities in India. Country Report – Regional Assessment Asia (MAIZE-CRP), National Academy of Agricultural Research Management, Hyderabad, India.
- Rama Rao, C. A., Kareemulla, K., Sreenath Dixit., Ramakrishna, Y.S., and Ravi Shankar, K. (2008) Performance of Agriculture in Andhra Pradesh – A spatial and temporal analysis, Central Research Institute for Dryland Agriculture (ICAR), Hyderabad Crida Publication No. 1/2008 34 PP
- Suhasini, P., Kiresur, V.R., Rao, G.D.N., and Bantilan, M.C.S. (2009) Adoption of chickpea cultivars in Andhra Pradesh: Pattern, trends and constraints, Baseline research report for Tropical Legumes-II, 2009, International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Patancheru 502 324, Andhra Pradesh, India

- 433 Venkataramanan, L.S. and Achar, P. M. (1978) Study of cropping pattern changes in Andhra Pradesh
434 during 1960-75, Indian Economic Review, 13(2): 117-142.
435
436 Utpal Kumar De, (2003) Changing Cropping System in Theory and Practice: An Economic insight
437 into the Agrarian West Bengal, Indian Journal of Agricultural Economics, Vol.58, No.1, Jan-March,
438 2003, pp.64-83.

UNDER PEER REVIEW