

Role of Pakistan government institutions in adoption of Bt cotton and benefits associated with adoption

Abstract: Pakistan is the world fourth biggest maker of the cotton and positions tenth in productivity. Many factors such as poor seed quality, primitive agronomic practices, improper use of fertilizers and pesticides, lack of access to modern machinery, slow adoption of modern farming practices and use of low Bt expression varieties can attribute to it. In this study focus was on the slow adoption of the advanced generations of Bt cotton and that the role of government institutions in endorsement of Bt Cotton in Pakistan and the prognosticating benefits of adopting it more widely.

Bt cotton contains specific type of proteins that when consumed by a specific type of insect larvae, damage the insect gut walls by creating holes in it, which causes larvae to stop feeding and eventually die. The Bt gene is inserted in plants by genetic alteration in which the source code of the DNA is changed to produce the proteins / toxins which reduces the need for the application of insecticides. Brought in Pakistan during 2005 illegally and formally approved in 2010 the productivity increase in Bt cotton remains yet to be seen. This is more surprising when in India and throughout the world, the productivity of Bt cotton increased manifolds. Bt cotton's main function is not to increase productivity but to check the role of the boll worms in decreasing productivity and through decreasing the pest attacks on the crops; Bt cotton serves to increase productivity by decreasing sub economic threshold levels damages and creating more reliable insect control in all weather conditions. This paper will consider Progress of government institutes, different companies and Government agencies involved that correlate directly to the production of the Bt cotton in Pakistan.

Introduction

Growing Cotton in Pakistan: In Pakistan Cotton is cultivated mainly in Punjab and Sindh provinces. Punjab is responsible for most of the cotton production, producing 79 % of total cotton in Pakistan (Nazli, 2010). In Pakistan from May until June when temperature is usually very high, cotton growing season starts and then harvesting begins in September and it continues until December. In Pakistan, widespread use of pesticides is common and with pests becoming more resistant to pesticides, estimated losses in cotton production differs from ten to fifteen percent in an ordinary year to thirty to forty percent in a bad farming year (Salam and Abdul, 2008). In KPK, Baluchistan and

some areas of Punjab organic cotton cultivation is common because of low pest pressure in these areas. To control insects, farmers use a wide range of pesticides. 70% of all pesticides imported in Pakistan are used in cotton production (Mazari and Rashid, 2005).

Mode of action of Bt Endotoxin

There is a crystal protein produced during sporulation, the active toxin binds the glycol-protein receptor in the insect midgut epithelium. This protein is effective only within specific gut pH (9-12) (alkaline) which means that it does not harm the livings with acidic gut such as birds, animals, humans, etc. Insects eat the plant tissue which contains the protein that binds to the gut receptor and protease

enzyme in the insect gut and then it damages the gut lining leading to paralysis and ultimate death due to starvation.

Bt Cotton: Bt cotton carries a Bt gene that contains the endotoxin Cry protein. Cry gene was transformed into the cotton genome by the *Agrobacterium* method. After screening, a cotton plant is identified which carries the Cry gene in its plant genome. This modified plant

is then crossed with other elite varieties by backcross method to transfer the trait. First cotton variety was commercialized in 1996 after the field approvals in 1995 by USA (ISAAA, 1996). Currently, about 12.1 million farmers are growing GMO (Genetically modified Organism) cotton with most of them in China and India (James,2008).

Status of Biotech institutes in Pakistan & institutional constraints to the formal Commercialization of Bt Cotton .

UNDER PEER REVIEW

NIBGE (National Institute for Biotechnology and Genetic Engineering) Founded in 1992, NIBGE is a federal institute affiliated with ICGEB(International center of Genetic Engineering and Biotechnology). In 2001 to 2002, a transgenic cotton variety with Cry1Ac resistance to Bollworm was claimed to be developed by NIBGE by cross of transformed Coker as the male parent and FH901 as a female parent. After three backcrosses it was obtained the IR-FH901 (Ahsan, 2010). In the application to National Biosafety Committee (NBC) for Biosafety clearance, NIBGE claimed that during the three years of field trials IR-FH-901 requires fewer number of sprays and have higher production rate as compared to non-transformed varieties.

During a meeting held in CCRI(Central Cotton Research Institute) in November 2006, it was documented that the IR-FH901 was not genetically uniformed as only 3 backcrosses were performed instead of 6. A report was presented and recommended by the Commissioner of cotton, IR-FH901's commercial release provided it has adequate uniformity and fulfilled of all other fiber standards (Baloch, 2006). In February 2006, NIBGE applied for the approval of biosafety but then in November 2006, it wrote for deferring its application.

“National Biosafety Committee in its meeting held on November 25, 2006 accepted NIBGE's request to withdraw the case with reference to the Punjab Seed Council observation that NIBGE variety IR-FH-901 is heterogeneous and also highly susceptible to Cotton leaf curl virus (CLCV) infection (NBC 2006).”

Since 2002, IR-FH901 has reached in farmer fields by informal way from NIBGE or from other trial sites along with many other IR varieties from NIBGE (Hayee, 2005). IR- FH901 declined fastly in the field and once in two years it emaciated. By 2008, it was cultivated in only 0.08% of the cotton area in Punjab (CRI, 2008b). After this failure PAEC asked NIBGE to commercialize its product through NIAB but no agreement took place mainly because of the issue that persisted that who would get the credit for introducing the variety (Ahsan, 2010).

Table NO 1.

NIBGE Cotton varieties		
Trait	Cotton Variety/Biotech Event	Status
Insect /virus resistance	IR-NIBGE-1524 (MON 531)	Approved in 2006
	IR-NIBGE-3701(MON 531)	Approved in 2010 Punjab
	IR-NIBGE-901(MON 531)	Approved in 2010 Punjab
	IR-NIBGE-3(MON 531)	Approved 2011
	IR-NIBGE-4(MON531)	Approved in 2012
	IR-NIBGE-5(MON 531)	Under trials
Bollworm Resistance	Cry1Ac	Cry1Ac cotton developed share with NIAB
	HVT	HVT cotton developed Biosafety in progress
	Cry2Ab	Transformation stopped
	Cry1Ac +Cry2Ab	Under progress

	Cry1Ac +Cry2Ab+EPSPS	Transformation under progress
--	-------------------------	----------------------------------

Center for Excellence in Molecular Biology (CEMB) (University of Punjab, Lahore)

CEMB was founded in the University of Punjab in 1986. The 1st achievement of CEMB was the transformed basmati Rice which provided insect resistance. Another major achievement was transformation of the CIM446 with GNA gene. CEMB focused on MNH93 and CIM 482 because of its higher transformation ability, fiber quality, and genetic stability. Using the *Agrobacterium* method, MNH93 was transformed with Cry1Ab gene with Cry1Ac gene first and then with Cry 2Ab gene secondly, CIM482 was transformed (Khan, 2007). CEMB started field trials in 2002 and 4 selected lines were evaluated. These field analyses manifested that GM MNH93 needed forty-one percent less spray to control pests and resulted in twenty-eight percent more yield than the non-GM MNH93 controlled plants (Ahsan, 2010).

CAMB'S (Center of Agriculture Molecular Biology) route to commercialization: An agreement was signed between CEMB and two companies AAG (Ali Akbar Group Pakistan Ltd.) and FMC Pakistan Ltd. for transfer of pre-basic seed. FMC in 2008 backed out from the agreement out of a fear of Infringing Monsanto's IP. CAMB argued that its genes were different from the Monsanto Cry1Ac and Cry2Ab. In June 2008 AAG wrote a letter to Ministry of Food, Agriculture & Livestock (MINFAL). MINFAL raised several objections to AAG's Claims. In the letter dated June 12, 2008, the Deputy ADC, MINFAL raised several objections to AAG's previously mentioned claims. He mentioned that: AAG had not gotten approval from the federal and provincial governments before attempting biotech Research and development, AAG did not have the foundation for genetic modification, it had been increasing and

disseminating seed without looking for biosafety approval and without following the official methods, cases of high return did not appear to be practical as no official field trials had been conducted, NBC had not gotten any application for field testing of these Bt assortments, the information introduced on fiber attributes of Akbar 1 and Akbar 2 was not substantiated and Reality in Marking 76 Standards apply just to imported seeds (Deputy ADC MINFAL 2008). Having disparaged and invalidated AAG's conflicts, MINFAL exhorted that AAG ought to dependably look for earlier authorization from NBC before continuing with a communitarian course of action with a local or foreign entity, look for consent from the provincial agriculture departments, include the provincial biotechnology research system to guarantee genuineness of the innovation, entirely cling to arrangements of Biosafety Standards and consent to an arrangement with the cotton research foundations. But AAG dismissed this advice and brought Bt to market without the permission of NBC.

AAG had received the material from CAMB in April 2006 and began promoting in April 2008. AAG advertised Bt cotton seeds at high costs of Rs. 400 and Rs. 500 for every kg (Ahsan, 2010). Insufficient time was given for introgression of the Bt trait from CAMB's MNH93 into whichever assortments AAG had utilized. It began isolating in the field and rapidly lost its genetic purity (Chairman APTMA, 2007).

Cotton Research Institute- Ayub Agriculture Research Institute (CRI-AARI)

AARI is situated in Faisalabad Pakistan. AARI was established in 1962 and is one of the imperative research associations of the nation. AARI is the result of the green upset in the country in the late sixties and from that point forward has reliably assumed a key part in meeting the post green revolution productivity challenges and guaranteeing national food security (AARI official site). The Punjab

Government has its own particular system of research organizations and stations, working under the umbrella of AARI. This research system AARI includes Cotton Research Institute (CRI) and 11 research stations and sub-stations situated in various parts of Punjab. CRI has created Bt assortments FH113, FH114 by crossing the Coker312 with neighborhood assortments. A bollworm resistant assortment was created by 2006-2007, prepared to be showcased (Ahsan, 2010). Out of the 24 local Bt assortments entering the trials, FH113 positioned fifth as far as yield per section of land (CRI, 2008). CRI presented its application for biosafety approvals to the IBC (Institutional Biosafety Committees) (Biosafety Guideline 2005).

in 2007-2008, while the approval was under process these varieties reached the market through casual channels (Ali et al, 2007).

Table no2, AARI Cotton varieties

Sr.No	Name of variety	Brief Description
1	FH-114	Bt(Boll worm resistant), CCLV tolerant, single stem, early, high input
2	FH-942	,NON Bt, fit for marginal areas, drought tolerant, high yielded
3	BH-167	Drought tolerant, high yielded, non Bt, fit for low fertile soil
4	SLH-317	NON Bt, High Yielded, Medium Boll Size,
5	FH-118	Bollworm resistant Bt, Higher yielder, fit for low fertile soil,

6	FH-142	Bollworm resistant, high yield, CLCV tolerant, big boll size, high input responsive,
7	MNH-886	Bollworm resistant Bt, highly CLCV tolerant, big boll size, heat tolerant,
8	BH-178	High yielder, Boll worm resistant Bt, compact, big boll size, CLCV resistant,
9	VH-259	High yielder, CLV tolerant, boll worm resistant Bt, Source:www.AARI.COM

CCRI (Central Cotton Research Institute)

Central Cotton Research Institute in Multan is a chief foundation at the national level. The Organization has contributed fundamentally by progressing and producing learning in cotton innovative work since its foundation in 1970 (AgriFarm, 2007).

CCRI converted many varieties to Bt Cotton but before these varieties could get clearance from NBC, they made their way to farmers through informal channels.

Leading features of five new varieties Viz.CIM-6, CYTO-124, Bt CIM-600, Bt CIM-612, and Bt Cyto-117 were presented in the AARI Faisalabad on 09.03.2015 at the 71st meeting of Punjab Seed Council Expert Subcommittee. Apart from having up to mark fiber quality traits, Bt CIM-600 was shown to have been tolerant to heat

stress whereas Bt CIM-616, CIM-612 and Bt Cyto-177 were shown to be highly CLCV tolerant with promising yield potentials.

CAAS and Pakistan

China Academy of Agriculture Sciences (CAAS) is currently working with Agricultural Biotechnology Research Institute, Faisalabad. CAAS scientists used the Gene fusion technique to enhance the expression of Cry protein. The scientists fused the Cry1Ac and Cry1Ab to create a novel sequence. This gene construct was used to develop local Chinese varieties in 1993 (Xuanjun et al. 2001; Huang et al. 2002). CAAS Bt has been sold by BTCC (MINFAL, 2008).

Auriga approached the GOP (Government of Punjab) in June 2007 for commercialization of fusion gene varieties in Pakistan. BTCC required a total US\$3.5 M for the transformation, biosafety study and relevant data provision for 3 years (GM Auriga, 2007). Agrifarm signed an agreement with Silverland to import double gene Bt in Pakistan. Agrifarm had to select elite Cotton varieties and give them to Silverland for transformation; Silverland would then supply the transformed varieties to Agrifarm after getting Biosafety approval in Pakistan (Agri Farm, 2007). Silverland promised that the double gene varieties could be available by 2011 in Pakistan. Series of meetings were held in the Agriculture Department on the subject. It was noticed that China demanded low cost for the double gene technology as compared to that demanded by Monsanto with double gene also providing better protection against bollworms as compared to single gene MON531. CRI agreed to support Agrifarm partnership. It submitted the summary to CM (Chief Minister) in October 2007 to pay the technology fee US\$3.5 Million to Silverland as per Agrifarm agreement. Punjab Government planning and development Board (P&D) criticized it and argued that before making a proposal, Agriculture Department should negotiate with multiple technology providers. Giving monopoly to one company will harm the research efforts of NIBGE, CEMB and other indigenous research institutes. P&D (Punjab Government planning and development Board) proposed that GOP should directly CRDC (Cotton Research and development company) and make it available to all breeders. CRDC submitted a US\$4M project proposal to the Punjab Agricultural

Research Board for the acquisition of Bt material from China (Government of Punjab, 2007). CCRI, CRI and local seed organizations (involving Neelum Seed) stand to gain from this approval (Director CRI 2007). Monsanto and the Administration are the main parties to lose from such an arrangement. Monsanto would lose a chance to gather revenues for its technology, and the Administration would end up paying for a technology that is inferior compared to the one effectively accessible to many farmers nation over (Ahsan, 2010).

Bt Cotton and Local Seed Companies

Neelum Seed Company started developing Bt Cotton in 1997 by getting few exotic Bt seeds. Two backcrosses were made with the local varieties with process for selection and purification continuing for the next five years. The selection was made on the bio-assay initially and later the Breeder used the detection strips for detection of Cry1Ac. In 2002 Neelum Seeds grew seeds on half an Acre with a surprising yield average of 41 Mounds/Acre (Ahsan, 2010). At the end of 2003, Bt121 was considered a commercial success, next year Neelum Seed and Bt121 were vilified by the MINFAL, PSC, FSC&RD, CRI, and CCRI. APTMA pointed out that the fiber characteristics were not acceptable to textile industry. It was a high yielding, high input variety with resistance to bollworms but susceptible to other pests,

Despite government opposition Bt 121 became the most popular variety of Pakistan in 2006 (DG pest Warning, 2007). The results from the Kleffmann Group Amis® study in 2015 indicates, that Bt121 is the most famous cotton assortment, cultivated on twenty-one percent of the cotton region in Pakistan. Bt121 is by all accounts extremely prevalent in Punjab (24% of the cultivated area), though in Sindh it secured 11% of the area on provincial level. Neelum Seed used the MON531 event in Bt121 (ISAAA, 2011). Due to non-approval of Bt121, Neelum Seeds cannot sell seeds under brand name so seeds were sold in brown bag. Adulteration with non-Bt varieties was very common due to selling in brown bag

Pakistan and Monsanto Negotiations for technology Partnership

Biotech crops' area has increased 100-fold from 1.7 million hectares in 1996 to 185.1 M/ha in 2016 planted by ~18 million farmers in 26 countries. Farmers benefits for the period 1996 to 2015 were estimated to be around US\$150 billion (ISAAA, 2015). Genetically engineered crops that yields insecticidal proteins from the bacterium *Bacillus thuringiensis* (Bt) have been planted all around the world on a total aggregate of more than 732 million ha since 1996. In 2015-16 India become the #1 cotton producer in World, this success to a great extent can be attributed to Bt cotton with an area of 11.6 million ha planted by 7.7 million small farmers (ISAAA, 2015). Monsanto in 1996 introduced Bollgard® cotton which gave protection against cotton bollworm and pink bollworm. Three generation of GM Cotton have been commercialized, 1st in 1996 by Monsanto and 2nd generation containing Cry2Ab in addition to Cry1Ac and a stacked 2nd version Roundup Ready Flex® (RR FLEX) which carry a herbicide resistance gene in addition to Cry1Ac and Cry2Ab being commercialized in 2003. In 1998-99 Monsanto and Government of Pakistan / Punjab were having discussions to bring Bollgard® cotton in Pakistan. A two-member delegation was sent to St Louis in October 1999 but at the same time as the delegation visited Monsanto, the government was overthrown by Military. New Government in 1999 abandoned these plans, not because of Environment or ethical concerns but bureaucrats were convinced that these seeds can be developed by the public sector. Monsanto introduced its cotton traits in U.S, Australia, Argentina, India using different value capture systems based on protection of IP's and implementation of local laws. In USA Monsanto charges technology fee to the farmers upfront with sale of seed, in Brazil it is charged at the back end while farmer brings it seed cotton at gin, in Australia it

is also charged at the back end with different choices. In India where there is large farmer base and weak implementation, the hybrid cotton (purchase of fresh seed every year) provided a solution for value capture (Ahsan, 2010).

Pakistan with weak IP protection, varietal cotton, large farmer base and scattered seed industry poses unique challenges for technology providers to collect sustainable value, somehow government has to play a significant role for the introduction of these technologies in Pakistan.

In 2007 Ministry of Food Agriculture and Livestock wrote to Monsanto, Bayer, Dow and Syngenta to introduce their technologies in Pakistan in collaboration with Government of Pakistan (AS MINFAL, 2007b). Only Monsanto responded positively to the Government's call. In 2008 Monsanto signed a Letter of Intent (LOI) with MINFAL, with two committees being formed to negotiate with Monsanto. In 2009, Economic Coordination Committee (ECC) endorsed the frame work that the two-committee negotiated and sent Monsanto to work further with Punjab & Sindh provinces after signing a MOU in early 2010. Punjab Government made progress in streamlining all the elements of business model but a definitive agreement could not be reached owing to internal misalignment within Government of Punjab. While Monsanto was negotiating with Government of Pakistan / Punjab they did regulatory trials with Bollgard II® individually as well as in Collaboration with Pakistan Central Cotton Committee (PCCC). In years 2015-16 there was a step down in cotton crops. There was a decline of 28% in yield because of destruction of the crop by pest attack. An agriculturist and horticulture master from Bahawalpur, Farooq Bajwa mentioned that farmers in Punjab had to suffer Pakistani Rupees (PKR) 170 billion loss in the production of the crop. (MIT technology review, 2016)

The Punjab Agriculture Department (PAD), which has been consulting stakeholders after the Punjab chief minister approved the acquisition of GM technology from Monsanto in August, decided in Feb 2017 to strike a conditional deal with Monsanto. It would be ensured that R&D institutes and seed companies

get a level playing field. Officials of Department of Agriculture, Government of Punjab quoted in different newspapers that funds are allocated for the deal with Monsanto but as of now nothing tangible has surfaced. By conducting a survey (PARC, 2008),

Informal commercialization of Bt Cotton in Pakistan

By government institutions the work on genetically modified cotton started in late 90's. Despite several research efforts and triumphant fields' trials in 2005, until 2010, Bt cotton varieties were not commercialized by Pakistan. Late commercialization of Bt Cotton varieties by the Government encouraged the informal way of adaptation of Bt cotton in Pakistan. In Pakistan 1st Bt cotton variety was planted in 2002 by informal way. A comprehensive Pakistan Agriculture Research Council (PARC) found out that these varieties occupied sixty percent of cotton growing region in Pakistan in 2007 in Sindh and Punjab respectively 90% and 50% area in 2007(PARC, 2008) with 39 Bt cotton varieties was cultivated informally in 2011 which increased to 85 % (James, 2011).

Reason Behind this informal way

- Slow Agriculture Biotech research by mainly two public Institutes NIBGE and CEMB and many breeders
- Slow process of enacting biosafety legislation
- Convention on biodiversity signed in 1992
- Cartagena protocol on Biosafety signed in 2002 but not ratified till 2009

- Biosafety guideline approved in 2005
- IPOP formed in 2005
- Plant Breeders Act and Amendments in seed Act waited years before enactment in 2016 and 2017.
- Until 2008 no variety was submitted to NBC out of a fear of infringement of Monsanto IP.
- Poor seed quality and scattered seed industry.
- Bt Varieties susceptible to CLCV
- Low level of awareness of farmers about Bt technology
- Government of Pakistan and Monsanto negotiations dragged for so long and eventually remained unsuccessful.

Problems associated with this informal way

- Poor implementation of Biosafety rules
- Trait Introgression in local varieties done unprofessionally, local varieties released with exotic blood compromising standards for fiber and agronomy.
- Gene expression less than the required quantity which can lead to early insect resistance.


Commercialization of Bt Cotton in Pakistan

Bt cotton was officially approved by the Government in 2009 with 1st crop being cultivated in 2010. Pakistan signed CBD in 1992 which was confirmed in July 1994. Cartagena Protocol on Biosafety was signed in June 2001 and was sanctioned in March 2009. To reinforce the innovative work in Pakistan, Government of Pakistan has made a few steps including building up of Intellectual Property Rights Organization of Pakistan (IPOP), Amendments to Seed Act 1967 and Approval of Plant Breeding Act Pakistan biosafety guidelines 2005. In 2010 eight Bt cotton varieties and one hybrid (IR-3701, Neelum-122, FH-113, Sitara-008, MG-6, Ali Akbar-703, Ali Akbar-802, IR-1524, GN Hybrid-2085) were approved formally by the Government of Pakistan. On 16 April 2013, the expert subcommittee Punjab recommended in its 69th meeting that thirteen single Bt gene varieties containing double genes; VH 7-259, BH-178, CIM- 599, CIM-602, FH-118, FH-142, IR-NIAB-824, IUB-222, Sayban-201, Sitara-11M, A-555, KZ-181, Tarzan- 2 and two CA-12 and CEMB-33. (Saira et al, 2013).


Estimated gains to Pakistan Economics from Bt cotton was US\$1.9 billion for 2010 and US\$299 Million for 2014 (ISAAA, 2015). In Pakistan 15 Bt cotton and 2 hybrids varieties were approved for general cultivation Pakistan from 2010 to 2014 (Tassawar and Ahsan 2016). In 2015, TAC recommended 21 Bt cotton varieties to NBC for Biosafety clearance PSC approved 11 Bt Cotton and 2 non Bt cotton varieties so these varieties got commercialization from NBC in April 2016. (Cotton Commissioner Dr Khalid Abdullah interview to Business Recorder news 3 May 2016).

A study showed that 20 Bt cotton adjustment brings about critical low pesticide utilize, higher yield, higher gross margins, environmental benefits as far as higher farmland biodiversity and lower soil and groundwater tainting. The authors noted that these positive externalities are valued at US\$79 per section of land (US\$195/hectare), which adds another 39% to the advantages as far as higher gross margins. Including monetary and outer advantages brings about aggregate advantages of US\$284 per section of land (US\$701/hectare), or US\$1.7 billion for the whole Bt cotton area in Pakistan (Nasir et al, 2015). Sadashivappa and Qaim (2009) portrayed that Bt farmers were able to reduce pesticides application by 40% while simultaneously they were also able to get yield advantages of 30-40%.

Pakistan is 4th biggest producer of Cotton in the World.



Pakistan's Cotton Production



Source: USDA, CIR, 2016
SURVEY 2015-16

source: PAKISTAN ECONOMIC

In Pakistan record Cotton production happened in season 2014-15 of 13.958 M bales. Both provinces Punjab and Sindh recorded the highest cotton production in that year (PCGA). Large area under cotton crop is the key reason for high cotton production (Dr. Mohmmad Ali , director marketing and economic research at PCCC) In that year farmer sowed 94% seed to targeted land as compared to 87% in preceding years. Most high-flying varieties of Bt cotton used by the farmers in Punjab were Bt 142 and Bt 886 and in Sindh was Bt 73761. In Punjab 250 thousand bales were affected due to floods in Punjab 2014 (PCGA, 2015). In year 2015-16, with an average decline of twenty-eight percent in cotton yield, government missed the target of 5.5% with a growth of 4.7% during the financial year 2015-16 which reduced economic growth by 0.5% (Cotton crisis in Pakistan 2015-16) conceded the federal finance minister during his budget speech. Cotton slump creates a shortfall of 6 million bales against 16 Million bales of Cotton consumption (APTMA). USDA circular summarizes that from 2015 to 2016, the yields were 544 kg for each hectare, the most minimal in the previous 17 years. To help textile industry, the nation spent around \$4 billion in 2016 on cotton imports. Cotton slump caused the abatement of more than 7 percent in cotton income to \$12.46 billion in financial the year 2015-16 from \$13.45 billion from the year 2014-15. This cotton slump reduced the cotton production globally to 96.926 million. Cotton production on 1st December 2015 was 5.103 M bales compared to 8.498M bales in 2014-2015 which was a 40% reduction in Punjab with Sindh showing 3.26% reduction. Average yield was 17.12 mounds /acre in 2015 as compared to 23.02 mounds/acre in 2014. Ten biotic and abiotic factors were found out by the report of committee designated by the Agriculture Department 2015-16.

A key basis for the cotton slump was seed authenticity, climate change, Bt toxin, seed cotton prices, insect attack (white fly, pink bollworm, etc.), weeds, insecticide, planting time and CLCV(cotton crisis in Pakistan 2015-16; Iqar et al., 2015-16). Out of seeds provided to the farmer 3% of the seeds were provided by Punjab seed corporation, 43% by the registered seed companies (700) and remaining 54% by the unauthenticated venders (Iqar et al.,2015-16). The seeds in turn showed low plant population and poor germination effect by the rain at the germination time. Reasonable standpoint shows that producers use pretty much amount of bug sprays than prescribed to control the pressure of pest which does not kill the pests but rather increase its resistance. Thus farmers need to use even more and more quantity of these insecticides (Saleem et al, 2013). Another main reason for low yield was rainfall due to which resulted in no normal feeding roots, stunted plant growth, impaired photosynthesis, a favorable environment for breeding whitefly, less pollination, flower shedding, high humidity offered fungal diseases. During 2015 rainy days in Multan were 24 against 12 in 2014 and in R.Y. Khan counted rainy days were 14 against 4 in 2015 (Causes of low yield of cotton GOP,

2016). This waterlogged condition was the reason behind the shedding of a square, lower and small bolls. Higher temperature recorded in Multan from June to September 2015 reduced high yield because of flower shedding and fewer bolls setting.

2016-17 Cotton vision

Pakistan cotton production is forecasted to be 7.7 M bales, a 10% boost from the last year. Yield recovery is estimated by the USDA at 699 kg/ha, 28% up from the last cropping year. Area of harvested will be dropped by 14% to 2.4 million ha. An increase in sugarcane area decreases the cotton crop area due to government support to sugarcane crop. Farmers were faced with increased prices of agriculture chemicals and yet have low cotton prices in the market. USDA's office of Agriculture affairs in Islamabad concluded that seed cotton prices at the end of harvest were \$0.37 US/pound as compared to \$0.25US /pound from last year. This too late increase in prices does not help in encouraging the farmer to invest more on insecticide and labor (USAID, 2017).

2017-18 Cotton Vision

2017-18 cotton production forecast is at 8.2 million 480-pounds bales this increase in 6% from the last year is due to the recovery in increase area estimated 2.8 million hectares, 17 % up compared to the last year. Due to the high prices of cotton, it increased in area during the time of planting period. Farmers emerge to have taken benefit of \$625 million subsidies package by government on fertilizer, electricity rates for tube well, reduced interest rates, lesser the sale tax, January 3, 2018 report from PCGA seed cotton arrival to date up 7 % from last season. Reported arrivals are up 4% in Punjab which account approximately 75% total cotton of Pakistan (USDA, 2018).

Way forward to uplift the Cotton Yield

- **Dr. Iqar Ahmad**, Vice Chancellor, University of Agriculture, Faisalabad said that the agriculturists have been confronting the issue of seeds since 1992 yet unfortunately no administration has done anything genuine to address this issue. To get the per hectare yield, the administration ought to commit in new innovation and grow new seeds to keep the potential dangers of illnesses against the cotton crop. In addition to this, he also said that the breakdown of cotton seed technology is an exceptionally dismal issue since it is straight forwardly connected with the nation's economy. This is the duty of the government and different stakeholders collectively to find an exit plan on war-footing. We need to do this all alone. No assistance will originate from above (MIT technology review, 2016). 2015 Seed amendment Act and 2016 plant breeder right bill is also introduced to promote investment in local plant breeding and national seed production programs (Malik and Ahsan, 2016).
- The area is estimated at 2.4 million hectares in 2016-17, down 0.1 M ha from last season. The lower area this year is largely a reflection of the lower prices at the time of planting for cotton relative to other crops at the time. An increase in sugarcane area offset the decrease in cotton (USDA, 2016)
- The government should provide an enabling the environment for the commercialization of 2nd /3rd generation Bt cotton technology with Roundup Ready® Flex for control of Bollworm and weeds. Following proposal is suggested for deliberation and consideration for the government.
- APTMA/PCGA may be involved in the collection and provision of technology fee to 2nd/3rd generation Bt cotton supplier.
- Technology fee to the companies might be paid out of Cotton Cess fund under cotton control act.

- PARB has a mandate of importing emerging Agriculture Technologies hence PARB may be entrusted with the task of importing 2nd/3rd generation Bt cotton with Roundup Ready® Flex technology.
- Government to ensure the supply of Cotton certified seed through local and international companies
 - Develop a mechanism for the Warranty of Bt presence in the certified seed
 - Monitoring of Bt expression in the field
 - Ban Cotton sowing before the 15th April to avoid Pink Boll worm attack.)
 - The using of laser technology can solve the issue of stagnating rainwater.
 - Ban of sowing of sugarcane in cotton zone which happens due to the Government protecting and facilitating sugar industry (PCGA Chairman BR research, 2017)

Conclusion:

This Study explore the challenges of Bt cotton adaptation before and after formal adaptation the problem facing by farmer due to seed adultration and low level of Bt gene expression and most of varieties harboring just Cry1Ac gene .Likewise there is dramatic reduction in pesticidies after the adaptation of Bt cotton in different countries but in Pakistan after formal adaptation there was negative impact since Pakistan is ranking as major cotton producer in the world and having excellent R&D Institutes there is need to work with 2nd/3rd generation Bt cotton with Roundup Ready® Flex technology also government need to pay attention for funding and for paying technology adaptation fee and new ability to cultivate 2nd/3rd generation Bt cotton coupled with the availability of genuine Bt cotton seed may upturn the yield and mark cotton prices.this paper also examine the performance of un approved Bt varieties and approved varieties and role of public and private institution in the adaptation and intrest of government and and effect of Bt Cotton on Pakistan economy

References:

1. Agri Farm (2007). Letter from Chief Executive Agri Farm to Secretary Agriculture, Government of Punjab dated September 29, 2007: Transfer of Bt Technology for Developing Insect Resistant Cotton Varieties in Punjab. Department of Agriculture, Government of Punjab, Unpublished.
2. Ali, S., S. Hameed. (2007). Status of Cotton Harboring Bt Gene in Pakistan. Islamabad, Pakistan Agricultural Research Council (PARC): 25pp.
3. Baloch, Q. B. (2006). Minutes of the Meeting on "Fast Track Approval of Cotton Varieties and Control of Mealy Bug" held on 25th November, 2006 at the Central Cotton Research Institute (CCRI), Multan. MINFAL, Government of Pakistan. Islamabad, Unpublished
4. Biosafety guidelines(2005) <http://environment.gov.pk/act-rules/BiosftyGlines2005.pdf>
5. Dr Iqrar khan,Managing Director PSC, Director CCRI Multan,DG agriculture(PW&QC)Lahore,DG agriculture(research Report Causes of low yield of Cotton during cotton crop season 2015-16 Government of Punjab Convener) FSD,
6. Cotton crises in pakistan 2015-16 department of research and development international affairs of faisalabad chamber of commerce and indutry, faisalabad, pakistan <http://fcci.com.pk/wp-content/uploads/2017/08/Cotton-Crises.pdf>
7. CRI (2008). Presentation before the Working Group on Agriculture. Ayub Agricultural Research Institute CRI (AARI), Government of Punjab. Faisalabad, Unpublished
8. Director CRI (2007). Note on Acquisition of Bt Technology from China. Cotton Research Institute (CRI), Government of Punjab. Faisalabad, Unpublished

9. Faisal Ali 2017, [Punjab close to striking deal with Monsanto despite reservations](https://www.dawn.com/news/1318464/punjab-close-to-striking-deal-with-monsanto-despite-reservations)
<https://www.dawn.com/news/1318464/punjab-close-to-striking-deal-with-monsanto-despite-reservations>
10. GM Auriga (2007). Minutes of the Meeting dated 6 June 2007 (Draft for Approval). Cotton Research Institute (CRI), Government of Punjab. Faisalabad, Unpublished
11. Hayee, A. (2005). Cultivation of Bt Cotton - Pakistan's Experience. Islamabad, ActionAid Pakistan
12. ISAAA (2015) Twentieth Anniversary (1996 to 2015) of the Global Commercialization of Biotech Crops and Biotech Crop Highlights in 2015, ISAAA Brief No. 51 (International Service for the Acquisition of Agri-Biotech Applications, Ithaca, NY.
13. ISAAA Global Review of the Field Testing and Commercialization of Transgenic Plants (1996) [://www.isaaa.org/resources/publications/briefs/01/download/isaaa-brief-01-1996.pdf](http://www.isaaa.org/resources/publications/briefs/01/download/isaaa-brief-01-1996.pdf)
14. James, Clive. 2008. Global Status of Commercialized Biotech/GM Crops: 2008. ISAAA Brief No. 39. ISAAA: Ithaca, NY.
15. James, Clive. 2011. Global Status of Commercialized Biotech/GM Crops: 2010. ISAAA Brief No. 43. ISAAA: Ithaca, NY
16. Khan, G. A. (2007). Inheritance of Transgene(s) in Cotton (*Gossypium Hirsutum* L.). Centre of Excellence in Molecular Biology (CEMB). Lahore, The University of Punjab. PhD thesis: 231pp
17. Kleffmann group (2015) A snapshot of Pakistani and indian agriculture <https://www.kleffmann.com/en/information-center/information-center/a-snapshot-of-the-pakistan-and-indian-agriculture>
18. Mazari, Raashid Bashir. 2005. International Code of Conduct on the Distribution and Use of Pesticides. Country Report. Department of Plant Protection, Ministry of Food, Agriculture & Livestock, Government of Pakistan.
19. MINFAL (2007b). Working Paper for the 87th FCA meeting. Islamabad, MINFAL, Islamabad, Government of Pakistan
20. MIT Technology review (2016)<http://www.technologyreview.pk/pakistans-cotton-emergency/>
21. Nasir Nadeem, Abdul Ghafoor Awan, Muhammad Abubakar Nawaz. (2015) published the study "Estimation of Cost Benefit Ratio of Bt Cotton Growers in District Khanewal, Pakistan in 2015"
22. Nazli thesis (2010), Impact of Bt cotton adoption on farmers wellbeing in Pakistan
23. NBC (2006). Minutes of Meeting held on 25th November 2006. National Biosafety Committee (NBC), Ministry of Environment, Government of Pakistan. Islamabad, Unpublished.
24. PARC. 2008. Status of Cotton Harboring Bt Gene in Pakistan. Institute of Agr-Biotechnology & Genetic Resources, National Agricultural Research Centre, Pakistan Agricultural Research Council, Islamabad.
25. Tahir amin 2016 PCS approved 11 Bt and 2 non-Bt cotton varieties.
<https://fp.brecorder.com/2016/05/2016050342445/>
26. Punjab lost cotton (2017)<http://epaper.brecorder.com/2017/03/27/16-page/638921-news.html>
27. Rana Muhammad Ahsan (2010), Formalizing the informal: the commercialization of GM cotton in Pakistan
28. Sadashivappa P& Qaim, M. 2009. BT cotton in India: Development of benefits and the role of government seed price intervention. Ag Bio Forum, 12(2), 172–183

29. Saira Azam, Tahir Rehman Samiullah, Aneela Yasmeen, Salah ud Din, Adnan Iqbal, Abdul Qayyum Ra, Idrees Ahmad Nasir, Bushra Rashid, Ahmad Ali Shahid, Munir Ahmad, Tayyab Husnain (2013) Dissemination of Bt cotton in cotton growing belt of Pakistan
30. Salam Abdul. 2008. Production, Prices and Emerging Challenges in the Pakistan Cotton Sector. ed.) Cotton-Textile-Apparel Sectors of Pakistan:
31. Tassawer hussain malik and Muhammad Zahir Ahsan (2016)Review of the cotton market in Pakistan and its future prospects https://www.ocl-journal.org/articles/oclj/full_html/2016/06/oclj160022/oclj160022.html
32. USDA (2017). Pakistan cotton production forecast to recover from last season.<https://pecad.fas.usda.gov/highlights/2017/03/pakistan/index.htm>
33. Xuanjun, F., C. Daxi (2001). "Commercial implementation of intellectual property rights of Chinese transgenic insect-resistant cotton with Bt gene and Bt +CpTI genes". Journal of Agricultural Biotechnology 9(2): 103-106
34. USDA 2017-18 FORECAST
(<https://ipad.fas.usda.gov/highlights/2018/01/pakistan/index.pdf>)
35. USDA2016https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Cotton%20and%20Products%20Update_Islamabad_Pakistan_7-1-2016.pdf
36. USDA,2018
https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Cotton%20and%20Products%20Update_Islamabad_Pakistan_8-31-2018.pdf
37. Deputy ADC MINFAL 2008 Deputy ADC MINFAL (2008). Letter from Dr. Tassawar Hussain Malik, Deputy ADC MINFAL to Mr. Javed Saleem Qureshi, Director Marketing and Sales, Ali Akbar Group dated 12 June 2008: Genetically Modified cotton Varieties of M/s Ali Akbar Group, Lahore. MINFAL. Islamabad, Unpublished
38. Chairman APTMA, 2007 Cotton Crop Failure - Letter from Chairman APTMA to Secretary MINFAL dated November 1, 2007. MINFAL, Government of Pakistan. Islamabad, Unpublished; Chairman APTMA (2007b). Bt Cotton - Letter from Chairman APTMA to Secretary, Department of Agriculture, Government of Punjab dated July 4, 2007. Department of Agriculture, Government of Punjab. Lahore, Unpublished
39. Huang, J., R. Hu, . (2002). "Bt Cotton Benefits, Cost, and Impact in China". AgBioForum 5(4): 153-166.
40. AS MINFAL, 2007a) AS MINFAL (2007a). Letter from AS MINFAL to Secretary, Department of Agriculture, Government of Punjab dated December 17, 2007 - Acquisition of B.T Cotton Technology from Abroad. I. MINFAL, Government of Pakistan. Islamabad, Unpublished.
41. DG pest Warning, 2007 Bt Cotton in Punjab. Pest Warning and Quality Control, Department of Agriculture, Government of Punjab. Lahore, Unpublished.