SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

Journal Name:	Asian Journal of Medicine and Health
Manuscript Number:	Ms_AJMAH_42161
Title of the Manuscript:	Pattern of Hearing Impairment in a tertiary Institution in Ado Ekiti, Nigeria
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of 'lack of Novelty', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments		
Minor REVISION comments		
<u></u>		
Outing I/Out and a section		
Optional/General comments	A simple prospective study, as mentioned it does not represent the community to achieve any strong impact	

Reviewer Details:

Name:	Ramesh Gurunathan
Department, University & Country	Sunway Medical Center, Malaysia

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)