



**SDI Review Form 1.6**

Journal Name:	<a href="#">Asian Journal of Physical and Chemical Sciences</a>
Manuscript Number:	Ms_AJOPACS_43400
Title of the Manuscript:	ESTIMATION OF RADIATION RISKS ASSOCIATED WITH RADON WITHIN RESIDENTIAL BUILDINGS IN OKRIKA, RIVERS STATE, NIGERIA
Type of the Article	Original Research Article

**General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

**PART 1: Review Comments**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b>Compulsory</b> REVISION comments	Radon represents an important public health treat. Its evaluation is pivotal to understand how to face it. For this reason, studies performed in areas where there is a lack of information are necessary. Nevertheless, the Authors performed their study using an uncertified instrument. It would be appropriate to repeat the analysis using suitable instruments that return comparable and scientifically valid results.	This is the instrument approved and used in the university of Port Harcourt, Nigeria. It is imported from the United states.
<b>Minor</b> REVISION comments		
<b>Optional/General</b> comments		