

Diabetes Diagnosis Using Fuzzy – Neuro Hybrid Control Model

Danladi Ali^{1*}

¹Department of Pure and Applied Physics, Adamawa State University, Mubi. Nigeria.

Original Research Article

ABSTRACT

Diabetes is caused due to an inability of a body to produce or respond to hormone insulin causing abnormal metabolism of carbohydrate which can lead to rising in sugar level in the blood. This work proposed a fuzzy - neuro hybrid control model to diagnose diabetes in terms of seven symptoms such as an increase in urination, increase in thirst, increase in fatigue, tingling in hands/feet, blurred vision, sores slow to heal and significant loss of weight. 15 patients were diagnosed with sugar levels as followed 9.6mmol/l, 6.8mmol/l, 9.1mmol/l, 11.2mmol/l, 6.5mmol/l, 5.7mmol/l, 11.8mmol/l, 8.9mmol/l, 7.0mmol/l, 11.0mmol/l, 8.5mmol/l, 9.0mmol/l, 12.4mmol/l, 9.5mmol/l and 10.4mmol/l. The average diagnosis error is obtained as 0.05%, which is acceptable in medical diagnosis. In this regards, it is recommended that fuzzy- neuro hybrid control model is a good soft computing tool for diagnosing diabetes.

Keywords: Diabetes; soft computing; fuzzy logic; neural network; sugar level; expert domain.

1. INTRODUCTION

Medical diagnosis is usually not straight forward or trivial, it involves many phases. For example, when a patient complaints to a doctor of his/her health condition or symptoms. The doctor may decide to offer immediate diagnosis or further requires clinical history or ask the patient to undergo laboratory test, depending on the nature of the problem. Furthermore, based on the information gathered, the doctor may match the information in terms of previous medication taken, length of illness, treatment and response to the treatment before a final diagnosis is applied. In a note shell, the process described, involves information gathering, testing, updating, validation and correction of mistakes in order to come out with the near or accurate diagnosis. In comparison, machine learning (ML) is also performed in the same manner. In machine

learning, data is collected as required, trained, tested, updated, validated and errors are evaluated before final output is obtained. In addition, training and learning are involved in both cases in order to become conversant with the medical or ML scenarios. Therefore, in this regards, ML techniques are employed to diagnose diseases of interest.

In some years ago communicable diseases such as tuberculosis, human immune virus/ acquired immune deficiency or syndrome (HIV/AIDS) and malaria are prominently caused of increase in mortality rate in Nigeria and Africa at large. In contrast, non-communicable diseases such as high blood pressure and diabetes have been noticed these days to increase the mortality rate in Nigeria [1 – 2]. Diabetes is a metabolic disease in which someone has high glucose in the blood usually called blood sugar. This

*Corresponding author: E-mail: alishalangwa@gmail.com;

happens, either body does not produce sufficient insulin or body cells do not respond to insulin. Diabetes is of two types (i.e, type 1 and type 2). Type 2 diabetes happens as a result of lifestyle whereby patient experiences Polydipsia (increase thirst), Polyuria (increase urination), fatigue/weakness, Polyphagia (increase hunger), Sudden vision changes, Tingling in hands/feet, Skin lesions or wound that slow to heal and significant loss of weight as symptoms. A patient suffering from this disease has a risk of developing eye problem (cataract), food complication (neuropathy or ulcers), skin complications, heart issues, hypertension (heart attack or stroke), mental health (anxiety or depression), hearing loss, gum disease, erectile disorder, wound and lesions take longer time to heal and muscles of the stomach not working properly to mention but a few. This work aims at developing fuzzy – neuro hybrid control model (FNHCM) to diagnose patient with different blood sugar levels and the following objectives shall be realized: collect a sample of blood sugar from different patients in the Hospital Laboratory, develop fuzzy – neuro model to diagnose the patient condition using the following steps. Firstly, fuzzify the sample of blood sugar collected. Secondly, prepare fuzzy rules. Thirdly, defuzzify the output. Lastly, train the defuzzified output and update its weight before comparing with the target. However, one big challenge in the area of modeling and computing is that there is a problem of inter-disciplinary cooperation, especially between medical and modeling experts. This aspect is very important because, without relevant information from the medical experts, modeling cannot be fully achieved.

Many kinds of literature have reported the use of artificial intelligence such as artificial neural network (ANN), fuzzy logic (FL), neuro-fuzzy and adaptive neuro-fuzzy inference system (ANFIS) to diagnose different diseases, which include depression [3 -5], Hypertension [6 – 8],

Tuberculosis [9 -11], Malaria [12 – 14], HIV/AIDS [15] and others [16 – 17]. Diabetes is also diagnosed by different authors [18 - 20]. Soft computing tools are not restricted to the scientific application only. In fact, they are also applied in many areas of endeavors, for example, business forecasting and decision makings [21 – 26]. The contribution of this work lies in the ability of the FNHCM, to offer quick and précised diabetes diagnoses with single or multiple symptoms, which is a bit difficult for medical doctors to achieve.

2. METHOD OF DATA COLLECTION, PRESENTATION AND NORMALIZATION

The data is collected based on the complaints of the patients in terms of symptoms which include an increase in thirst, urination, hunger, fatigue, blurred vision, sores slow to heal and significant loss of weight. Firstly, blood sample from patients is collected to test for, a sugar level in the blood and the result of the test is usually obtained as follows: for, low blood sugar, the reference ranges from 0 – 3.4 mmol/l, known as hypoglycemia, normal blood sugar level, 3.5 – 6.1 mmol/l, pre-diabetic patient 6.2 – 6.9 mmol/l and diabetic patient 7.0 – 13 mmol/l. The pre-diabetes and full diabetes are called hyperglycemia. In this regards, the symptoms vector matrices shall be considered as the inputs ($I_i = T_i, U_i, F_i, V_i, K_i, S_i, W_i$) and O_i as output vector matrix of the FNHCM (see, Fig. 1), the symptoms are further normalized as given in Table 1 and sample of the blood sugar collected is presented in Fig. 2.

This paper integrates two different artificial intelligent techniques to diagnose the blood sugar level. (i.e, fuzzy logic controller (FLC) and artificial neural network (ANN)) known as FNHCM as depicted in Fig. 1.

Table 1. Symptoms and abbreviations

S/N	Symptoms	Abbreviations
1	Polyuria (increase urination)	U
2	Polydipsia (increase thirst)	T
3	Fatigue/weakness	F
4	Sudden vision changes	V
5	Tingling in hands/feet	K
6	Wound that slow to heal	S
7	Significant loss of weight	W
8	High normal blood sugar	h_0
9	High blood sugar	h_1
10	Very high blood sugar	h_2

11	Very very high blood sugar	h_3
12	Sugar level/Patient condition (FLC output)	O_i
13	Hypoglycemia	xO_i
14	Glycemia	yO_i
15	Hyperglycemia	zO_i
16	Patient condition (Fuzzy – neuro output)	O_{i-n}




Fig. 1 Fuzzy – neuro hybrid control model

Where I_i = input vector matrix, FI = fuzzified input, FIE = fuzzy inference engine, RB = rule base, HL = hidden layer, OL = output layer, O_i = fuzzy output, MSE = mean square error (e), BP = back propagation and O_{i-n} = fuzzy – neuro output.




Fig. 2. Sample of blood sugar collected




Fig. 3 Fuzzy – neuro algorithm flow chart

2.1 Implementation of the Fuzzy – Neuro Hybrid Model

To implement the FNHCM, the following algorithms need to be followed using the flow chart in Fig. 3.

Usually, the input/output vector matrices are fuzzified based on the range of the data collected, from minimum to the maximum. Such that, $T = 6.2 - 11.0$ mmol/l, $U = 5.5 - 10.0$ mmol/l, $F = 8.0 - 13$ mmol/l, $V = 8.1 - 12.8$ mmol/l, $K = 5.8 - 9.9$ mmol/l, $S = 9.50 - 13.0$ mmol/l, $W = 9.0 - 13.0$ mmol/l and $O_i = 1.00 - 13.0$ mmol/l which corresponds to the symptoms/patient condition classified into linguistic terms as T, U, F, V, K, S, W, O_i and each item is classified in terms of sugar levels as 'U', $(h_0U) = 5.5 - 6.1$ mmol/l, $(h_1U) = 6.2 - 7.0$ mmol/l, $(h_3U) = 7.1 - 10.0$ mmol/l, 'T', $(h_1T) = 6.2 - 7.0$ mmol/l, $(h_2T) = 7.1 - 9.9$ mmol/l, $(h_3T) = 10.0 - 13.0$ mmol/l, 'F', $(h_2F) = 8.0 - 9.9$ mmol/l, $(h_3F) = 10.0 - 13.0$ mmol/l, 'V', $(h_2V) = 8.0 - 9.9$ mmol/l, $(h_3V) = 10.0 - 12.8$ mmol/l, 'K', $(h_0K) = 5.8 - 6.1$ mmol/l, $(h_1K) = 6.2 - 7.0$, $(h_2K) = 7.1 - 9.8$ mmol/l, 'S', $(h_2S), (h_3S), 'W', (h_2W) = 9.5 - 9.9$ mmol/l, $(h_3W) = 10 - 13$ mmol/l, 'O', $(xO_i) = 0.5 - 3.1$ mmol/l, $(y_nO_i) = 3.5 - 6.1$

mmol/l $(zO_i) = 6.2 - 13.0$ mmol/l. The information given above for one symptom (thirst) is mapped into a triangular membership function (TMF) as given in Eq. 1 and further illustrated in Fig. 4

$$f(T; a, b, c) = \begin{cases} 0, & T \leq a \\ \frac{T-a}{b-a}, & a \leq T \leq b \\ \frac{c-T}{c-b}, & b \leq T \leq c \\ 0, & c \leq T \end{cases} \quad (1)$$

where b locates the height and a, c locate the base of the TMF [3].

Furthermore, few fuzzy rules are then formulated based on the information taking from the team of experts (i.e. group of experienced Laboratory Technologies and Medical Doctors) in respect to the symptoms/patient conditions such that, if U is h_0U and T is h_1T then O_i is yO_i , if V is h_1V and W is h_2W then O_i is zO_i , and the remaining 126 rules are formed in a similar manner. These rules use firing strength (ϕ) to act on the fuzzified output in the fuzzy inference engine (FIE) in AND operation mode as given in Eqs. 2 – 3

$$\phi = \min(\mu_U(O_i), \mu_T(O_i)) \quad (2)$$

$$\phi = \min(\mu_v(O_i), \mu_w(O_i)) \quad (3)$$

And the output of FIE is defuzzified using Eq. 4.

$$f(O_i) = \frac{\sum_{i=1}^n O_i \mu_{O_i}(O_i)}{\sum_{i=1}^n \mu_{O_i}(O_i)} \quad (4)$$

The defuzzified output O_i becomes the input of the ANN (see, Fig. 1). The input layers of the ANN are used to amplify the defuzzified output, presents it to the network. In addition, it has neither connecting weights nor activation functions. The network is trained and the HL, receives the amplified fuzzy output O_i ($i = 1, 2, \dots, n$), connect it to the neurons N_j ($j = 1, 2, \dots, n$) and compute it using Eq. 5.

$$h_j = f\left(\sum_{i=1}^n w_{ij} O_i\right) + b w_{0i} \quad (5)$$

$$\text{where } f = \frac{1}{1+e^{-hj}} \quad (6)$$

f is the log-sigmoid activation function of the hidden layer outputs. The outputs of the hidden layer is then multiple by their connecting weights (w) plus the bias and the weights are computed using Eq. 7

$$O_{h-1} = \left(\sum_{i=1}^n h_i w_i\right) + b_{03} \quad (7)$$

Therefore, output of the fuzzy – neuro control model (O_{i-n}) is obtained using Eq. 8

$$O_{i-n} = f_0 O_h \quad (8)$$




Fig. 4a. Increase in urination MF




Fig. 4b. Increase in thirst MF




Fig. 4c. Increase in fatigue




Fig. 4d. Blurred Vision MF




Fig. 4e. Tingling in hands/feets MF




Fig. 4f. Sores that are slow to heal MF




Fig. 4g significant weight loss MF




Fig. 4h. Patient condition MF

f_0 is the linear transfer function. $O_i = (xO/yO/zO)$ is compared with the target to give O_{i-n} and the error connection learning rule base after the first stage of the training is obtained using Eq. 9

$$e = 1/2(t \arg et - O_{i-n})^2 \quad (9)$$

If the error obtained after first training is not within the acceptable range of medical diagnosis, the weights are then back propagated by training the network several times until minimum acceptable error range is achieved as summarized in Table 2. The weights update between the output and hidden layer are performed using Eqs. 10 – 11.

$$\Delta w_1 = \beta \times e \times h_1 \quad (10)$$

$$\Delta w_2 = w_1 + \Delta w_1 + (\alpha \times \Delta(d-1)) \quad (11)$$

where α and β are momentum and learning rate respectively. $\Delta(d-1)$ is the value of previous delta change of the weight w_1 and the overall performance of the fuzzy – neuro hybrid control model can be measured by its average accuracy (S_m), given in Eq. 12

$$S_m = \frac{O_{i-n}}{I_i} \times 100\% \quad (12)$$

3. RESULTS AND DISCUSSION

Fig. 4(a-h) show the TMF of the symptoms and the patient conditions, increase in urination,

increase in thirst, tingling in hands or feet, are represented by three membership functions, increase in fatigue, blurred vision, sores slow to heal and significant weight loss are presented by two membership function. These are formulated based on the data collected. However, 84 sample of blood is collected from different patients as depicted in Fig. 2. In this work, two training techniques were performed that is, in fuzzy logic control and artificial neural network domains. The FLC training is performed offline with the fuzzified inputs and sets of rules $2^7(128)$ using firing strength in FIE as stated in section (2.1), and produced defuzzified output shown in Fig. 5.

Fig. 5, depicts FLC model output usually called the rule viewer, the yellow colours indicate the symptoms and the blue colour presents the patient condition or the diagnosis. Furthermore, this is obtained when two or more symptoms are matched together. See, for instance, an example of one case, it can be seen on the rule view that, the patient condition is diagnosed as 9.8mmol/l and it corresponds to hyperglycemia (diabetic) and other cases can be obtained in the same manner as summarized in Table 2. Furthermore, the output of FLC is forwarded into the input of an ANN where the FLC output is trained, test and validated to minimize the likely error obtained at the output of the FLC as also summarized in Table 2. During the training, 70% of the values are allocated for training, 15% for testing and 15% for validation. The network was trained several times through back propagation algorithm and weights are updated until minimum acceptable error or desired output is obtained.




Fig. 5. FLC rule viewer


Table 2. Patient diagnosis

Cases	FLC (O_i)	FNHCM (O_{i-n})	Error (e)	Diagnosis
1	9.80	9.60	-0.20	Diabetic
2	6.80	6.80	0.00	Pre-diabetic
3	9.90	9.10	-0.80	Diabetic
4	11.0	11.2	+0.20	Diabetic
5	7.00	6.50	-0.50	Pre-diabetic
6	12.4	11.9	-0.50	Diabetic
7	6.00	5.70	-0.30	Negative
8	8.40	8.90	+0.50	Diabetic
9	7.60	7.40	-0.20	Pre-diabetic
10	10.6	11.0	+0.40	Diabetic
11	8.80	8.50	-0.30	Diabetic
12	10.0	9.00	-1.00	Diabetic
13	12.3	12.4	+0.10	Diabetic
14	9.00	9.50	+0.50	Diabetic
15	10.7	10.4	-0.30	Diabetic
Sum	140.50	137.9	0.73	
Mean	9.37	9.19	0.05	

From Table 2, 15 patients were diagnosed, where 11 patients, 3 patients and 1 patient are diagnosed diabetic, pre-diabetic and only one person is negative respectively. These 15 patients were selected at random in order to test for the model performance. Fig. 6 depicts the error analysis, the positive and the negative bars present the difference between the FLC and FNHCM outputs, the five positive bars indicate where FNHCM output error is higher while the ten negative bars indicate where FLC error is higher. In comparison, FLC output has a higher

error than FNHCM output by 2.6, and the FLC error is minimized to 0.73 by the FNHCM. However, the accuracy of the fuzzy – neuro model is computed as 99.95% from Eq. 12. In this work, diagnosis error is minimized compared to what is obtained by [27 - 30]

Fig. 7, compares the FLC and fuzzy – neuro output. It is observed that, fuzzy – neuro output is better than FLC output. This is because fuzzy – neuro has less prediction error as also presented by [31 - 33].

**Fig. 6. Error analysis**




Fig. 7. FLC vs Fuzzy – neuro output

4.CONCLUSION

In this work, fuzzy – neuro was developed to diagnose patient with blood sugar. Out of the 84 samples of blood sugar levels collected. 15 patients were selected at random and diagnosed, it is noticed that 11 patients, 4 patients and one person were diagnosed with diabetes, pre-diabetes and negative respectively. The average error obtained is 0.05 which is acceptable in medical diagnosis and accuracy of the model is obtained as **99.95%**.

COMPETING INTERESTS

Authors has declared that no competing interests exist.

REFERENCE

1. Arodiwe E. B. Nwokediuko S. C. and Ike S. O. Medical causes of death in teaching hospital in south – east Nigeria: A16 year review. *Nigerian Journal of clinical practice* 2014, 17(6): 711 - 716
2. Ebun I. B. The looming epidemic of kidney failure in Nigeria. Transplant association of Nigerian and Nigerian association of Nephrology. 2015
3. Subhagata C. A neuro – fuzzy approach for diagnosis of depression. *Applied computing and informatics* 2015, 13: 10 – 18
4. Sen – Chi Y. and Yuan – Horng L. Application of fuzzy theory on health care: An example of depression disorder classification based on FCM. *WSEAS transaction on information science and applications*, 2008, 1(5): 31 – 36
5. Ekong V. E., Ekong U. O., Umadine E. E., Abasiubons F. and Onibere. A fuzzy inference system for predicting depression risk levels. *Africal Journal of mathematics and computer science research*, 2013, 6(10): 197 - 204
6. Rimpay N. and Palvinder S. M. Diagnosis of hypertension using adaptive neuro – fuzzy inference system. *International Journal of computer science and technology* 2015, 6(3): 36 – 40
7. Kaur R. and Kaur A. Hypertension diagnosis using fuzzy experts system. *International Journal of engineering research and application* 2014, 207 - 214
8. Arpneek K. and Abhishek B. Genetic neuro – fuzzy system for a hypertension diagnosis. *International Journal of computer science and technology* 2014, 5(4): 4986 – 4989
9. Mumini O. O., Oluwarotimu W. S. and Edafe J. A. A genetic neuro – fuzzy inference model for diagnosis of tuberculosis. *Applied computing and informatics* 2017, 13: 27 – 37
10. Ucar T., Karahoca A. and Karahoca D. Tuberculosis disease diagnosis by using adaptive neuro – fuzzy inference system and rough sets. *Neural computation and application*, 2012
11. Djam X. Y. and Kimbi Y. H. A decision support system for tuberculosis diagnosis. *The Pacific Journal of science and technology*. 2011, 12(2): 671 - 682
12. Joseph K. P. and Kwabena R. Implementation of adaptive neuro – fuzzy inference system for malaria diagnosis (Case study: Kwesinintsim polyclinic).

- International Journal of computer application* 2015, 115(7): 7975 – 8887
13. Khalid A. M. and Ellahis M. U. Malaria parasite diagnosis. *International Journal of science and research* 2016, 5(6): 807 – 809
14. Ojeme B. O. Fuzzy experts system for malaria diagnosis. *Orient Journal of computer science and technology*. 2011, 7(2): 273 – 284
15. Ekong V. E., Onibere E. A. and Imianvan A. A. Fuzzy cluster means system for diagnosis of liver disease. *International Journal of computer science and technology* 2001, 2(3):207 - 218
16. Imianvan A. A. and Obi J. C. Diagnostic evaluation of hepatitis utilizing fuzzy clustering means. *World Journal of applied science and technology*. 2011, 13(1): 23 – 30
17. Ojeme B. O. and Akazure M. Human immunodeficiency virus (HIV) diagnosis using neuro – fuzzy. *An international research journal of computer science and technology* 2014, 7(2): 207 – 218
18. Engin P. and Ebru P. Determination of the diabetes conditions with artificial neural network. *International conference on advances in science ICAS* 31 August – 2 September. Istanbul, Turkey: 2016, 10 – 12
19. Nonso N., Farath A., David E. Jiten V. and James N. Fuzzy inference model for type 2 diabetes management: a tool for regiment alterations. *Journal of computer science and application* 2015, 3(3A): 40 – 45
20. Dazzi D. Taddei F., Gavarini A., Uggeri E., Negro R. and Pezzarossa A. The control of blood glucose in critical diabetes patient: a neuro – fuzzy method. *Journal of diabetes complications* 2001, 15(2): 80 – 87
21. A. Kalaichelvi and P.H. Malini, Application of Fuzzy Soft Sets to Investment Decision Making Problem, *International Journal of Mathematical Sciences and Applications* 1 (3) (2011) 1583-1586.
22. N. Y. Özgür and N. Taş, A Note on “Application of Fuzzy Soft Sets to Investment Decision Making Problem”, *Journal of New Theory* 7 (2015) 1-10.
23. N. Taş, N. Y. Özgür and P. Demir, An Application of Soft Set and Fuzzy Soft Set Theories to Stock Management, *Süleyman Demirel University Journal of Natural and Applied Sciences* 21 (2) (2017), 791-196.
24. J. C. R. Alcantud, S. C. Rambaud and M. J. M. Torrecillas, Valuation Fuzzy Soft Sets: A Flexible Fuzzy Soft Set Based Decision Making Procedure for the Valuation of Assets, *Symmetry* 2017, 9(11), 253; doi:10.3390/sym9110253
25. N. Çağman, S. Enginoğlu, Soft Matrix Theory and Its Decision Making, *Computers and Mathematics with Applications* 59 (2010) 3308-3314.
26. S. Yuksel, T. Dizman, G. Yildizdan and U. Sert, Application of soft sets to diagnose the prostate cancer risk. *Journal of Inequalities and Applications*, 2013(1), (2013) 229.
27. Adem K. and Dilek K. Diagnosis of diabetes by using Adaptive neuro – fuzzy inference system. *Neural computation and application* 2013, 23(3): 471 – 483
28. Sreedevi E. and Padmavathamma M. A rule based neuro – fuzzy experts system model for diagnosis og diabetes. *International journal of advanced research in computer science* 2014, 5(8): 236 – 239
29. Mythili T., Praveen K., Vignesh S. S. and Nerlesh C. R. Improving the prediction rate of diabetes diagnosis using fuzzy, neural network, case based (FNC) approach. *International conference on modeling optimization and computing, precedia engineering* 2012, 38: 1709 – 1718
30. Vishali B. and Rajeev K. Comparative analysis of fuzzy experts system for diabetes diagnosis. *International journal of computer applications*. 2015, 132(6): 8 - 14
31. Ashni M., George T. T., Jayaraj S. and Sivanandan S. K. A comparative study on neural network, fuzzy logic and neuro – fuzzy techniques for the human location angle prediction. *Journal of medical imaging and health informatics* 2016, 6(3): 650 – 657.
32. Lunche W., Ozgur K., Mohammed Z. and Yiqun G. Comparison of six different soft computing methods in modeling evaporation in different climates. *Journal ofHydrology and earth system sciences discussion*, 2016, 1 – 51
33. Danladi A., Michael Y., Puwu M. I. and Garkida B. M. Application of fuzzy – neuro to model weather parameter variability impact on electrical load based on long term forecasting, *Alexandria Engineering Journal*, 2018, 57(1), 223 - 233

© 2018Ali; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.