



SDI Review Form 1.6

Journal Name:	British Journal of Applied Science & Technology
Manuscript Number:	Ms_BJAST_22578
Title of the Manuscript:	FLUID-STRUCTURE INTERACTION AND AEROELASTIC BALANCE ON THE ANALYSIS OF A TALL BUILDING WITH IRREGULAR GEOMETRY
Type of the Article	Original Research Paper.

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	There are some typing errors in the text. They are indicated in PDF File. Please see the attachment.	All the corrections were made in the manuscript.
<u>Optional/General</u> comments	All the tensor and vector quantities can be written in bold and all the other variables can be written in <i>italic</i> form. This will make the manuscript much scientific.	We change to bold the letters that represent tensors and vectors, the rest of the variables are now in italic.