

Decontextualization Effect in Simulation Training for Transverse Professional Practices

Philippe Fauquet-Alekhine^{1,2,3*}
Anne Boucherand¹

¹Nuclear Power Plant of Chinon, BP80, 37420 Avoine, France

²Lab. for Research in Science of Energy, Montarget, France

³Department of Social Psychology, London School of Economics and Political Science,
Houghton St., WC2A 2AE, London, UK

Authors' contributions:

This work was carried out in collaboration between all authors. Philippe Fauquet-Alekhine wrote the first draft of the manuscript. All authors read and approved the final manuscript.

ABSTRACT

Whereas full scale simulators operated for contextualized simulated training sessions are widely used for occupational training, studies undertaken regarding virtual applications have shown that decontextualized simulated situations could be used as a relevant lever to help trainees improving professional skills. This was here quantified and analyzed through three different experimental conditions (two included virtual training, contextualized and decontextualized) summoning $N=33$ experienced workers. A pre-analysis for experiment design helped us to define necessary features for decontextualized design with the objective of successful occupational training. Analysis of the benefits induced by each experimental condition was undertaken through comparative assessment of trainees' performance after training. Results showed that, when respecting aforementioned specified features for experienced workers, decontextualized simulation training could significantly increase performance compared to contextualized training. This phenomenon was discussed both from the psychological and neurophysiologic standpoints.

Keywords: Vocational training; high risk industry; decontextualization; simulation; learning transfer; performance, **professionalism**.

1. INTRODUCTION

High risk industries (in the sense given by Amalberti [1]: systems of high technology operated by human beings and involving risks like accidents as well as human errors (11-12)) are usually designed from a simple technical idea to answer a basic need. For example, the purpose of a nuclear power plant is to produce electric energy from nuclear energy. From the very simple idea which is the fission of atoms, heat is obtained and used to transform liquid (usually water) in gas under pressure for it to make a turbine and alternator rotating to

37 produce finally electricity. Unfortunately, the technical achievement of such a simple idea
38 remains complex and leads to the elaboration of a complex technical system that may give
39 rise to safety problems [1-4]

40 To make this complex technical system operate, women and men are needed within an
41 organization which is also complex. The complex technical system becomes therefore a
42 complex socio-technical system [5: 25].

43 The efficiency and the improvement of safety and reliability of such complex socio-technical
44 systems are based in part on the professionalism of the workers. The professionalism
45 (competence or skill expected of a professional [Oxford dictionary]) is elaborated through
46 professional training within a professionalization strategy for which high fidelity simulation
47 training (using full scale simulators most of the time) has become a central resource [6].
48 Here, professional training must be understood in the sense suggested by Van der Heiden et
49 al. [7] based on the work of Genderen (who outlined the differences between education and
50 training) [8]: "the objectives of training are primarily to teach individuals to carry out specific
51 tasks based upon an accepted methodology and for which known techniques are available"
52 (44). Many professions are concerned such as Nurses [9], Anesthetists [10-15], Surgeons
53 [16-18], Aircraft pilots [19], Flight fighters [20], Nuclear reactor pilots [21-25], Robotic pilots
54 [26-27], Merchant navy captains [28]. In early times, full scale simulators designers were
55 focusing on technical aspects and therefore conceived simulators with high fidelity as close
56 as possible to the real operational situation. The well-known twentieth century educational
57 specialist Edgar Dale (1900-1985) who developed the Cone of Experience [29] was
58 suggesting in 1944 basic proposals of effective teaching among which "making the learning
59 situation as real as possible" [30: 204].

60 Full scale simulators integrate nowadays socio-technical approaches since the pioneer
61 studies of Rasmussen [31]. This improvement seems to have contributed to shape the
62 central role of today simulator training [32].

64 However, with the recent and fast progress provided by computer science, virtual
65 applications, developed since long for occupational training but suffering of a lack of realism
66 compared with real operating situations or tackling high financial cost, are now improved and
67 accessible for lower cost. In parallel, many studies are now available regarding the specific
68 or general effects of such training facilities, the relationship between trainees and software
69 and between subjects through the software [33-37], about the effect of pedagogical agent
70 also called avatar [35,38-39], the effect on the collective work or leadership [34] or the
71 benefits for specific professions, especially for medical jobs [40]. Reviews are available on
72 the subject (see for example [41]). All these studies suggest that virtual simulation offers a
73 broad range of possibilities in which sensorial system can be quickly stimulated by the
74 software which triggers imagination and may lead the trainees to faster improvement not
75 only because of the pedagogical content of the software, but also because of the pleasure it
76 gives to the subject. All these possibilities may occur despite the decontextualization of
77 simulated situations offered by virtual application. Even more: decontextualization may be
78 used as a lever of improvement [42].

80 Despite the importance of (de)contextualization of simulation illustrated by these
81 considerations, the literature is devoid of study about this point. On the contrary, designers of
82 high fidelity simulators aim at reducing the distance between the simulated situation and the
83 real operating one, that means to increase the degree of contextualization. This is done both
84 from a figurative standpoint centered on the real operating situation, and from an operative
85 standpoint centered on the work activity [43].

87 This paper aims at contributing to estimate whether decontextualization of simulated
88 situations (as opposed to the context of real operating situations) may give benefit in

controlled conditions in terms of performance when trainees come back to real operating situations.

For this aim, three experimental conditions were elaborated, one without prior training phase and two with prior training phase, all of them involving subjects in the same final activity: the configuration of a real hydraulic circuit ("real" is here opposed to "virtual"). Subjects performing this final activity (or targeted activity) were assessed in terms of performance according to four criteria. The performance difference between the three experimental conditions helped us to obtain elements of conclusion.

2. MATERIAL AND METHODS

2.1. Design

2.1.1. The decontextualizing approach

Decontextualizing the work activity for simulation training is not a simple approach. It first tackles the possible negative reaction of trainees that denounce very often any discrepancies between the simulated situation and the real operational situation (see example described in [44] §3.4.1, p.80). As explained in §1, trainees put themselves resolutely in the most accomplished high-fidelity simulation perspective, as do most designers, as if this was an absolute necessity to ensure the quality of training. Their criticisms mainly concern the failure of the "simulator as a tool" to reproduce what would happen in a real operational situation; to a lesser extent, their criticisms relate sometimes to the trainers' difficulty to play the role of those who interact with them in a real operational situation (see on this topic the analysis of social interaction in simulation by Fauquet-Alekhine [37]). The first point lies on the technical dimension of their profession, the second point lies on the socio-organizational dimension. The first point is crucial to work the decontextualization of the training session: it indicates that any attempt of decontextualization that can be interpreted as an inability of the "simulator as a tool" to reproduce what would happen in a real operational situation will probably induce a rejection of the simulated situation by the trainees, impacting the effectiveness of the training session. The decontextualized simulation must therefore be clearly distinct from the contextualized situation. A solution may be to undertake decontextualization by designing a simulated situation that does not relate directly or explicitly to their profession. For example, asking a nuclear reactor pilot to participate in decontextualised training session on a full scale simulator of petrochemical station control room leads to a problem: they are both two different situations (e.g. different raw material, different output, different human-machine interfaces in terms of details, different industrial risks by the nature of the potential danger) and similar (e.g. similar social interactions, close imperatives for industrial safety and security, similar kinetic process and related physical phenomena, similar human-machine interfaces in the overall, similar industrial risks by the consequence of the potential danger on human lives). By contrast, asking a nuclear reactor pilot to participate in decontextualised training session on a full scale flight simulator does not lead to any problem because the difference is sufficient not to invoke the discrepancy between the simulator and the real operational situation associated with the trainees' profession (e.g. different raw material, different output, different human-machine interfaces in detail as well as in the overall, different kinetic process and related physical phenomena, different industrial risks, different social interactions, close imperatives for industrial safety and security, similar industrial risks by the consequence of the potential danger on human lives). The question which arises, and on which we will come back below, is how to remain relevant for a decontextualised training

session with such differences?

Two other dimensions are involved in the decontextualization approach: the social valuation dimension and the attraction dimension. Regarding the social valuation of the training session, analysis of trainees' feedback in vocational training showed that if trainees feel "infantilized" or "patronized" (these are their own words), they do not get involved in training and are not ready to learn. In the above example where decontextualization offers nuclear reactor pilots to be trained on a flight simulator, the simulated situation relates to a socially valued profession and this facilitates the acceptance of the situation by the trainees. We could also consider a simulated situation socially valued by the values it conveys, such as improving safety, struggling for good against evil or helping someone. The attraction dimension also contributes to promoting acceptance of the decontextualised simulated situation [33]. This dimension may be based for example on the social valuation dimension (being attracted by a socially valued profession), on the power conferred by the situation (being the boss) or the playful dimension (case of Serious Games).

Taking into account all of these elements and to answer the question of how to stay relevant in decontextualized training sessions, it appeared easier to decontextualize transverse professional practices which do not directly concern the trainees' technical gesture, these that apply in various situations regardless of the technical gesture; these could be working methods (e.g. decision making, problem solving) or some of the so-called non-technical skills.

2.1.2. Application to experimental design

The experimental context referred to hydraulic circuits on nuclear power plant and involved workers of two French Nuclear Power Plants (NPP) as participants. Three facilities were used: a mock-up (device #1) built as a full scale industrial facility associated with an activity aiming at configuring a hydraulic circuit, and two virtual applications, device #2 being a virtual replica of the mock-up (used for contextualized training) and device #3 presenting no link with the hydraulic circuit (used for decontextualized training, operated for transverse professional practices improvement and summoning values related to helping someone). These facilities helped us to elaborate three different experimental conditions A, B and C described below. These experimental conditions involved individually participants identified as "experienced workers" as they all had been trained and had a professional experience regarding the tasks which were performed and regarding the competencies required for it. Undertaking experiments in three conditions helped us to analyze the influence of decontextualized training on performance.

2.1.3. Protocol

Participants were randomly assigned to one of the three conditions, A, B or C. Each participant was involved individually in one condition and tackled only one condition: after a presentation of the experimental condition including the expected result of the task and the assessment criteria, each participant was asked to achieve the task as fast as possible.

In condition A: The participant was given a paper procedure and asked to apply it for hydraulic configuration on a mock-up. Details are given in §2.2.

In condition B: The participant sat in front of a computer on the screen of which virtual replicas of the mock-up and of the procedure were presented. The participant was asked to

191 apply the procedure for virtual hydraulic configuration. Then the participant was conducted to
192 the physical mock-up. Here the participant was given the paper procedure and asked to
193 apply it for hydraulic configuration on the mock-up. Details are given in §2.3.

194

195 In condition C: The participant sat in front of a computer on the screen of which a virtual
196 application for ATM use was presented and an associated procedure. The participant was
197 asked to apply the procedure for virtual ATM tasks. Then the participant was conducted to
198 the physical mock-up. Here the participant was given a paper procedure and asked to apply
199 it for hydraulic configuration on the mock-up. Details are given in §2.4.

200

201 For each condition, the researcher assessed the participant's performance when involved in
202 the final activity according to the performance assessment protocol described in §2.7.


203

204 **2.2. Apparatus and procedure for condition A**

205

206 Device #1 was a mock-up representing a full scale industrial facility similar to a real
207 operating hydraulic circuit of NPP (Figure 1) with additional traps compared to the real
208 operating conditions for research purposes. This mock-up presented ducts and valves to be
209 adjusted according to a procedure in order to obtain a sample of clear water. This had to be
210 performed knowing that valves and ducts were connected to a clear water tank or to a
211 colored water tank. In case of a mistake regarding manipulation of the valves, the sample
212 was spoiled by ink. Functional marks (the labels) written on tags identified each piece of
213 equipment on the mock-up. Labels were similar to those used on nuclear power plants: one
214 number, three letters, three numbers and two letters. Some valves were tagged with rather
215 similar labels, similarity exacerbated for research purposes, and therefore constituted the
216 additional traps. For example, valve "1SIV104VR" could be confused with valve
217 "1SIB104VR". This could therefore give rise to mistakes.

218



219

220 **Fig. 1. Picture of the hydraulic mock-up: on the right, visible ducts and valves; on the**
221 **left, only valves are visible**

222 Hydraulic lines could not all be seen (Figure 1) by the subject: part of the circuit where lines
223 were interlaced was hidden by a board and just valves and associated tags were visible.

224 The procedure given to the subjects to perform the circuit configuration was similar to the
225 procedure used at the nuclear power plant.

226

Subjects involved in performing the task of circuit configuration had to apply Human Performance tools (HP tools) as in real operating situations. HP tools designate six professional practices helping workers to make their interventions more reliable. They may be briefly described as follows [5]:

- The Pre-job Briefing: takes place after the preparation of activity, a specific phase of mental preparation and coordination for the persons doing the intervention.
- The “Take a Minute”: takes place on the workplace and just before it starts, it asks workers for analytical look at the work environment.
- Self-check: involves sequential reading of the procedure identity tag and its corresponding tag on the equipment before the implementation of an action.
- Peer-check: another person verifies the agreement between the intention announced and the draft of the forthcoming action.
- The activity Debriefing: at the end of the activity, it presents positive and negative points of the activity.
- Reliable communication or 3-way communication: to ensure that information has reached the consciousness of the person doing the intervention by repeating information received and confirming it.

Experimental condition A involved only device #1. Subjects were asked to perform the hydraulic configuration activity AND apply HP tools. Subjects involved in condition A constituted the control group.

2.3. Apparatus and procedure for condition B

The chemical mock-up was reproduced by means of a software (device #2) as well as the procedure (Fig. 2). The choice consisting in reproducing the mock-up with a high degree of fidelity was made in order to conform to the elements given in §1 describing the expectation of industrial trainers and trainees to be trained with tools offering this level of fidelity.

256




Fig. 2: Screen presentation of the chemical virtual application reproducing the chemical mock-up and the procedure. An avatar is also available by times if exchanges with colleagues are necessary.

The chemical virtual application (device #2) allowed to carry out the same task than on the chemical mock-up (device #1), and similarly, the subject was asked to implement HP tools. This device #2 was presented to the subjects as a virtual training simulator in order to obtain better results on device #1. The experimental condition B thus consisted in performing the task on device #2 and then on device #1. An avatar allowed oral exchanges whilst performing the task in order to apply some of the HP tools. According to previous work [35], the avatar was chosen female and peer (as a co-worker) rather than a teacher in order to get better results from the trainee. The design took into account research results linked with virtual training software: Beale & Creed [38] noticed that results with virtual training software depended on the role played by the agent and suggested that an agent taking the place of a co-learner for the subject appeared to be perceived more positively than a tutor-agent. Burleson & Picard [45], quoted by Beale & Creed [38], found out that subject's gender had significant influence: female had better perception of the agent providing affect support than the one providing task support, while it was the opposite for male.

To summarize the expected activity on device #2: subjects had to apply a virtual procedure to realize the hydraulic circuit configuration on screen in order to obtain a virtual sample of clear water, and whilst performing the task, subjects were asked to apply HP tools. Activity on device #2 was considered as a virtual contextualized simulated operating situation and as a prior training phase before performing the real operating activity on device #1.

Experimental condition B involved the sequence {device #2 + device #1}. Subjects involved in condition B performed task on device #1 just after having performed task on device #2. Subjects were asked to perform the virtual hydraulic configuration activity and apply HP tools.

2.4. Apparatus and procedure for condition C

Device #3 was a decontextualized simulator of virtual activity when compared to activity on device #1. This was an education game aiming at helping people using the ATM device (home screen on Figure 3) available for free in English version on the Grey Olltwit Educational Software (retrieved in 2014 from www.greyolltwit.com and still available in 2015). We operated it with French subjects not used to reading or speaking in English with the following scenario: the subject had to imagine being on holiday in England and was asked for help by an old woman using the ATM according to a check-list she gave him/her: change PIN code, view balance account on the screen, withdraw £50 with and without a receipt, print a statement. A sample of translated sentences English-French was given to subjects. Subjects had to apply HP tools as in conditions A and B. The task was presented as an opportunity to be (re)trained on HP tools before performing the task on device #1. Hence participants were trained for professional transverse practices (HP tools) conversely to what was done in condition B which trained participants for their professional core practices (hydraulic configuration). This choice was done in order to conform to the elements given in §2.1.1.

Experimental condition C involved the sequence {device #3 + device #1}. Subjects involved in condition C performed task on device #1 just after having performed the task on device #3. Subjects were asked to perform the ATM activity and apply HP tools.



Fig. 3. Overview of the home screen of the ATM application retrieved for free from www.greylollltwit.com

2.5. Comments regarding the training debriefing

Debriefing of simulation training sessions is a key point as a transference process [46-50]. According to Fanning and Gabba [46], debriefing as a transference process bridges the "natural gap between experiencing an event and making sense of it" (116) by involving the trainees in a reflexive analysis of their activity. According to Jones & Alinier [51], debriefing as "reflective practice is a key tenet and an integral component of simulation-based learning outcomes" (325). Previous works [52] quantified the performance increase induced by a training debriefing before performing the targeted activity in real operating situation. In the line of these studies, it would have been logic to include in condition B (resp. C) a training debriefing after activity on device #2 (resp. #3) and before activity on device #1. Nevertheless, the aim of the present study was to assess the difference induced by (de)contextualization on the participants' efficiency whilst performing the targeted activity on device #1. Therefore, we found relevant to reduce any factor influencing this efficiency and chose not to include a debriefing of the prior training phase in the studied conditions and avoid a bias due to the debriefing. Conditions B and C involved participants in the activity with virtual application and just after in the targeted activity without intermediate debriefing.

2.6. Subjects

Participants, all volunteers to perform the tasks, were "experienced workers" (N=33, 9% female, under-represented because few involved in the industrial professions considered in

this study): they were workers from operational trades, used to working in the field and monitoring hydraulic circuits, handling or at least being in contact with taps and valves, working with (even elaborating for some of them) modus operandi, trained to apply Human Performance tools (HP tools) whilst working. Novice workers were not considered here as it was shown that prior training on virtual application used as warm-up before the real operating situation could give significant benefits for experienced workers but not for novice workers [53].

Subjects were assigned randomly and individually to the experimental conditions. Each subject tackled just one condition, was asked to perform the task as fast as possible and was updated about performance assessment protocol.

2.7. Performance assessment protocol

For each condition, performance was evaluated for the task performed on the device #1 (the targeted activity) as it was the activity for which subjects were trained in conditions B and C. Performance rating was carried out according to four criteria:

- failure,
- wrong handling,
- HP tools applied,
- hesitations.

Obtaining a clear sample of water was a success while colored water referred to a failure.

A wrong handling referred to the subject not immediately handling the right valve, e.g. did not turn it as required or begun to handle the wrong piece of equipment but then made a correction. The number of wrong handling was counted.

Application of HP tools was assessed regarding the number of different HP tools used by each subject among the six expected and expressed as a proportion knowing that a maximum of six HP tools were expected.

Hesitation referred to the subject touching the wrong piece of equipment. Hesitation was considered as a symptom of decreasing performance (increasing the duration of realization of the task). The number of hesitations was counted.

All data were considered in terms of proportion of the total population of the cohort in order to compare the results between conditions.

2.8. Comments about performance hypothesis

The experiment design was presented during a seminar at the Dept. of Social Psychology (LSE, London, UK). The dozen of researchers attending the presentation was asked which condition would give the higher performance in their opinion (i.e. an a priori opinion without in-depth analysis). More than 70% suggested that condition B would have the highest score (effect of the "high fidelity" virtual application), followed by condition C (effect of training) and then condition A (no preparation).

The experiment design was also presented to managers of the Chinon NPP. They were asked the same question. Nine managers over ten attending the presentation suggested that condition B would have the highest score for the same reason than this of the researchers.

3. RESULTS

Figure 4 gives performance results for the three experimental conditions.




Fig. 4. Comparison between results of the three experimental conditions

Statistical calculation applying t-test of Student and size effect analysis according to Cohen's criteria [54] allowed us to estimate the significance of the data (given below) and to characterize size effect as medium.

Overall, the best performance was obtained for condition C ($p < .01$):

- hesitations increased from condition A to conditions B and C ($p < .03$) whereas the difference between conditions B and C was not significant,
- wrong handling decreased from condition A to B ($p < .01$) and decreased again from condition B to C ($p < .1$),
- failure decreased from condition A to B ($p < .01$) and from condition B to C ($p < .1$),
- HP tools application increased from conditions A and B to condition C ($p < .01$) whereas the difference between conditions A and B was not significant.

Correlation analysis showed only two significant values for virtual ATM application with HP tools application ($r = .45$, $p = .007$) and for wrong handling with failure ($r = .82$, $p = .000$).

Analysis of experience or age showed no significant influence on success or failure. Analysis of gender influence was not possible due to the under-representation of female participants.

4. DISCUSSION

4.1. General comments

Here it must be borne in mind that participants were experienced workers. They had been trained or had experienced both transverse professional practices (for HP tools application)

and professional core practices (for hydraulic configuration). Hence they could be considered as competent to work without any training prior to performing the activity on the mock-up in condition A.

It was not surprising that the poorest performance was observed in condition A: the activity in this condition was performed without any prior training conversely to other conditions, and the mock-up presented additional traps compared to real operating conditions that generated difficulties and contributed to producing greater differences in results. Performance would have been much better in real operating conditions at the NPP since these kinds of traps are avoided. Other studies in medicine showed that a prior training phase (or warm-up) on virtual application contributed to increase efficiency in the real operating situation [55-57] therefore explaining the better performance in conditions B and C compared to condition A.

However, referring to the hypothesis stated in §2.8, it was surprising to obtain better results in condition C rather than in condition B.

4.2. Explaining subjects' performance

Explaining the better performance with prior training (conditions B and C) versus no prior training (condition A) was done elsewhere (see §4.1) and this finding was rather trivial. This will not be discussed here. What is interesting to discuss is the difference of performance between conditions B and C.

The difference between conditions B and C remained in that the training activities were supporting two different pairs of professional practices:

- Condition B supported the professional core practices of the targeted activity i.e. related to competencies for hydraulic configuration. It also supported transverses professional practices associated with HP tools application.
- Condition C supported the professional transverse practices associated with HP tools application and also supported practices associated with using an ATM in a foreign country. The latter practices were not related to the targeted activity and contributed to reinforce the decontextualized character of the simulated situation.

The fact that condition C yielded better performance than condition B means that condition C provided an extra element to the subjects that was not in condition B but contributed to enhance performance or, at the opposite, condition B provided an extra element to the subjects that contributed to reduce the performance. In the following, this is discussed from psychological and from neurophysiologic standpoints.

4.2.1. Psychological approach

4.2.1.1. Extra element in condition C enhancing performance

In terms of providing an extra element to the subjects in condition C that contributed to enhance performance, decontextualized simulation training (condition C) could have filled a training gap or could have been more efficient in terms of occupational training:

- Filling a training gap: During their occupational training curriculum, participants might have been better trained for core practices than for transverse practices and thus might have presented a more pronounced weakness for the latter than for the former. Condition B provided training for transverse and core practices both related to the trainees' profession whereas, in condition C, trainees could focus on

transverse practices during the prior training phase since the proposed “core practices related to using an ATM for which trainees could feel less concerned. The prior training phase therefore came to enhance “HP tools” competencies. If there was any need of improvement for them, this might have helped subjects to apply HP tools more often and more efficiently during and after this prior phase, making their actions more reliable, avoiding the traps, and resulting in a better performance in condition C. The fact that HP tools score was higher in condition C (Fig. 4) may be considered as an illustration of this assumption.

- Higher efficiency of the prior training phase: Professor Mavre, from the Institute of Applied Arts in Paris (France) explained that decontextualized training “is all about putting the learner inside a context in which his professional reflexes will be neutralized, allowing to reach for a deeper level of the brain mechanism of an individual” [42: 40]. This proposal summarizes how decontextualization may be related to the zone of proximal development introduced by Vygotsky [58], defining a psycho-cognitive state in which the subjects are about to know how to do, what they have to do but do not yet know how to do: in condition C, the decontextualized simulated situation as unknown situation (compared with hydraulic configuration activity) might have put the subjects in a kind of problem-solving situations (or obstacle-situations in the sense of the Constructivism Theory) “which are professional situations where an operator is obliged to transform her/his repertoire of skills to adapt it to a new professional condition” [59]. Therefore, if the prior training phase provided new skills, these might have been used with benefits in the targeted situation and have helped to increasing performance.

4.2.1.2. Extra element in condition B reducing performance

In terms of providing an extra element to the subjects in condition B that contributed to obtain a lower performance, contextualized simulation training of condition B could have maintained participants’ routines in the sense of Rasmussen’s SRK model [60-61]. This model suggests the subjects’ approach to a task corresponds to three different sorts of behavior:

- Knowledge-based behavior (K), adopted for “unusual” situations “for which know-how is inadequate”, implying “deduction of rules by means of a mental model” [60] (259), whilst “hypothetical explanation is formed and tested conceptually before action is taken”, “related to the extend and quality of the [...] mental model” [61] (62). A high degree of attentional control is required to obtain the necessary understanding of the situation and elaborate solutions in a rather unknown or unfamiliar context. This approach is mainly concerned by errors due to a wrong mental model used by subjects whilst performing the activity.
- Rule-based behavior (R), when the subject “is familiar with the situation and only have few options for action at any given time” [61] (61), composing a sequence of actions “typically controlled by a [internal] stored rule or procedure which may have been derived empirically during previous occasions” [60] (259). Information sought by the subjects is the minimum necessary to discriminate amongst a few options and routines carried out with a degree of attentional control allowing the rule-based analysis necessary to know which options to apply in a fairly familiar context. This approach is mainly concerned by errors due to choosing the wrong options whilst performing the activity.
- Skill-based behavior (S), possible if the context offers the subject all cues needed to know which action to be applied, taking “place without conscious control as smooth, automated, and highly integrated patterns of behavior” [60] (258), and applying

“during familiar circumstances” when “sensory-motor routines take care of the direct control of integrated patterns of movements” [60] (61) without conscious control [60] (259). Routines are applied with a low degree of attentional control in highly familiar context. This approach is mainly concerned by errors due to disturbance of subjects or unexpected details or discrepancies compared to what is expected whilst performing the activity.

A revisited approach of Rasmussen's model was presented in a previous study [52], considering these three main patterns inside a 2D-space in terms of attentional control given to the activity and familiarity with the activity: Skill-based behavior is characterized by a low degree of attentional control and high degree of familiarity with the activity, Knowledge-based behavior is characterized by a high degree of attentional control and low degree of familiarity, and Rule-based behavior is between the two.

The results obtained in the present study suggested that the participants, all “experienced workers”, had probably approached the task in conditions A and B adopting the Skill-based behavior pattern: they were used to handling taps and valves, working with *modus operandi*, and trained to apply HP tools, making it a highly familiar context for them and reducing their attentional control. In condition B, a prior contextualized training helped them to be aware of possible traps, probably increasing their attentional control by including as central informative clues those related to the traps identified with the virtual application. In parallel, their familiarity with the activity did not change or was increased, making them more hesitating in condition B than in condition A and avoiding errors (reducing wrong handling Fig. 4) and finally increasing performance compared with condition A. In condition B, participants summoned both transverse and core practices from the prior training phase to the targeted activity.

On the contrary, condition C did not contributed to enhance participants' familiarity with the targeted activity. It might even have produced opposite effect by involving them in a quite different activity than the targeted activity just before performing it. In addition, when tackling the targeted activity, participants summoned only the pre-elaborated cognitive schemes associated with transverse practices during the prior training phase, perhaps inducing a higher degree of commitment and/or management in HP tools application, thus effectively increasing HP tools application (see scores on Fig. 4). Both (no enhancement for participants' familiarity and higher commitment in HP tools application) might have generated (or have been combined with) an increase of the level of awareness, moving subjects' approach away from a Skill-based behavior (S), and thus making them less vulnerable to unexpected details or discrepancies compared to what was expected (i.e. aforementioned additional traps in §4.1).

4.2.2. Neurophysiologic approach

Neurophysiologic experiments undertaken by Prof. YI. Alexandrov (Laboratory of Neural Bases of Mind, Institute of Psychology, Russian Academy of Sciences, Moscow) with rats (and which results and conclusions may be extrapolated to some extent to Human [62]) permitted to establish that learning is mediated by a process of “behavioral specialization” based on the activation of silent neurons [63-64]. In the frame of the system-selection theory [65], at the neuronal level, learning involving the formation of new behavioral acts is directly related to the formation of new functional systems, i.e. the formation of neuron specializations for these systems [66]: “Neuron specialization consists of the appearance of activation of previously ‘silent’ neurons every time the relevant formed behavioral act takes

place" (139). Neuron specialization concerns early neuronal development stages (e.g. eating, moving) which relate to the motor cortex; it also concerns later learning processes (e.g. writing) which relate to the cingulate cortex.

We may therefore suggest that the decontextualization simulated situation in condition C provided an unusual context for the subjects to learn how to apply HP tools resulting in the formation of a new behavioral act associated with the activation of 'silent' neurons. In other words, experiencing decontextualization simulated situation, a part of the subjects' cortex which was not yet activated (silent neurons) became devoted to the task "applying HP tools" through a new behavioral act.

From the neurophysiologic standpoint, this may be reformulated in suggesting that subjects involved in condition C increased the proportion of neurons activated in the cortex and that this additional activated part was specialized for HP tools application in complement to previous activated part(s). Conversely, subjects involved in conditions A and B were not concerned by this process since they did not form any related new behavioral act whilst applying HP tools: conditions A and B provided only usual situations.

Furthermore, neuron specialization is a long term process involving activation of gene expression to modify functions and connections of neurons [66]. This supposes that the new set of neurons activated through the new situation must be reactivated periodically to remain available. Reactivation does imply tackling this new situation periodically or means being involved in an activity that summons the behavioral act to be re-activated.

4.3. Contextualization vs decontextualization

In §1 we described a tendency for simulation training designers to seek a simulation situation of high fidelity, as close as possible to the real operating situation from the operative and from the figurative standpoints. In §2.1.1 we also reported that trainees put themselves resolutely in the most accomplished high-fidelity simulation perspective and discussed how the possible trainees' rejection of non-high fidelity simulation training could occur.

In such a context, the possible benefits of virtual applications for learning and training pointed out by several studies (see §1) can hardly be tested, assessed, and applied for occupational simulation training. This impediment was confirmed by discussions regarding assumptions to designate this of the three experimental conditions which would give the highest performance: by the side of the researchers as well as by the side of the industrial managers, contextualized simulation training (condition B) was selected to produce the highest performance (§2.8).

The results obtained in the present study showed that conversely, when respecting specific criteria for transverse professional practices, decontextualized simulation training could be seen not as an advantage compared to contextualization but as a relevant complement and indeed be used as a lever of improvement.

It is clear that other studies of this type are necessary to deconstruct the a priori feeling favoring at the outset any high-fidelity simulation training to the expense of decontextualized training.

However, whatever decontextualized simulation training may offer in terms of additional learning progress for the trainees, it makes more complicated a question of importance in occupational training, this of the trainees' evaluation; this question is more complicated than it may be with high-fidelity simulations. The question is already complicated with the latter

because being skillful in a high-fidelity simulated situation does not mean being skillful in a real operating situation (see for instance discussion in [44: 20]); this is why for example aircraft pilots are qualified for a great part on simulators but they are then assessed by a certified instructor in real operating situations whilst copiloting the plane. Therefore, the gap between decontextualized simulation and real operating situation being greater, is the trainees' assessment in decontextualized simulations relevant? The answer would need a study (which is not the aim of the present one) but in our opinion, again this suggests that decontextualized simulation training cannot be disconnected from contextualized simulation training: assessment of transverse professional practices in decontextualized situations does not directly serve the final goal aiming at improving competencies for the real operating situations; this must be followed or combined with an assessment in high-fidelity simulated situations and finally in real operating situations.

4.4. Further improvement of performance

In the light of Kolb's well known model [67-69] describing an efficient learning process as a four-stage experiential learning cycle, it is clear that at least one stage is missing in the experimental conditions of the present study. Kolb's model defines learning as a process whereby are involved "two dialectically related modes of grasping experience, concrete experience and abstract conceptualization, and two dialectically related modes of transforming experience, reflective observation and active experimentation" [69] (333). The reflexive observation may be achieved through a training session debriefing which is seen by some researchers as a key point for the transference process of learning on a simulator [46-50]: as mentioned in §2.5, debriefing is an essential component allowing trainees to elaborate competencies which are necessary in the real operating situation. Hence further improvement of performance can be obtained in conditions B and C by reinforcing the transference process through debriefing. Evidences of such improvement have already been obtained [52].

5. CONCLUSION

Experiments showed that decontextualized virtual simulation training, when prior to the real operating activities, could help industrial experienced workers to improve performance. In the present experiments, this improvement could reach about 20% in real operating situations when compared with a context without prior training and about 10% when compared with a context with contextualized prior training.

However the decontextualized character of the simulated training situation respected rules that appeared of importance regarding the feedback obtained through previous training sessions. Not respecting these rules might reduce the efficiency of decontextualization. We suggested that decontextualized virtual simulation training had to be far enough of the technical acts associated with the trainees' professional core practices so that trainees would not denounce the lack of fidelity of the simulated situation and thus consciously or unconsciously rejected learning through decontextualization. For the same reasons, we suggested that decontextualized training sessions would address transverse professional practices rather than professional core practices. In addition, we recommended the adjustment of the social valuation dimension and of the attraction dimension of decontextualization. The former relates to decontextualization that considers another profession than this of the trainees for the simulated training situation; in this case, the other profession must be a socially valued profession as perceived by the trainees or must be associated with a situation which conveys values which may be perceived as references by the trainees, such as improving safety, struggling for good against evil or helping someone.

The latter relates to features that make trainees find interest in the simulated situation: the social valuation dimension may contribute to it; it may also be features regarding the power conferred to the trainees by the situation or the playful dimension as for Serious Games. All this facilitates the acceptance of the decontextualized simulated situation by the trainees.

Improvement of performance through decontextualization was here explained in terms of filling a training gap and/or in terms of an innovative way to solicit trainees' zone of proximal development. From the psychological standpoint, this could lead participants to re-question their routines in the sense of Rasmussen's SRK model [60-61]. From the neurophysiological standpoint, this could help trainees to improve their efficiency by activating sets of silent neurons as illustrated by Prof. YI. Alexandrov's experiments [63-64, 66].

Nevertheless, these results must not lead to the conclusion that decontextualization could replace full scale contextualized simulation. We insisted here on the fact that participants were experienced workers and that the improvement was obtained regarding professional practices already elaborated previously. In our opinion, decontextualization training situations must be considered as a complement. Full scale simulators are crucial tools for efficient progress whilst learning new job [35]. In addition, the experimental conditions of the present study did not included debriefing after the prior training sessions. Further improvement of performance can thus be obtain by reinforcing the transference process through debriefing as proved elsewhere in the same conditions [52].

Limits of the present study mainly lie on the fact that rules defining features of decontextualization were elaborated on the basis of the feedback of full scale simulation training sessions obtained in aeronautic, nuclear and medical fields. Other professional fields could help to find out new features. Besides, undertaking a single variable experimental plan could help to better characterize each feature.

Further analysis of the performance obtained in the present study may consider Transformative Learning Theory as a way to understand the increase of performance as an improvement of the learning process [70-71]. However, if the concepts of "autonomous thinking" or "transformations of meaning schemes" of the theory may be easily linked and explained with the present results, it is less clear when considering the concept of "disorienting dilemma" which is central for the theory. Indeed additional analysis would be necessary to consider the results in the light of the Transformative Learning Theory. This work would be worth to be undertaken because, in our opinion, Transformative Learning Theory might highlight other possibilities of decontextualization.

Application of these results and of the conclusions are planned in the beginning of 2016 in order to improve training sessions for experienced field workers at the Training Center of Chinon, in association with Chinon Nuclear Power Plant (France). The preparation phase of this application shows that respecting the rules herein established for decontextualization is a non trivial work that must be carried out carefully not to generate rejection of the training sessions by trainees and at the same time being attractive for them.

ACKNOWLEDGEMENTS

The authors thank Fr. Daviet, Innovation Project Manager and Simulation Trainer at the Training Center of Chinon NPP, for his advice and fruitful exchanges. The authors thank all the participants to the experiments and observations. Thanks to Chinon NPP (EDF) for supporting this research program including operating and human tertiary departments and also St. Vallée and Br. Ruf for conception and realization of the mock-up, F. Poyart for software support, Br. Ruf , F. Poyart and S. Draskovic for participation as experimenters.

Thanks to the NPP of Bugey (EDF) and especially C. Maruzewski. Thanks to Grey Olltwit Educational Software for free access to educational games. Thanks to Electricité de France (EDF) for financial support.

COMPETING INTERESTS

The authors have declared that no competing interests exist.

ETHICAL APPROVAL

This study received ethical approval of the Ethics Committee of the Dept. of Social Psychology (LSE, London, UK) and has therefore been performed in accordance with the ethical standards laid down in the 1964 Declaration of Helsinki.

REFERENCES

1. Amalberti, R. La conduite des systèmes à **risques** [Operating high risk systems]. 1996, Paris: PUF. French.
2. Amalberti, R. The paradoxes of almost totally safe transportation systems. *Safety Science*. 2001;37(2-3):109-126.
3. Reason, J. Human error. 1990, Cambridge University Press.
4. Reason, J. The Human Contribution: Unsafe Acts, Accidents and Heroic Recoveries. 2008, Farnham (UK): Ashgate Publishing Ltd.
5. Fauquet-Alekhine Ph. Safety and Reliability for nuclear production. *Socio-Organizational Factors for Safe Nuclear Operation*. 2012;(1):25-30.
6. Parush A, Hamm H, Shtub A. Learning histories in simulation-based teaching: the effects on self-learning and transfer. *Computers & Education*. 2002;39:319-332.
7. Van der Heiden P, Pohl C, Bin Mansor Sh, Van Genderen J. The role of education and training in absorptive capacity of international technology transfer in the aerospace sector. *Progress in Aerospace Sciences*. 2015;76:42-54.
8. Genderen J. The transfer of remote sensing technology in Asia - the ITC experience. *Geocarto Int*. 1991;6(3):84-89.
9. Alinier G, Hunt WB, Gordon R. Determining the value of simulation in nurse education: study design and initial results. *Nurse education in practice*. 2004;4(3):200-207.
10. Gaba DM. Improving Anesthesiologists' Performance by Simulating Reality. *Anesthesiology*. 1992;76(4):491-494.
11. Yee B, Naik V, Joo H, Savoldelli G, Chung D, Houston P, Karatzoglou B, Hamstra S. Nontechnical Skills in Anesthesia Crisis Management with Repeated Exposure to Simulation-based Education. *Anesthesiology*. 2005;103:241-248.
12. Müller M, Hänsel M, Fichtner A, Hardt F, Weber S, Kirschbaum C, Rüder S, Walcher F, Koch T, Eich Ch. Excellence in performance and stress reduction during two different full scale simulator training courses: A pilot study. *Resuscitation*. 2009;80(8):919-924.
13. Agarwal A, Singh DK, Mishra LD. Simulators in anesthesia and healthcare, *Sri Lankan Journal of Anaesthesiology*. 2010;18(2):94-97.
14. Ostergaard D, Dieckmann P, Lippert A. Simulation and CRM. *Best Practice &*

- 775 Research Clinical Anaesthesiology. 2011;25:239-249.
- 776 15. Reader T. Learning through high-fidelity anaesthetic simulation: the role of episodic
777 memory. British Journal of Anaesthesia. 2011;107(4):483-487.
- 778 16. Forest C, Comas O, Vaysiere C, Soler L, Marescaux J. Ultrasound and needle
779 insertion simulators built on real patient-based data. Stud. Health Technol Inform.
780 2007;125:136-139.
- 781 17. Lightdale JR, Weinstock P. Simulation and training of procedural sedation.
782 Techniques in Gastrointestinal Endoscopy. 2011;13:167-173.
- 783 18. Soler L, Marescaux J. Virtual Surgical Simulation - Major rules to develop an efficient
784 educative system. Proceedings of the Serious Games & Simulation Workshop,
785 Paris. 2011:16-21. Retrieved 01 July 2015 from <http://hayka-kultura.org/larsen.html>
- 786 19. Petiot E, Labrucherie M. Pilots needs and expectations: perspectives of simulation
787 for training. Proceedings of the Serious Games & Simulation Workshop, Paris.
788 2011:37-38. Retrieved 01 July 2015 from <http://hayka-kultura.org/larsen.html>
- 789 20. Amalberti R, Deblon Fr. Cognitive modeling of fighter aircraft process control: a step
790 towards an intelligent on-board assistance system. Int. J. Man-Machine Studies.
791 1992;36:639-671.
- 792 21. Giersch M., Muellner, N., and D'Auria, F. Security concepts for an integrated NPP
793 simulator. Proceedings of the XXth Int. Conf. On Nuclear Energy, Bovec, Slovenia;
794 2001. Retrieved 01 July 2015 from www.djs.si/proc/nene2011/pdf/1112.pdf
- 795 22. Pastré P. Analyse d'un apprentissage sur simulateur: des jeunes ingénieurs au prise
796 avec la conduite de centrales nucléaires [Analysis of simulation training: young pilots
797 operating nuclear power reactors]. In: Pastré P, editor. Apprendre par la simulation –
798 De l'analyse du travail aux apprentissages professionnels [Learning through
799 simulation - From analysis of work to professional learning]. Toulouse: Octarès;
800 2005:241-265. French.
- 801 23. De la Garza C, Le Bot P. Emergency operation in nuclear power plants : proposition
802 of analysis protocol to highlight collective team performance in simulation situations.
803 Proceedings of the IXth Int. Conf. on Probabilistic Safety Assessment and
804 Management, Hong Kong, China, 2008.
- 805 24. Rousseau JM. Safety Management in a competitiveness context. Eurosafe – IRSN;
806 2008. Retrieved 01 July 2015 from [http://net-science.irsn.org/net-](http://net-science.irsn.org/net-science/liblocal/docs/docs_minerve/Eurosafe2008SafetyManagement.pdf)
807 [science/liblocal/docs/docs_minerve/Eurosafe2008SafetyManagement.pdf](http://net-science.irsn.org/net-science/liblocal/docs/docs_minerve/Eurosafe2008SafetyManagement.pdf)
- 808 25. Южаков АЮ [Yuzhakov AY]. ТРЕНАЖЕРЫ ДЛЯ ОПЕРАТИВНОГО ПЕРСОНАЛА
809 АЭС [Simulators for NPP operators]. БЕЗОПАСНОСТЬ ОКРУЖАЮЩЕЙ СРЕДЫ
810 [Environmental Safety]. 2010;2:90-93. **Russian**.
- 811 26. Volov V, Koutcherenko V, Malenkov M, Kashirin V, Sidorkin N, Krusanov, V.
812 Development of the System of Robotic Complexes for Technical Centers of Russian
813 Ministry of Atomic Industry. Proceedings of the VIIIth International Conference and
814 Robotics 2002. 2002.
- 815 27. Fauquet-Alekhine Ph. Simulation training to prepare for robotic intervention in a
816 hostile environment. Socio-Organizational Factors for Safe Nuclear Operation.
817 2012;1:88-93.
- 818 28. Clostermann JP. La conduite du navire marchand. Facteurs humains dans une
819 activité à risque [The conduct of merchant ship. Human factors in a high risk
820 activity]. 2010, Ed. Infomer. French.
- 821 29. Dale E. Audio-Visual Methods in Teaching. 1946, NY Dryden Press.
- 822 30. Dale E. Teaching Methods in Flexible Gunnery, Educational Research Bulletin.
823 1944;23(8):199-207.

- 824 31. Rasmussen J. Skills, roles, and knowledge: signals, signs, and symbols, and other
825 distinctions in human performance models. IEEE Transaction on Systems, Man, and
826 Cybernetics SMC. 1983;13(3):257-266.
- 827 32. Labrucherie M. Airliners Flying, In Fauquet-Alekhine & Pehuet (eds). Simulation
828 Training: Fundamentals and Applications. Berlin: Springer, 2016:31-58.
- 829 33. Huang WH, Rauch U, Liaw SS. Investigating learners' attitudes toward virtual reality
830 learning environments: Based on a constructivist approach. Computers & Education.
831 2010;55:1171-1182.
- 832 34. Huang WH, Kahai S, Jestice R. The contingent effects of leadership on team
833 collaboration in virtual teams. Computers in Human Behavior. 2010;26:1098-1110.
- 834 35. Fauquet-Alekhine, Ph. Human or avatar: psychological dimensions on full scope,
835 hybrid, and virtual reality simulators. Proceedings of the Serious Games &
836 Simulation Workshop, Paris. 2011:22-36. Retrieved July 2015 from [http://hayka-](http://hayka-kultura.com/larsen.html)
837 [kultura.com/larsen.html](http://hayka-kultura.com/larsen.html)
- 838 36. Huang WH. Evaluating learners' motivational and cognitive processing in an online
839 game-based learning environment. Computers in Human Behavior, 2011;27:694-
840 704.
- 841 37. Fauquet-Alekhine Ph. Virtual Training, Human-Computer & Software Interactions,
842 and Social-Based Embodiness. Proc. of the International Conference on Electrical,
843 Computer, Electronics and Communication Engineering, Venezia, IT. 2013;80:364-
844 370.
- 845 38. Beale R, Creed Ch. Affective interaction: How emotional agents affect users. Int. J.
846 Human-Computer Studies. 2009;67:755-776.
- 847 39. Veletsianos G. Contextually relevant pedagogical agents: Visual appearance,
848 stereotypes, and first impressions and their impact on learning. Computers &
849 Education. 2010;55:576-585.
- 850 40. Sabri H, Cowan B, Kapralos B, Porte M, Backstein D, Dubrowskie A. Serious games
851 for knee replacement surgery procedure education and training. Procedia Social and
852 Behavioral Sciences. 2010;2:3483-3488.
- 853 41. Mikropoulos, T.; Natsis, A. (2011) Educational virtual environments: A ten-year
854 review of empirical research (1999–2009). Computers & Education, 56, 769-780
- 855 42. Mavre O. Simulation or Serious Games? Proceedings of the Serious Games &
856 Simulation Workshop, Paris. 2011:39-42. Retrieved July 2015 from [http://hayka-](http://hayka-kultura.com/larsen.html)
857 [kultura.com/larsen.html](http://hayka-kultura.com/larsen.html)
- 858 43. Béguin P, Pastré P. Working, learning and design through simulation. Proceedings of
859 the Xle Eur. Conf. On Cognitive Ergonomics: cognition, culture and design. Catalina,
860 Italy. 2002:5-13
- 861 44. Fauquet-Alekhine Ph, Pehuet N. Simulation Training: Fundamentals and
862 Applications. 2016, Berlin: Springer.
- 863 45. Burleson W, Picard R.. Gender-specific approaches to developing emotionally
864 intelligent learning companions. Intelligent Systems. 2007;22(4):62-69.
- 865 46. Fanning RM, Gabba DM. The Role of Debriefing in Simulation-Based Learning.
866 Society for Simulation in Healthcare. 2007;2(2):115-125.
- 867 47. Issenberg SB, McGaghie WC, Petrusa ER. Features and uses of high-fidelity
868 medical simulations that lead to effective learning: a BEME systematic review. Med
869 Teach., 2005;27:10-28.
- 870 48. Anderson M, Bond ML, Holmes TL, Cason CL. Acquisition of Simulation Skills:
871 Survey of Users. Clinical Simulation in Nursing. 2012;8:e59–e65.

- 872 49. Stocker M, Burmester M, Allen M. Optimisation of simulated team training through
873 the application of learning theories: a debate for a conceptual framework. BMC
874 Medical Education. 2014;14-69.
- 875 50. Der Sahakian G, Alinier G, Savoldelli G, Oriot D, Jaffrelot M, Lecomte F. Setting
876 Conditions for Productive Debriefing. Simulation & Gaming. 2015;46(2):197-208.
- 877 51. Jones I, Alinier G. Supporting Students' Learning Experiences through a Pocket Size
878 Cue Card Designed around a Reflective Simulation Framework. Clinical Simulation
879 in Nursing. 2015;11(7):325-334.
- 880 52. Fauquet-Alekhine Ph, Boucherand A. Innovative debriefing protocol for simulation
881 training improvement. British Journal of Education, Society & Behavioural Science.
882 2016;13(3):1-13. Article no. BJESBS.22418.
- 883 53. Lendvay TS, Brand TC, White L, Kowalewski T, Jonnadula S, Mercer LD, Khorsand,
884 D, Andros J, Hannaford B, Satava RM. Virtual reality robotic surgery warm-up
885 improves task performance in a dry laboratory environment: a prospective
886 randomized controlled study. Journal of the American College of Surgeons,
887 2013;216(6):1181-1192.
- 888 54. Cohen J. A power primer. Psychological Bulletin. 1992;112(1):155-159.
- 889 55. Moldovanu R, Târcoveanu E, Dimofte G, Lupașcu C, Bradea C. Preoperative warm-
890 up using a virtual reality simulator. JSLs: Journal of the Society of
891 Laparoendoscopic Surgeons. 2011;15(4):533.
- 892 56. Paschold M, Huber T, Kauff D, Buchheim K, Lang H, Kneist W. Preconditioning in
893 laparoscopic surgery—results of a virtual reality pilot study Langenbeck's Archives of
894 Surgery. 2014;399(7):889-895.
- 895 57. Calatayud D, Arora S, Aggarwal R, Kruglikova I, Schulze S, Funch-Jensen P,
896 Grantcharov T. Warm-up in a Virtual Reality Environment Improves Performance
897 in the Operating Room. Ann. Surg. 2010;251:1181-1185.
- 898 58. Vygotsky LS. Mind in society. The development of higher psychological processes.
899 Harvard Univer. Press. Cambridge MA, 1978.
- 900 59. Pastré P. Apprendre par résolution de problème: le rôle de la simulation [Learning
901 through problem solving: the role of simulation]. In: Pastré P, editor. Apprendre par la
902 simulation – De l'analyse du travail aux apprentissages professionnels [Learning
903 through simulation - From analysis of work to professional learning]. Toulouse:
904 Octarès; 2005:17-40. French.
- 905 60. Rasmussen J. Skills, roles, and knowledge: signals, signs, and symbols, and other
906 distinctions in human performance models. IEEE Transaction on Systems, Man, and
907 Cybernetics SMC. 1983;13(3):257-266.
- 908 61. Rasmussen J, Svedung I. Proactive Risk Management in a Dynamic Society.
909 Karlstad: Rådningsverket; 2000.
- 910 62. Jacobson M. Developmental neurobiology. 2013, Springer Science & Business
911 Media.
- 912 63. Aleksandrov YI, Grechenko TN, Gavrilo VV. Features of the formation and
913 realization of individual experience. Journal of Higher Nervous Activity.
914 1997;47(2):34-45.
- 915 64. Gavrilo VV, Grinchenko YV, Aleksandrov, YI. Comparative studies of the patterns of
916 behavioral specialization of neurons in the limbic cortex of rats and rabbits.
917 Proceedings of the International Conference "New Concepts of the Mechanisms of
918 Associative Learning and Memory, Moscow, (23–26 September 1999).
- 919 65. Shvyrkov, VB. Behavioral specialization of neurons and the system-selection
920 hypothesis of learning. In F Klix

- 921 66. and H Hagendorf (eds.). Human Memory and Cognitive Capabilities. 1986, Elsevier,
922 Amsterdam, 599–611.
- 923 67. Svarnik OE, Anokhin KV, Aleksandrov YI. Distribution of Behaviorally Specialized
924 Neurons and Expression of Transcription Factor c-Fos in the Rat Cerebral Cortex
925 during Learning. Neuroscience and Behavioral Physiology. 2003;33(2):139-142 .
- 926 68. Kolb DA. Management and the learning process. California Management Review.
927 1976;18(3):21-31.
- 928 69. Kolb DA. Experiential Learning: Experience as the source of Learning and
929 Development. Englewood Cliffs, NJ: Prentice Hall; 1984.
- 930 70. Kayes AB., Kayes DC, Kolb DA. Experiential learning in teams. Simulation &
931 Gaming. 2005;36:330-354.
- 932 71. Mezirow,J. Transformative learning: Theory to practice. New directions for adult and
933 continuing education. 1997(74), 5-12.
- 934 72. Mezirow J, Taylor EW. Transformative learning in practice: Insights from community,
935 workplace, and higher education. 2011, London: John Wiley & Sons.
- 936