

SCIENCEDOMAIN international

www.sciencedomain.org

SDI Review Form 1.6

Journal Name:	British Journal of Medicine and Medical Research	
Manuscript Number:	Ms_BJMMR_20784	
Title of the Manuscript:	A pilot, randomized sham control trial of autologous bone marrow stem cells in acute ischemic central retinal vein occlusion (sic study)	
Type of the Article		

General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SCIENCEDOMAIN international



SDI Review Form 1.6

PART 1: Review Comments

highlight that part in the manuscr		Reviewer's comment	Author's comment (if agreed with
Compulsory REVISION comments 1) The manuscript characterizes a "case series" not a clinical trial in my opinion. In a clinical trial the author should mention where the data was collected, how ample size was determined, the method used to generate the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. (http://www.consort- statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Jine 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. 4) Line 93, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). Minor REVISION 1			reviewer, correct the manuscript and
Compulsory REVISION comments 1) The manuscript characterizes a "case series" not a clinical trial in my opinion. In a clinical trial the author should mention where the data was collected, how ample size was determined, the method used to generate the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. (http://www.consort: statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. 4) Line 136, page 6: The statements "for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			highlight that part in the manuscript.
Compulsory REVISION comments 1) The manuscript characterizes a "case series" not a clinical trial in my opinion. In a clinical trial the author should mention where the data was collected, how ample size was determined, the method used to generate the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. (http://www.consort- statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			It is mandatory that authors should
REVISION comments opinion. In a clinical trial the author should mention where the data was collected, how ample size was determined, the method used to generate the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. (http://www.consort.statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			write his/her feedback here)
collected, how ample size was determined, the method used to generate the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. (http://www.consort- statement.org)2)Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3)3)Line 92, page 4: Please explain how many times a day the eye drops were prescribed.4)Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example?5)Please explain on Methods if it was a single intravitreal injection. 6)6)Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7)Minor REVISION			
the random allocation sequence, type of randomisation. I encourage the author to follow the Consort Checklist. [http://www.consort-statement.org] 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.	REVISION comments		
author to follow the Consort Checklist. (http://www.consort-statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.		collected, how ample size was determined, the method used to generate	
statement.org) 2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.		the random allocation sequence, type of randomisation. I encourage the	
2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma.3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed.4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example?5) Please explain on Methods if it was a single intravitreal injection.6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted til 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6).7) I couldn't find the reference number 2 at Pubmed.		author to follow the Consort Checklist. (http://www.consort-	
2) Line 41, page 2: anterior segment neovascularization characterizes neovascular glaucoma, it doesn't lead to neovascular glaucoma.3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed.4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example?5) Please explain on Methods if it was a single intravitreal injection.6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted til 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6).7) I couldn't find the reference number 2 at Pubmed.		statement.org)	
meovascular glaucoma, it doesn't lead to neovascular glaucoma. 3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			
3) Line 92, page 4: Please explain how many times a day the eye drops were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			
were prescribed. 4) Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example? 5) Please explain on Methods if it was a single intravitreal injection. 6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			
4)Line 93, page 4: Please explain wich similar post-procedure topical drops were prescribed. Artificial tears for example?5)Please explain on Methods if it was a single intravitreal injection.6)Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6).7)I couldn't find the reference number 2 at Pubmed.			
drops were prescribed. Artificial tears for example?5)Please explain on Methods if it was a single intravitreal injection.6)Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6).7)I couldn't find the reference number 2 at Pubmed.		•	
5) Please explain on Methods if it was a single intravitreal injection.6) Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.Minor REVISION			
6)Line 136, page 6: The statements "Both patients who received intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). T)Minor REVISION			
intravitreal injection of stem cells had minimal intraocular inflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6).Minor REVISION			
Minor REVISIONinflammation on the first week" and "So it gives a little evidence that the risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). T I couldn't find the reference number 2 at Pubmed.			
Minor REVISIONthe risk of severe inflammation is less likely." does not agree with the results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). To couldn't find the reference number 2 at Pubmed.		· · · · · · · · · · · · · · · · · · ·	
minor REVISION results on Line 105 ("On first post op day patient had dense vitreous haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.			
haze in centre wich persisted till 4 weeks") and on Line 111 ("On first post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed.		• •	
post operative day there was 4+ cells in AC wich resolved by 2 weeks". Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed. Minor REVISION			
Those statements should be removed. (Lines 136 to 139, page 6). 7) I couldn't find the reference number 2 at Pubmed. Minor REVISION			
7) I couldn't find the reference number 2 at Pubmed. Minor REVISION			
Minor REVISION			
		7) I couldn't find the reference number 2 at Pubmed.	
	Minor DEVISION		
comments			
1) Line 24. " $transported to control introportion processing The other notion t$	comments	1) Line 24. " trabaquiatemu to control introgquiar processors. The other potient	
1) Line 24: "trabeculectomy to control intraocular pressure. The other patient			
in control group lost follow up after 2 weeks."sounds better.		in control group lost follow up after 2 weeks. sounds better.	

SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

	2) Lines 41, 61 and 70: it should be "neovascularization (not
	neovascularisation).
	3) All abreviations should be explained when cited for the first time in the
	manuscript: anti-VEGF (line 43), NVI (line 45), AC paracentesis (line91)
	4) Line 56: it should be "neurotrophic" (not "neurotropic").
	5) Line 67: it should be "through"(not "thorough").
	6) Line 77: "Patients in control group underwent sham procedure in wich they
	were positioned"should be better than "where in patients were
	7) Line 78 and 93: " with the syringe hub"should be better.
	8) Line 82: it should be "heparinized" (not "heparinised").
	9) Line 90: it should be "quadrant".
	10) Line 100: "angle neovascularization" sounds better than "neovascularization
	of angle".
	11) Line 101: "fundus fluorescein angiography
	12) Line 105: S nellen should be written with capital letter.
	13) Avoid abreviations: "first post op day".
	14) Line 136: "Both guys…"instead of "both the guys…"
	15) Line 143: "In both patients" sounds better than "In both the patients".
Optional/General	
comments	

Reviewer Details:

Name:	Flavia Ticly
Department, University & Country	University of Campinas, Brazil