



**SDI Review Form 1.6**

Journal Name:	<a href="#">British Journal of Medicine and Medical Research</a>
Manuscript Number:	Ms_BJMMR_23758
Title of the Manuscript:	TO COMPARE THE PURSUANCE OF ULTRASONIC ACTIVATION AT DISTINCT PLANES OF ENODONTIC THERAPY ON FILLING SUPERIORITY OF DIFFERENT ROOT CANAL SEALERS.
Type of the Article	Original Research Article

**General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



**SDI Review Form 1.6**

**PART 1: Review Comments**

	<b>Reviewer's comment</b>	<b>Author's comment</b> (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b><u>Compulsory</u></b> REVISION comments		
<b><u>Minor</u></b> REVISION comments	Generally OK, although some grammar and word choices need to be improved. Improve the layout The discussion should be more developed	
<b><u>Optional/General</u></b> comments		

**Reviewer Details:**

Name:	<b>Abdelmoumen Ehsen</b>
Department, University & Country	<b>Department of Conservative Dentistry and Endodontics, Faculty of Dentistry of Monastir, Tunisia</b>