

Editor's Comment:

After reading the manuscript, I decided to ask the authors making further reversion. The main reason is that the information or citation of references for methods is not sufficient. Following are some of my observations and more comments and modifications are put in the manuscript.

In all the related cases, if the primers/probes were designed by the author, the methods for their designation should be given. If they were adopted from other publications, the reference should be cited in the text and listed in the section of references. Also, reference should be cited if the PCR protocol was adopted from others.

Combine the Tables 1, 2 and 3 in a single one.

Line 63: Citation of reference should be given for growth medium

Line 65: Citation of reference should be given for medium VGM

Line 66: better to give the concentration of inoculant instead of "appropriate dilution"

Lines 71 and 72: Citation of reference should be given for Hemagglutination assay (HA) and Hemagglutination inhibition assay (HI)

Lines 91-91: delete Table 1 and put the information in text.

Lines 99-105: Citation of reference should be given respectively for RT-PCR protocol and electrophoresis.

Editor's Details:

Prof. En Tao Wang^{1,2}

¹Departamento de Microbiología, Escuela Nacional de Ciencias Biológicas, Instituto Politécnico Nacional, México

²State Key Laboratory of Agrobiotechnology and College of Biological Sciences, China Agricultural University, Beijing, China (invited professor)