



SDI Review Form 1.6

Journal Name:	British Microbiology Research Journal
Manuscript Number:	Ms_BMRJ_24360
Title of the Manuscript:	Ventilator Associated Pneumonia in a Tertiary Care Hospital: Incidence, Risk Factors and Etiological Agents
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	1. It is recommended that in the Material & Methods section and in the Results section, first paragraph, study population, information regarding the range and mean of the study population be added.	The range of the patients' ages was added to the methods section, as well as the results section.
<u>Optional/General</u> comments	1. Figures 1, 2 and 4 can be deleted from the manuscript since they don't show relevant results which can be mentioned only in the text.	I appreciate your comment. Figure 4 was omitted. I thought figures 1 & 2 may offer further illustration and emphasis of the text.