



SDI Review Form 1.6

Journal Name:	British Microbiology Research Journal
Manuscript Number:	Ms_BMRJ_24360
Title of the Manuscript:	Ventilator Associated Pneumonia in a Tertiary Care Hospital: Incidence, Risk Factors and Etiological Agents
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	1. It is recommended that in the Material & Methods section and in the Results section, first paragraph, study population, information regarding the range and mean of the study population be added.	
<u>Optional/General</u> comments	1. Figures 1, 2 and 4 can be deleted from the manuscript since they don't show relevant results which can be mentioned only in the text.	

Reviewer Details:

Name:	Arturo Abdelnour
Department, University & Country	Department of Pediatrics, National Children's Hospital, San Jose, Costa Rica