



SDI Review Form 1.6

Journal Name:	<u>International Journal of Medical and Pharmaceutical Case Reports</u>
Manuscript Number:	Ms_IJMPCR_31352
Title of the Manuscript:	One Antiresorptive Too Many A case report and clinical opinion
Type of the Article	Case study

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	We want to watch the images of CT and MRI. And we want to check the exact data of DEXA.	
<u>Optional/General</u> comments	It is very interesting and edifying case. So I think that this article should be published.	

Reviewer Details:

Name:	Hiroaki Kijima
Department, University & Country	Department of Orthopedic Surgery, Akita university graduate school of medicine, Japan