SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

| Journal Name: | International Journal of Medical and Pharmaceutical Case Reports |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Manuscript Number: | Ms_IJMPCR_36791 |
| Title of the Manuscript: | Atypical Femoral Fractures Following Use of Reclast™ After Prior Treatment with Alendronate: A Clinical Practice Series and Opinion |
| Type of the Article | Clinical Practice Article |

General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

PART 1: Review Comments

| | Reviewer's comment | Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here) |
|------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compulsory REVISION comments | It is a well written manuscript dealing with a topic of importance. The article can be published unaltered. | |
| Minor REVISION comments | | |
| Optional/General comments | | |

Reviewer Details:

| Name: | A. Papazafiropoulou |
|----------------------------------|--------------------------------------------------------------------------------------------------|
| Department, University & Country | Department of Internal Medicine and Diabetes Center, Tzaneio General Hospital of Piraeus, Greece |

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (07-06-2013)