



**SDI Review Form 1.6**

|                          |                                                                                          |
|--------------------------|------------------------------------------------------------------------------------------|
| Journal Name:            | <a href="#">American Journal of Experimental Agriculture</a>                             |
| Manuscript Number:       | Ms_AJEA_29310                                                                            |
| Title of the Manuscript: | Factors Affecting Rice Production in Awka North Local Government, Anambra State, Nigeria |
| Type of the Article      |                                                                                          |

**General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)





**SDI Review Form 1.6**

|                                         |                                                                                                                                                                                                  |  |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                                         | Table 2: be more specific on broadcasting.<br>Broadcasting in the nursery or broadcasting in the entire field?<br>Line 252 remove wee                                                            |  |
| <b><u>Optional/General</u></b> comments | Improved rice varieties are developed but the supply chains to make this varieties available for farmers is generally not well establish in several Sub – Saharan Africa countries like Nigeria. |  |