

Factors Affecting Children Immunization among Rural Famers in Ondo State, Nigeria.
B. O. Akinwalere, K. E. Owolabi and I. O.Olaleye,

*Department of Agricultural Extension and Communication Technology, Federal University of
Technology, Akure, Ondo State, Nigeria.*

Abstract

The health of any child depends greatly on immunization against certain diseases especially at the early stage of development. Adequate immunization of children serves as a means of preventing them from possible childhood diseases and various health challenges. The study therefore examined factors affecting children immunization among rural farmers in Ondo state, Nigeria. Simple random sampling was used to collect data from 90 respondents. Descriptive statistics and inferential statistics were used in analysing the data. The study revealed that 92.2 percent of the respondents were females. The mean age was 45 years and 63.5 percent were above 40 years. About 76.7 percent were married, 73.6 percent had formal education and 70 percent were farmers by primary occupation. The study also showed that the respondents were aware of children immunization from different sources which include media sources, personal knowledge, rallies and campaigns, while very few respondents were not aware. The study indicated that the respondents agreed that factors such as; access to information/media, mother's educational level, farmers age, gender, farmers experience, availability of drugs and vaccines to a great extent influences the acceptance of children immunization while factors such

23 *as Inadequate capital, fear of side effects and unwanted/teenage pregnancy contributes*
24 *tremendously to the rejection of children immunization.*

25 **Key Words:** **Children, Immunization, Famers**
26

27 **Introduction**

28 The need for children immunization cannot be over emphasized, this is because children
29 immunization **helps** prevent certain diseases that are common with children especially at their
30 early stage of development. (1), **opined that immunization is cost effective in reducing vaccine**
31 **preventable diseases and to achieve this, there should be high immunization coverage which will**
32 **in turn promote child health, reduced childhood diseases and death.** Immunization coverage in
33 most parts of the developing world Nigeria inclusive has remained low, thereby contributing to
34 high mortality and morbidity among children. Important among reasons for this low coverage are
35 problems arising from knowledge, attitude and perception regarding vaccination {2}. In Nigeria,
36 children immunization is found to be generally low and this limited coverage may be attributable
37 to factors such as lack of proper planning, decreasing motivation of health workers, poor quality
38 of immunization services and low demand for services from the community{3}. Despite the fact
39 that major childhood diseases have been identified by modern technology, yet, children from
40 African countries die in large number from attack of these diseases because of the deep rooted
41 beliefs and attitudes of the people concerning childcare and behavioural practices in health
42 strategies. The Yoruba perceptions about the aetiology of most childhood diseases are a great
43 hindrance to public health programmes and intervention by the government of Nigeria
44 {4}.Although several programmes to increase immunization rates have been developed and
45 implemented but the question still remains that why do parents not immunize their children? **It is**

important to examine the perception of rural households on children immunization. This will enable researchers and policy makers to know the perception of parents with regards to children immunization and this will help in organizing sensitization programs that will prepare the minds of parents towards children immunization. It will help policy makers, health workers and researchers as it will provide basis for further research and development of health policies and extension information package to enhance children immunization in the study area. It is from this foregoing that the study examined the factors affecting children immunization among rural famers' households in Ondo State

Objectives

The main objective of the study was to examine the factors affecting children immunization among rural famers in Ondo State, Nigeria. The specific objectives were to:

- i. determine respondents' awareness about children immunization
- ii. evaluate respondents' perception about factors influencing acceptance of children immunization in the study area.

Methodology

The study was carried out in Ondo State, Nigeria. Ondo State is an agrarian state and besides farming, the inhabitants are engaged in various other occupations such as trading, manufacturing and commerce, but people in the riverine areas are predominantly fisher folks.

Multi-stage sampling technique was used for data collection. In the first stage, one (1) Local Government Area (LGA) was randomly selected from each of the three (3) geo-political zones of the State, making a total of three LGAs. In the second stage, three rural communities were selected from each of the Local Government Areas making a total of nine communities

to be selected across the three local government areas. In the third stage of the sampling, ten respondents were randomly selected from each of the rural communities making a sum total of (90) ninety respondents across the three local government areas selected. Primary data was collected and used. Well structured, validated and pre-tested questionnaire containing open - ended and closed- ended questions, focus group discussion and interview schedule were used to collect primary data from the respondents. Frequency, mean, standard deviation and chi-square were used to do the analysis of the data collected. Chi –Square was used to show the relationship between the socio-economic characteristics of the respondents and children immunization.

Results and Discussion

Respondents' Socio- Economic Characteristics

From figure 1, the results showed that 92.2 percent of the respondents were females. This might be due to the fact that the topic cuts across children immunization which is majorly a woman's responsibility to ensure that their children are immunised this was done to get appropriate answers and valid statements which the men may not be aware of or certain about. The mean age was 45 years and 24.7 percent and 23.5 percent were between the age categories of 30-39 years and 40-49 years respectively. This implies that the respondents in the study area were still in their active age, full of strength and vigour to carry out the laborious activities of farming. The study revealed that 76.7 percent of the respondents were married and had a mean household size of 8 with about 74.4 percent of them having a household size of about 6-10 persons. The marital status has influence on the level understanding one has as regards to children health related issues. The kind of household size distribution among the respondents in the study area indicates

that the majority of the rural farmers have a fairly large household which is a good source of family labour in the study area.

The figure shows that majority (85.6 percent) of the respondents are literate having one form of formal education or the other while only 14.4 percent had no formal education. It is expected that with such level of education that respondents should understand the need for children immunization. This educational level also shows that most of the rural farmers do not proceed to tertiary institutions which may be due to inadequate funds or not been able to meet the required qualifications of entering a university. This corroborates with the findings of {5} that most farmers in rural areas do not go beyond secondary school. Education is a factor that could aid adoption of innovation or programme by the respondents because education influences adoption of innovation or programme as it gives the farmer opportunity to obtain information from many sources since he could read and write {6}. About 70 percent of them were farmers by primary occupation with majority (77.9 percent) having a farm size of 0.1-5.0 hectares and about 82.1 percent of them had a farming experience of more than 5 years. This support the assertion that most people in the rural areas of Nigeria are engaged in farming as a means of ensuring their livelihood but with scattered and small farm lands{ 4}.




Figure 1: Respondents' Socio- Economic Characteristics

Awareness and Sources of Awareness of Respondents about Children Immunization.

Ninety **six percent** of the respondents interviewed during the focused group discussion attested that they were aware of children immunization. This implies that the respondents in the study area were aware of immunization programme this may be due to the fact that majority (76.7 percent) of them were married and could as a result would have had reasons to immunize their children at one time or the other. The literacy level of the respondents could have also contributed to the awareness; this is because awareness about new innovations or programmes increases with the level of education {7}. The results from the study revealed that respondents' sources of information ranges from rallies and campaigns by health workers /NGOS (53.3 percent), television (36 percent), radio (11 percent) to personal knowledge/family and friends (1.7 percent). This result contradicts the assertion that immunization coverage in Nigeria has remained low {2}. The findings supports the findings of {8}, that the main sources of information about children immunization include health workers town announcers, radio, family members and friends




Figure 2: Awareness and Sources of Awareness of Respondents about Children Immunization.

Respondents' Perception of Factors Influencing Children Immunization

The study revealed that the respondents agreed that ignorance about basic benefits of immunization ($\bar{X}$: 4.15), access to information ($\bar{X}$: 4.11), lack of opportunity to be immunized ($\bar{X}$: 4.03), levels of mother's education ($\bar{X}$: 4.01), farmers' age ($\bar{X}$: 3.81), gender ($\bar{X}$: 3.41), ($\bar{X}$: 4.01), experience ($\bar{X}$: 3.56), availability of drugs ($\bar{X}$: 3.93), and fear of side effects ($\bar{X}$: 3.79) are major factors influencing their acceptance of children immunization. This trend corroborates with the assertion of {8}, that various reasons that account for mothers' incomplete vaccination

135 of their children include long waiting time at the health facility, lack of vaccine on the
136 appointment day, absence of personnel at the health facility , child ill-health at the time of
137 immunization , lack of information about the days for vaccination , forgetting the days of
138 immunization, long distance walking , mother's illness on the day of vaccination , social
139 engagements , lack of money , schooling mothers , parents objection, disagreement or concern
140 about immunization safety .

Lack of opportunities to be immunized (4.03), Fear/rumour (3.95) of side effects, ignorance about benefits of vaccination (4.15), lack of vaccines Lack of understanding of the need for multiple doses (3.97), lack of vaccines/supplies (3.75), lost of immunization cards(3.84) are the major constraints to children immunization. The study showed that the respondents were undecided on whether cost of immunization (3.09), health workers' attitude (3.47), culture (2.97) and past bad experience of health programmes influence respondents acceptance of children immunization, The study further indicated that respondents were undecided on whether difficult access (3.18), poverty/inadequate capital (2.72), attitudes of health workers (3.33), long waiting time (3.36) and limited autonomy for women to leave the house at will are constraints to children immunization.

162 Table 1: Respondents' Perception of Factors Influencing Children Immunization

S/N	Factors	SA	A	UD	D	SD	Mean	Remark
i.	Distance of health centres/hospitals/health workers to community	12 (15.2)	49 (62.0)	5 (6.3)	11 (13.9)	2 (2.5)	2.73	U
ii.	Access to information	23 (31.1)	39 (52.7)	9 (12.2)	3 (4.1)	-	4.11	A
iii.	Level of mother's education	19 (25.0)	42 (55.3)	12 (15.8)	3 (3.9)	-	4.01	A
iv.	Age of farmer	16 (21.9)	35 (47.9)	15 (20.5)	6 (8.2)	1 (1.4)	3.81	A
v.	Former experiences at health facility/outreach, leading to fears, negative expectations, and lack of trust	7 (9.5)	14 (18.9)	25 (33.8)	21 (28.4)	7 (9.5)	2.91	U
vi.	Child being too sick, too weak for vaccination/fatalism	1 (1.1)	12 (15.8)	24 (31.6)	29 (38.2)	10(13.2)	2.54	U
vii.	Lack of opportunities to be immunized.	15 (19.0)	56 (70.9)	3 (3.8)	5 (6.3)	-	4.03	A
viii.	Fear/rumour of side effects	21 (26.9)	41 (52.6)	7 (9.0)	9 (11.5)	-	3.95	A
ix.	Ignorance about basic benefits of immunization.	21 (29.2)	41 (56.9)	10 (13.9)	-	-	4.15	A
x.	Lack of understanding of need for multiple doses, when and where to return, and that immunization protects against certain specific diseases.	20 (27.4)	34 (46.6)	17 (23.3)	1 (1.4)	1 (1.4)	3.97	A
xi.	Restricted/inconvenient hours, difficult access.	8 (12.5)	19 (29.7)	20 (31.3)	11 (17.2)	6 (9.4)	3.18	U
xii.	Poverty/inadequate capital	8 (11.3)	14 (19.7)	9 (12.7)	30 (42.3)	10 (14.1)	2.72	U,
xiii.	Health worker attitudes and behaviour; charges (official and unofficial).	7 (10.9)	24 (37.5)	19 (29.7)	11 (17.2)	3 (4.7)	3.33	U
xiv.	Long waiting time before been attended to at the immunization centres.	9 (12.9)	25 (35.7)	21 (30.0)	12 (17.1)	3 (4.3)	3.36	U
xv.	Lack of vaccines/ supplies.	12 (17.4)	36 (52.2)	14 (20.3)	6 (8.7)	1 (1.4)	3.75	A
xvi.	Lost/ unavailable immunization cards.	21 (28.0)	32 (42.7)	12 (16.0)	9 (12.0)	1 (1.3)	3.84	A
xvii.	Limited autonomy for women even to make the decision to leave the house hinders immunization.	1 (1.3)	10 (13.2)	29 (38.2)	28 (36.8)	8 (10.5)	2.57	U
xviii.	Religion.	5 (6.7)	4 (5.3)	21 (28.0)	37 (49.3)	8 (10.7)	2.48	D

163 Source : Field Survey,2013.< 1.5 = strongly disagree; 1.5 – 2.49 = disagree; 2.5 - 3.49 = Undecided; 3.5 – 4.49 = agree; 4.5 – 5 = Strongly
164 agree

165

166 **Conclusion**

167 The study has established that the farmers in the study area were aware of children immunization. The
168 factors affecting children immunization among the respondents includes access to information, level of and
169 age of the mothers among other factors. The study also showed that most of the farmers have embraced
170 children immunization programme as a means of ensuring and improving the health status of their children
171 especially at the early period of child development.

172 **Recommendations**

173 Based on the findings from this study, the following recommendations were made:

- 174 1. Maternal education should be advocated as a strategy to educate parents on the importance of
175 children immunization.
- 176 2. Government should see to the provision of more primary healthcare facilities in the rural areas to
177 ensure adequate coverage of and accessibility to the health facilities.
- 178 3. There is a need to intensify awareness on the benefits of child immunization since it has been found
179 to combat various infectious diseases and strengthens essential antibody system of the children. This
180 could be achieved through awareness campaigns and enlightenment programs by effective
181 participation of government, NGOs, religion leaders and mass media.
- 182 4. Free immunization program should be continued.

183 **References**

- 184 Adeiga, A., Omilabu, S. A., Audu, R. A., Sanni, F., Lakehinde, G. P., Balogun, O., & Olagbaju, O. (2006).
185 Infant Immunization Coverage in Difficult – To – Reach Area of Lagos Metropolis. *African Journal*
186 *of Clinical and Experimental Microbiology*, 6(3), 227 – 231.
- 187 Kabir, M., Iliyasu, Z., Abubakar, I.S., and Gajida, A.U. (2006). Knowledge, perception and Beliefs of
188 Mothers on Routine Childhood Immunization in a Northern Nigerian village. Pp 9-15.

189 Rasheed K.O (2012). Beliefs, Knowledge and Perception of Parents to Peadeatric Vaccination in Lagos
190 State, Nigeria. *Journal of Management and Sustainability*; Vol. 2, No. 2; 2012.ISSN 1925-4725 E
191 -ISSN 1925-4733

192 Arulogun, O., S &Obute., J. A. (2007). Parents' Awareness and Perception of the Polio Eradication
193 Programme in Gombe Local Government Area, Gombe State. *International Journal of Health*
194 *Promotion and Education*. Pp 15-18.

195 Rasheed K O (2012). Beliefs, Knowledge and Perception of Parents to Peadeatric Vaccination in Lagos
196 State, Nigeria. *Journal of Management and Sustainability*; Vol. 2, No. 2; 2012 ISSN 1925-4725 E-
197 ISSN 1925-4733

198 Owolabi K.E and Okunlola J.O (2014). Utilization of Indigenous Knowledge in Controlling Cocoa Pests
199 and Diseases in Ekiti State, Nigeria. *Asian Journal of Agricultural Extension, Economics and*
200 *Sociology*. Vol. 4(3): 247-258, 2014.

201 Okunlola J. O Oludare, O., Akinwalere, B.(2011). Adoption of new technologies by fish farmers in Akure,
202 Ondo state, Nigeria. *Journal of Agricultural Technology* 7(6):1539-1548

203 Abdulraheem I. S., Onajole A. T., Jimoh A. A. G., and Oladipo A. R (2011). Reasons for Incomplete
204 Vaccination and Factors for Missed Opportunities among Rural Nigerian Children *Journal of*
205 *Public Health and Epidemiology* Vol. 3(4), pp. 194-203, April 2011 Available online at
206 <http://www.academicjournals.org/jphe>ISSN 2141- 2316 ©2011 Academic Journals

207 Alfred, S.D.Y(2001): Socio Economic and Psychological Factors Affecting the Adoption of
208 Agricultural Innovation by Farms Household in Kogi State, Nigeria (Unpublished
209 Ph.D.Thesis) University of Ibadan , Nigeria.