

**ANALYSIS OF FARM PRODUCTIVITY IN INTEGRATED TREE CROPPING
SYSTEMS OF SOUTHWESTERN NIGERIA.**

ABSTRACT

After 1971 seasons, Cocoa and other tree crops production have declined substantially in recent times owing to several agricultural complex constraints which have affected the morale of the farmers and the sustainability of agricultural production. Productivity is the main determinant of sustainable agricultural production. Thus, this study investigates the farm productivity in integrated tree cropping system in Southwestern Nigeria. A multistage sampling procedure was used to elicit information from 250 farmers. Data were analysed with the use of descriptive statistics, total factor productivity and multiple regression model. Descriptive statistics revealed that the farmers have organized social groups with average age of 50.18($\pm$ 13.50) in Lagbedu, 51.52($\pm$ 11.72) in Iwara, 52.58($\pm$ 13.75) in Osunwoyin, and 55.12($\pm$ 15.56) in Akindele. Farmers' experience in farming was 26.48($\pm$ 13.4) in Lagbedu, 29.54($\pm$ 15.79) in Akindele, 29.9 ($\pm$ 14.41) in Iwara, and 30.3($\pm$ 16.15) in Osunwoyin. An average household size was 9.04($\pm$ 4.38) in Osunwoyin, 9.26($\pm$ 6.33) in Lagbedu, 10.12 ($\pm$ 5.21) in Iwara, and 10.34($\pm$ 5.97) in Akindele. Majority of the household cultivate cocoa in the study area. Majority of the respondents identified inadequate funds, land issues, non-availability of agro-inputs, pests and diseases infestation as major constraint to production. The average productivity level was 0.61kg/₦ in the study area. The determinants of farm productivity in the study area were farm size ($p < 0.1$), improved varieties ($p < 0.01$), hired labour ($p < 0.01$), fertilizers ($p < 0.01$) and extension visit ($p < 0.05$). In accordance with the findings of the study, intensive teaching programmes on the use and advantage of improved seed varieties and fertilizer by virile extension services should be encouraged as well as providing input as form of credit.

KEYWORDS: Productivity, Cropping System, Crop Combination

INTRODUCTION

The traditional agricultural cropping system of forest zone of southwestern Nigeria are based on growing crops in mixtures, a system most commonly referred to as mixed cropping (Osiru, 1982). The system has long been recognized as a common practice among subsistence small-scale farmers in the traditional semi-intensive system of the tropics characterized by low-input, small land size (Amujoyegbe, 2012), lack sufficient capital with plentiful labour (Hildebrand, 1976; Vandermeer, 1992 and Ntare, 1989)

Crop combination are of several permanent tree crops, (cocoa (*Theobroma cacao*), oil palm (*Elaeis guineensis*), Kola nut, walnut as well as plantain/banana, arable farmland located around the vicinity of the homestead or at another farm location. In recent time, arable-permanent crops in mixture is mostly being preferred in the forest zone. The concept of mix cropping according to Willey (1979) is to bring together, crops with different maturity time, architecture, nutrient requirement etc into a mixture at the same time, under the same management for maximum utilization of nature for the benefit of man.

Despite the importance of intercropping permanent crops with other category of crops, cocoa production, a major cash crop in southwestern Nigeria have been observed to decline substantially in recent times owing to several agricultural complex constraints which have affected the morale of the farmers. The need to carry out an on-farm survey to identify the constraints and determine the farm productivity with its determinants becomes imperative in order to suggest likely improvement strategy that could improve productivity in tree cropping system in Southwestern. Consequently, this study investigates farm productivity in integrated tree cropping systems of Southwestern Nigeria. Specifically, it describes the socio-economic characteristics of farmers; identifies the types of crops grown; identifies the constraints to production in integrated tree cropping system; and determines the levels of farm productivity and determinants of farm productivity.

METHODOLOGY

A multi-stage sampling approach was used to select farmers in the process of surveying the on-farm productivity and constraints that have been inimical to improving tree crops production among small holder farmers. Two states were purposively selected from the southwestern

Nigeria where integrated tree cropping system is practiced. A total of five local governments and subsequently five growing communities were purposively selected from each of the states based on integrated tree cropping system practiced in the area. Five farmers were randomly selected from each of the communities to have a total of 250 smallholder farmers.

Analytical Technique

Descriptive Statistics

Descriptive statistics was used to describe the socioeconomic characteristics of farmers, identify the types of crops grown and constraints to production in integrated tree cropping system.

Total Factor Productivity

Production requires combination of inputs. This consequently reflects in productivity. Productivity measures the rate of technical change in production (Chambers, 1988). Productivity is the ratio of the value of total farm output to the value of the total inputs used in farm production. Following Key and McBride (2003) approach, the productivity of a farmer was determined using the following formula:

$$TFPi = Y_i / \sum P_i X_i \quad \dots\dots\dots 1$$

where, $TFPi$ = total factor productivity (Kg/₦); Y_i = quantity produced (Kg); P_i = unit price of variables input (₦); X_i = quantity of variables input used.

Multiple Regression Model

Multiple regression model was used to determine the factors influencing the farm productivity in integrated tree cropping system. The double log model is specified as follows:

$$\ln TFP_i = a_1 \ln X_1 + a_2 \ln X_2 + a_3 \ln X_3 + a_4 \ln X_4 + a_5 \ln X_5 + a_6 \ln X_6 + a_7 \ln X_{27} + a_8 \ln X_8 + a_9 \ln X_9 + a_{10} \ln X_{10} + a_{11} \ln X_{11} + a_{12} \ln X_{12} + e_i \quad \dots\dots\dots 2$$

where,

TFPi is total factor productivity (kg/ha); X_1 is sex of respondent (male=1, female=0); X_2 is age of the farmers (years); X_3 is years of education; X_4 is fertilizer used (Kg); X_5 is improved varieties used (Yes = 1, No =0); X_6 is farm size (ha); X_7 is years of farming experience; X_8 is land tenure (own land=1, otherwise= 0); X_9 is household size (#); X_{10} is hired labour (manday); X_{11} is family labour (person day); X_{12} is number of contact with extension agent (#); X_{13} is primary occupation (1= farming, 0= otherwise); X_{14} is Access to credit (access=1, otherwise= 0); e_i = Error term.

Rationale behind the inclusion of these variables in the model was based on a prior expectation of variables. These variables are expected to influence productivity among smallholder farmers. In productivity studies, influence of hired labour is controversial. Increase in hired labour could increase cost of production, thereby decreasing productivity or otherwise. Labour shortages may responsible for high costs of production at times. Education encourages the adoption of productivity enhancing technologies and efficient farm management practices. Also, education provides farmers with skill and more responsive to risk. It is assumed to positively influence the productivity (Nwaru, 2004). Use of high-yielding, disease resistant and early maturing, brings relative high returns to investment when compared with the local varieties (Ahmed et al., 2003; Mbam and Edeh, 2011). Land tenure was hypothesized to increase productivity Reddy (1998). Land tenure refer to the right a farmer has over land. Farmers can use land to secure loans required for productivity thus enhancing investments (Xaba, 2013). Farm size was hypothesized to increase productivity (Adebayo, 2007; Bezabih and Hadera 2007). Increased productivity could be as a result of economies of scale (Xaba, 2013). Due to labour intensive nature of agriculture, male farmers are expected to be more productive than their female counterpart. Family labour means

the availability of economically active labour in the household. It is assumed that family labour would increase in the productivity of farmers (Xaba, 2013). Fertilizer was assumed to increase productivity. Access to credit facilities enable the farmers to purchase improved varieties and other technologies, hence increase productivity at farm level (Xaba, 2013). Extension service introduce farmers to new better methods of improving productivity, hence increase productivity.

Table 1. Description of the independent variables used in productivity model

Variables	Units	Expected signs
Age	Years	±
Education	Years spent in school	+
Land Tenure Status	Access; yes=1, no=0	±
Farming experience	Years	±
Farm house hold size	Number of members	±
Extension visit	Yes=1, No=0	+
Membership of association	Member=1, Non- member=0	+
Access to Credit	Access; yes=1, no=0	+
Farm size	Hectares	±
Gender of House hold Head	Female=0, Male= 1	±
Fertilizer	Kg	+
Improved varieties	(Yes = 1, No =0)	+
Hired labour	Man-day	±

Family labour	Man-day	±
Primary occupation	(Yes = 1, No =0)	+

RESULTS AND DISCUSSION

Socioeconomic characteristics of the respondents

The socio-economic characteristics of farmers were presented in Table 2. There was variations in the average age of the respondents within the range of 50 years across the four communities. For example, 55.12(± 15.56) in Akindele, 50.18(± 13.50) in Lagbedu, 52.58(± 13.75) in Osunwoyin, and 51.52(± 11.72) in Iwara. This could indicate that an average farmer is relatively old in the study area. This conforms to the study of Adedeji *et al.* (2013). The mean household size of respondent across communities falls within the range of 9 to 10 members with Akindele (10.34 ±5.97) having the highest number of household members. This reiterates the fact that household is the major supplier of labor to agriculture. This agrees with the findings of Ekong (2010). The average years of schooling in the study area ranged from 6.0(±5.07) years to 6.70 (±4.99). This implies that the literacy level of sampled farmers was relatively high. Education could help to achieve high level of productivity. This aligns with the study of Yusuf (2014). Farmers in Osunwoyin (30.3 ±16.15) have numerous years of farming experience in farming than farmers in other communities. This could boost their agricultural productivity. This finding agrees with Ajewole, 2010. Farmers in Lagbedu (9.51±6.04) recorded the highest number of farm size in the study area. This could indicate that enough farmland to experiment productivity enhancing technologies. Majority of the sampled farmers have organized social group. Across the villages, farmers in Lagbedu recorded the highest (82%), farmers in Iwara (78%), Akindele (66%) and the smallest Osunwoyin (46%). Membership of a social group allows interactions among members in terms of the information dissemination (Akinola, 2008).

Table 2: Socioeconomic characteristics of the farmers

Variables	Field site			
	Osun state		Oyo state	
	Iwara	Osunwoyin	Akindele	Lagbedu
Age	51.52(11.72)	52.58(13.75)	55.12(15.56)	50.18(13.50)
Household size	10.12(5.21)	9.04(4.38)	10.34(5.97)	9.26(6.33)
Years of formal education	6.70(4.99)	6.18(6.04)	6.0(5.07)	6.98(4.28)
Years of farming experience	29.9(14.41)	30.3(16.15)	29.54(15.79)	26.48(14.5)
Total farm size	8.37(7.72)	9.02(6.88)	7.64(6.17)	9.51(6.04)
Membership of cooperative	78	46	66	82

Figure in parenthesis () represents standard deviation

Source: Data analysis, 2015

Crops Grown in Integrated Tree Cropping System

Globally, there were different crop enterprises grown in the study area as shown in Table 3. Across the villages, the major crop grown is cocoa. In Akindele village, other crops grown in decreasing order of importance are cassava, yam, plantain/banana, oil palm and maize. In Lagbedu village in Ogo-Oluwa LGA of Oyo state, crops grown in descending order of importance are cassava, yam, cashew, oil palm, maize e.tc. Other crops grown in Iwara include walnut, pineapple, mango, rice, pear, bitter-kola, pepper, coffee, okro and cashew. Others crops grown in Osunwoyin village includes oil palm, cassava, maize, yam, cocoyam, tomato, vegetables, plantain, soybean and kolanut/bitter-kola, orange, cowpea, cashew, pineapple and pepper.

Table 3: Crops Grown in Integrated Tree Cropping System by Order of Importance

Ranking of Crops	Field Sites			
	Osun state		Oyo state	
	Iwara	Osunwoyin	Akindele	Lagbedu
1 st	Cocoa	Cocoa	Cocoa	Cocoa
2 nd	Cassava	Oil palm	Cassava	Cassava
3 rd	Yam	Cassava	Yam	Yam
4 th	Maize	Maize	Plantain/banana	Cashew
5 th	Oil palm	Yam	Oil palm	Oil palm

6 th	Plantain/banana	Cocoyam	Maize	Maize
7 th	Kolanut	Tomato	Orange	Orange
8 th	Orange	Vegetables	Kolanut	Guinea corn
9 th	Cocoyam	Plantain	Walnut	Tomatoes
10 th	Walnut	Soybean	Watermelon/Cucumber	Vegetables
11 th	Pineapple	Kolanut/Bitter-kola	Pepper	Pepper
12 th	Mango	Oil palm	Pineapple	Groundnut
13 th	Rice	Orange	-	Cowpea
14 th	Pear	Cowpea	-	Pineapple
15 th	Bitter-kola	Cashew	-	Cucumber
16 th	Pepper	Pineapple	-	Kolanut
17 th	Coffee	Pepper	-	Banana/plantain
18 th	Okro	-	-	-
19 th	Cashew	-	-	-

Source: Data analysis, 2015

Constraints to Production in Integrated Tree Cropping system

Constraints to production in the integrated tree cropping system was presented in Table 4. The three main constraints among problems listed were inadequate funds, land issues and non-availability of agro-inputs in Iwara; pests and diseases, low productivity/yield and poor quality pesticides in Osunwoyin; termite infestation, financial problems and die-back disease were identified in Akindele, and marketing, funds and diseases in Lagbedu. Identified areas of intervention in Lagbedu are: provision and multiplication of disease-free improved cocoa seedlings. In Osunwoyin, promoting high-yielding vegetable crops and appropriate agro-inputs were listed as potential areas of intervention. In Iwara, capacity building of farmers through training on the efficient use of farm resources and how best to source for funds, encouraging increased land allocation to crop enterprise activities that result from an optimal farm plan, and providing access to improved crop varieties for cocoa, maize and cassava are the main areas of immediate intervention. In Akindele, raising seedlings, preventing post-harvest losses by using

recommended preservatives and embarking on value addition processing activities, and increasing their involvement in profitable enterprises were identified areas of intervention. Farmers' interest in livestock keeping, particularly poultry production, as well as fish production was also noted in all the field sites.

Table 4: Constraints to production in the integrated tree cropping system

S/No	Field Sites				Ranking of Constraints
	Osun State		Oyo State		
	Iwara	Osunwoyin	Akindele	Lagbedu	
1	Inadequate funds	Pests and diseases	Termite infestation	Marketing (price)	1 st
2	Land issues	Low productivity/yield	Financial	Financial	2 nd
3	Non-availability of agro-inputs	Poor quality pesticides	Die back disease	Disease	3 rd
4	Marketing problems	Black pod disease	Lack of seedlings	Politics	4 th
5	Pests and diseases	Low quality seedlings	Stem borers	Pests/ parasites	5 th
6	Lack of skill	Low production scale	Defoliators	Seedlings	6 th
7	Poor roads	Post-harvest processing	Black pod disease (Cherelles)	Access to land	7 th
8	Post-harvest processing (flash dryer)	Marketing	Inadequate labour	Bush burning	8 th
9	No improved varieties	-	Post-harvest processing	Post-harvest processing	9 th
10	-	-	Improper packaging of produce	-	10 th

Source: Data analysis, 2015

Productivity level in the integrated tree cropping system

Farmers' productivity levels in the integrated tree cropping system were presented in Figure 1. An average level of productivity was observed to be 0.61kg/ha in the study area. Majority (90.5%) of the respondents had productivity levels of less than 1kg/ha. This implies that the farmers were not productive at the time of the study. Hence, the little returns to their investments in the integrated tree cropping system.




Figure 1: Levels of productivity

Source: Data analysis, 2015

Determinants of level of productivity in the integrated tree cropping system.

Table 5 reveals the factors affecting the level of productivity among farmers in the integrated tree cropping system. Farm size ($p<0.1$), use of improved varieties ($p<0.01$), hired labour ($p<0.01$), fertilizers ($p<0.01$) and extension contact ($p<0.05$) significantly influenced level of productivity among farmers. The coefficients of farm size ($p<0.1$), extension contact ($p<0.05$) and hired labour ($p<0.01$) were positive. This implies a unit increase in farm size, extension

contact and hired labour increases the level of productivity by their magnitude of coefficient; 0.57, 0.01 and 0.006 units, respectively. The coefficients of improved varieties and fertilizers were negatively signed. This suggests that a unit increase in the use of improved varieties and fertilizers decreases level of productivity by the magnitude of their coefficients; 2.25 and 0.77 units, respectively. This could be ascribed to the fact that these technologies require high technical know-how. Inappropriate use of them would result into decreased productivity. This may be that the farmers do not receive adequate and necessary information from extension agent.

Table 5: Determinants of total farm productivity in the integrated tree cropping system

Variable	All Respondents (n=200)
Age (years)	-0.9586 (0.98)
Household size (#)	-0.5359 (1.02)
Education (years)	0.399 (1.19)
Farm experience (years)	-0.711 (1.17)
Primary occupation (%)	-0.072 (0.11)
Farm size (ha)	0.572 (1.74)*
Improved seed (kg)	-2.254 (3.58)***
Hired labour (%)	0.005 (3.06)***
Family labour (Man-day)	-0.580 (1.52)
Fertilizer (kg)	-0.770 (5.93)***
Land tenure (%)	0.367 (0.18)
Extension contact (%)	0.005 (2.02)**
Access to credit (%)	-2.497 (1.35)
R-square	0.370
Adjusted R-square	0.323
F-value	7.77

*** very highly significant at 1%, ** highly significant at 5%, * significant at 10%

Figures in parentheses () represent t-values.

Source: Data analysis, 2015

CONCLUSION

The Majority of the sampled farmers are old, experienced, and have organized social group.

Cocoa is the major crop grown by the farming households in Southwestern Nigeria. The main

constraints to production were inadequate funds, land issues, non-availability of agro-inputs, pests and diseases, poor quality pesticides, termite infestation, financial problems, among others. The study concluded that the farmers were not productive at the time of the study. Farm size ($p<0.1$), use of improved varieties ($p<0.01$), hired labour ($p<0.01$), fertilizers ($p<0.01$) and extension contact ($p<0.05$) significantly influenced level of productivity among farmers. These variables remain the policy variables that could boost productivity among cocoa farmers in the study. Therefore, intensive teaching programmes on the use and advantage of improved seed varieties and fertilizer by virile extension services should be encouraged as well as providing input support services in the form of credit. This would help the farmers to manage their resource economically and hence improve their productivity.

REFERENCES

- Adebayo, E. F., & Moses, J. (2007). Efficiency of Factors Determining Rainfed Rice Production in Ganye Local Government Area, Adamawa State. *Journal of Sustainable Development in Agriculture & Environment*, 3, 20-30.
- Adediji, T. O., Nosiru, M. O., Akinsulu, A. A., Ewebiyi, I. O., Abiona, B. G. and Jimoh, T. S. (2013): Adoption of New Rice for Africa (NERICA) technology in Ogun State, Nigeria *Journal of Development and Agricultural Economics* 5(9):365-371.
- Ahmed, M., Bezabih, E., Mohammad, J., & Simeon, E. (2003). Analysis of Economic and Nutritional Impacts of Market-oriented Dairy Production in the Ethiopian Highlands. *Socio- economic and Policy Research Working Paper*. Livestock Policy Analysis Program, International Livestock Research Institute (ILRI). Addis Ababa, Ethiopia.
- Ajewole. O. C., (2010): Farmer's response to adoption of commercially available organic fertilizers in Oyo state, Nigeria. *African Journal of Agricultural Research* 5(18): 2497-2503.
- Akinola, A. A. (2008): Effects of balanced plant nutrient management systems technologies on food security in selected villages of Kaduna state, Nigeria. Unpublished Ph.D thesis submitted to the Department of Agricultural Economics, School of Postgraduate Studies, Obafemi Awolowo University, Ile-Ife, Nigeria.

- Amujoyegbe, B. J. (2012): Farming System Analysis of Two Agro Ecological Zones of Southwestern Nigeria. *Agricultural Science Research Journal* 2 (1):13-19.
- Bezabih, E., & Hadera, G. (2007). Constraints and opportunities of horticulture production and marketing in eastern Ethiopia. *Dry Lands Coordination Group Report No 46*. Gressen9b. Norway.
- Chambers, R. (1988). Farmer first. *International Agricultural Development*. Nov/Dec 1988: 10-12.
- Ekong E.E (2010): Rural Sociology: An Introduction and Analysis of Rural Nigeria (3rd ed.), Dove Educational Publishers Uyo, Nigeria
- Hildebrand, P. E. (1976): Generating technology for traditional farmers. A Multidisciplinary technology. In Papandic, R.I., Sanchez, P.A. Triplett G.B (eds) *Multiple Cropping*. Madison. *American Society of Agronomy*. 178-192.
- Mbam B.N. and Edeh H.O.(2011). Determinants of farm productivity among smallholder rice farmers in Anambra State, Nigeria. *Journal of Animal & Plant Sciences*. 9(3): 1187-1191.
- Ntare, B.R. (1989): Intercropping morphological different cowpea with pearl millet in a short season environment in the Sahel. *Experimental Agriculture*. 26:41-47.
- Nwaru, J. C. (2004). Rural Credit Markets and Resource Use in Arable Crop Production in Imo State of Nigeria. (Unpublished Doctorate Dissertation) Department of Agricultural Economics, Michael Okpara University of Agriculture, Umudike, Nigeria
- Ogunkunle, C. O. and Awotoye, O. O. (2011): Soil fertility statues under different tree cropping system in a southwestern Nigeria. *Notulae Scientia Biologicae* 3: 123 – 128.
- Osiru, D.S.O. (1982): Intercropping: a review of the possible advantages. *Proceedings of the Indian Statistical Institute International conference on Frontiersa of Research in Agriculture*. Calcutta, September 27-October 1, 1982. pp 304-320.
- Reddy, M, V. (1998). Production and Economic Analysis of Fiji's Sugar Industry, Unpublished PhD Dissertation, Department of Agriculture and Resource Economics, Hawaii.
- Vandermeer, J. H. (1992): The ecology of intercropping. Cambridge University Press, Cambridge, U.K. 156 pp.
- Willey, R.W. (1990): Resource use in intercropping systems. *Agricultural Water Management*, Amsterdam, v.17, p.215-231
- Xaba. B. G. (2013). Factors Affecting the Productivity and Profitability of Vegetables Production in Swaziland. *Journal of Agricultural studies*. 1(2): 2166-0379

282
283
284 Yusuf, O. J. (2014): Assessment of Farm Waste Utilization among Rural Dwellers in Osun State,
285 Nigeria. Unpublished Ph.D. Thesis, Obafemi Awolowo University, Ile-Ife