

Water management and irrigation governance in the Anthropocene: moving from physical solutions to social involvement

ABSTRACT

The rising water turbulence in the Anthropocene changes the water research and policy agenda, from a water-resource efficiency to a water resilience focus. Irrigation systems, as examples of complex social-ecological systems, deal with both the uncertainty of ecosystem dynamics and the interdependencies resulting from human needs. The water-agriculture nexus is context-dependent, socially constructed and technically uncertain, and it should be analysed as a hydrosocial cycle, which likewise takes into account the inseparability of social and physical aspects of water systems. Water management options have typically been categorized as either supply management or demand management, and even though physical solutions continue to dominate traditional planning approaches, these solutions are facing increasing social opposition. Focused on the Anthropocene dynamics, how to ensure stakeholders' involvement? The value of stakeholder participation is to reduce the rigid influence of the technocratic state by devolving greater decision-making power to users directly invested in, and knowledgeable of, the management of natural resources. This paper aims to review key questions about water governance in order to promote the transition from being problem-oriented to proactive and forward-thinking management tools by ensuring social learning.

Keywords: Irrigation, water management, stakeholders, governance, climate change, Anthropocene

1. INTRODUCTION

Natural resource governance and management are “wicked” problems consisting of multidimensional interests and competing values among stakeholders and actors at multiple levels [1]. Traditional approaches based on simple, linear growth optimisation strategies overseen by command/control and sectorial governance have failed to account for the inherent unpredictability and irreducible uncertainty of dynamically complex systems [2,3,4]. That is, balancing complex and conflicting water demands among different interests is a difficult task [5,6,7,8]. Governments and communities are increasingly faced with governing major change processes in complex social-ecological systems such as irrigation systems. Finding ways to improve outcomes for people and their organizations, as well as meeting environmental objectives of such change processes, will require governance approaches that address the inherent diversity, complexity, and uncertainty of complex social-ecological systems [9,10]. In a context where water availability is not guaranteed, consumptive use of freshwater –urban water consumption, irrigation– reduces the opportunity for alternative consumptive uses, such as hydroelectricity production or municipal use, and affects non-consumptive human activities such as cultural, recreational, and educational activities [11,12]. Given these human-induced pressures on freshwater ecosystems, modern freshwater policy must account for conflict between competing freshwater uses to ensure equitable and efficient management of the resource [13]. Shaping multi-functional waterscapes that balance consumptive and non-consumptive uses of freshwater, while maintaining environmental flows for ecosystem services, is a goal for freshwater managers across the world [14]. This task is made increasingly difficult by accelerating anthropogenic climate change, and its effect on freshwater availability worldwide [15].

During the twentieth century the ‘hydraulic paradigm’ justified state intervention in freshwater management, with national and regional governments damming and diverting water bodies in order to create hydro-electricity and irrigation schemes ‘in the national interest’ [16]. The ecological crises precipitated by this paradigm [17], as well as its tendency to exacerbate regional and local conflicts

42 [18], has resulted in a vacuum in freshwater policy in the twenty-first century which is being filled by a
43 variety of different water management techniques [19]. Typically, water managers have responded by
44 either developing alternative sources of productive water, modifying current allocation methods, or
45 conserving existing resources [20,21]. What unites these new approaches is that over the past three
46 decades, environmental policy has evolved from a top-down process engineered by public
47 administration and state agencies toward a more decentralized process characterized by public–
48 private partnerships focused on consensus building and self-management by stakeholders [22,23,24].
49

50 The shift from ‘government’ to ‘governance’ is one of the more noteworthy developments within
51 contemporary social science [25]. It marks a transition from hierarchical to more network based forms
52 for decision-making, and a diffusion of boundaries between private and public actors. Management
53 and governance are not mutually exclusive [26,27]. Management interventions also involve
54 uncertainty, negotiation, deliberation, and sensitivity to social–ecological dynamics [28]. According to
55 Armitage, de Loë and Plummer [29], recognition of the similarities and differences among
56 management and governance is crucial given the complex, nonlinear and cross-scale nature of
57 conservation challenges in an era of global environmental change. There are several definitions of
58 governance, but they all deal with the array of actors and structures mobilized in water policy
59 formulation and implementation [30,31]. According to the OECD (2015), effectiveness, efficiency, and
60 trust and engagement are the three main principles of water governance. The first is related to the
61 contribution of governance to define clear sustainable water policy goals and targets at all levels of
62 government, to implement those policy goals, and to meet expected targets. The second one is
63 focused on the contribution of governance to maximise the benefits of sustainable water management
64 and welfare at the least cost to society. And the third one refers to the contribution of governance to
65 building public confidence and ensuring inclusiveness of stakeholders through democratic legitimacy
66 and fairness for society at large. In fact, governance arrangements are often judged on their ability to
67 overcome tensions or conflicts between stakeholders [32,33,34]. One example of how to overcome
68 these tensions is the promotion of Participatory Irrigation Management (PIM), an example of a
69 governance approach which aims to improve water allocation and the effective use of water within
70 agricultural systems [35,36]. PIM also promotes the participation of water users in all phases of
71 irrigation management, such as planning, operation, maintenance, monitoring, and system evaluation
72 [37]. This shift from a technocratic “top-down” to a more integrated “bottom-up” approach is also
73 based on the increased awareness that today’s freshwater problems are complex, requiring
74 integrated solutions and a legitimate planning process [38]. In fact, questions about who is included, or
75 who is excluded, from environmental governance arrangements are at the heart of debates of
76 institutional legitimacy [39,40]. This review paper therefore will emphasize on topics included the
77 management of irrigation systems taking into account Anthropocene dynamics.
78

79

80 **2. MULTIFUNCTIONAL IRRIGATION SYSTEMS AND THE ANTHROPOCENE** 81 **COMPLEXITY**

82

83 Humans have long sought ways of capturing, storing, cleaning, and redirecting freshwater resources
84 in efforts to reduce their vulnerability to irregular river flows and unpredictable rainfall [41]. Choices for
85 agricultural water management include a large range of technical, infrastructure, economic, and social
86 factors [42,43,44]. Irrigation systems, as examples of complex social-ecological systems, deal with
87 both the uncertainty of ecosystem dynamics and the interdependencies resulting from Anthropocene
88 complexity. The Anthropocene marks our time as one in which Earth’s form and functioning has
89 become inextricably entangled with the workings of human societies [45]. This concept suggests that
90 such collaboration, perhaps based initially around a global spatial database of Anthropocene impacts,
91 is not an impossible dream [46]. The need for environmental scientists to communicate increasingly
92 more effectively with political and business leaders, as well as the general public, is another shared
93 theme of the Anthropocene literature, reflecting the recognition that humans’ activities are at the core
94 of both the problems and solutions [47,48]. One of this activities is irrigation because water-agriculture
95 nexus is context-dependent, socially constructed and technically uncertain, and it should be analysed
96 as a hydrosocial cycle, which likewise takes into account the inseparability of social and physical
97 aspects of water systems. Irrigation systems have been under pressure to produce more with lower
98 supplies of water [49,50]. Agriculture water needs must be supplied in a context of diminishing
99 availability, due to environmental awareness, population growth, economic development and global
100 change [51,52]. As a consequence, water management for agriculture is interrelated not only to

101 traditional water resources management, but also to food production, rural development, and natural
102 resources management [53].

103 European irrigation practices have traditionally consisted of gravity-fed surface irrigation systems [54].
104 In these cases, the water is conveyed from surface sources (primarily rivers or reservoirs, both natural
105 and artificial) and is distributed to the individual fields through a network of canals of different sizes,
106 relying on gravity as the driving force [55,56]. The European rural mosaic is based on a combination
107 of ancient irrigation systems and modernised or new irrigation projects, which were promoted based
108 on the guarantee of water efficiency and food security [57,58]. In both contexts, hydraulic
109 constructions have played a central role in the attempt to dominate water and land resources, where
110 the agrarian plains have played a key role in developing irrigation [59,60]. Water management options
111 have typically been categorized as either supply management or demand management [61]. The
112 former is focused on enlarging the amount of resources available, while the second focuses on
113 reducing the amount of needed for consumptive purposes [62]. Historically, civil and water engineers
114 have focused on large-scale supply augmentation infrastructure projects, while economists and
115 environmentalists have tended to advocate for efficiency improvements and conservation oriented
116 policies typically associated with water demand management [63]. Each approach has its relative
117 merits. Supply-side policies enlarge the pie, promoting possibilities for increased economic activity
118 and avoiding the difficult social and political obstacles involved in such demand-side options as
119 cutting water quotas or increasing prices [64]. Demand management options are often cheaper, more
120 economically efficient, and have less negative environmental impacts than supply augmentation [65].
121
122

123 **3. BIG INFRASTRUCTURE FOR PLANNING WATER RESOURCES EFFICIENCY:** 124 **BETWEEN INNOVATION AND OPPOSITION**

125

126 A reliance on physical solutions continues to dominate traditional planning approaches, but these
127 solutions are facing increasing opposition [66]. At the same time, new methods are being developed
128 to meet the demands of growing populations without requiring major new construction or new large-
129 scale water transfers from one region to another [67]. More and more water suppliers and planning
130 agencies are beginning to shift their focus and explore efficiency improvements, implement options for
131 managing demand, and reallocate water among users to reduce projected gaps and meet future
132 needs [68,69]. Considering that water infrastructure outcomes are affected by a variety of social and
133 political factors, it is logical and desirable that water infrastructure planning, and the frameworks that
134 guide it, should explicitly address and incorporate these factors [70,71]. That is, the field of water
135 utility management, which was traditionally an engineering-based and technical practice, is now far
136 more complex, with many interrelated factors to consider [72]. Theoretically, economic factors drive
137 farmers' decision-making processes in adopting irrigation technologies and applying water
138 management practices and maintenance operations [73]. These decisions are made to maximize their
139 net incomes [74]. In this regard, irrigation uniformity plays a relevant role in investment and
140 operational costs of centre pivots and, hence, in farmers' profits [75]. However, social factors such as
141 education, social status, water governance or cultural context, among others, also affect these
142 decisions [76]. For these reasons, socio-economic contexts should also be considered along with
143 technical and other factors for sound comprehension of the causes affecting irrigation performance
144 and water management [77].
145

146 In the early 20th century, it was common to apply purely rational thinking to complex systems, when
147 government consistently used expert driven, science and economics based methodologies to
148 determine policy on issues such as air-pollution regulation, and the creation of new dams or big
149 infrastructure for irrigation projects [78]. These processes involved putting a number of experts in a
150 room to attempt to objectively calculate what is best for society, but without taking into the society as
151 stakeholder. These types of government studies are typically referred to as "rational comprehensive
152 planning" because they focused on experts doing quantitative analysis on all relevant factors to
153 determine the best options for solving complex problems [79]. In the second half of the 20th century
154 "rational" approaches to planning became unpopular in urban and rural planning and other areas of
155 public policy, which moved on to a more socially oriented planning regime [80]. Since then,
156 infrastructure planning practices however did not follow suit, and have remained largely rational,
157 centralised, expert-driven systems up. In other words, from the 1950s onwards, infrastructure
158 planning tended to remain in the old rational/technocratic paradigm, because infrastructure planning,
159 as practiced throughout history, had not been particularly complex and generally involved

160 independent, segregated planning for each service and reactive upgrading as required [81]. For some
161 authors, the only significant non-technical adjustment to infrastructure planning over the last century
162 has been the inclusion of some level of community consultation, while for others infrastructure
163 planning requires a “sociocratic” approach, that is, a general reorientation of urban planning away
164 from architecture and engineering and toward economic, sociological, and political considerations
165 [82].
166
167

168 **4. IS PARTICIPATION AN ADDED VALUE FOR MANAGING HYDROSOCIAL SYSTEMS? AN** 169 **EUROPEAN EXPERIENCE**

170
171 A cursory glance at the literature on water management and governance reveals that stakeholder
172 engagement has long been considered an integral part of sound governance processes [83].
173 Proponents argue that the value of stakeholder participation is to reduce the rigid influence of the
174 technocratic state by devolving greater decision-making power to users directly invested in, and
175 knowledgeable of, the management of natural resources [84]. This shift from a technocratic “top-
176 down” to a more social “bottom-up” approach is growing in popularity as water managers
177 acknowledge that water problems are complex, requiring integrated solutions and a legitimate
178 planning process. However, a closer look at the literature reveals that, beyond this general assertion,
179 and despite extensive research, case studies and policies, there is a lack of evidence-based
180 assessment on how effective stakeholder engagement processes have been in reaching intended
181 objectives of water governance [85]. That is, empirical analyses suggest that without significant
182 changes in the supporting institutions, governance arrangements and policy framework, the standard
183 tools and models of water regulation will not be effective [86]. In addition, given the size and nature of
184 water challenges, tackling them requires a co-ordinated effort among policy makers and stakeholders:
185 those who play a role in, and who are affected by, actions and outcomes in each water context [87].

186 In this context, constructing and implementing successful dialogues encourages both governmental
187 and non-governmental stakeholders to engage more often in the difficult, but productive, task of
188 listening to and learning from each another [88]. Successful engagement depends on understanding
189 who to engage with (key stakeholders), for what reason (scope, purpose, challenge), from what
190 perspective (culture, values), and with what methods (techniques and tools) [89,90]. Including a
191 broader set of stakeholders provides decision-makers with different kinds of knowledge which may be
192 vital for a full assessment of a resource governance problem and for finding innovative solutions to it
193 [91]. It has long been recognized that although planning is often represented as rational and objective,
194 in reality it is inherently subjective and affected by social and political dimensions, as well as prone to
195 unavoidable conflicts, famously described planning as “the science of muddling through” [92]. One
196 only needs to look briefly into the decision-making processes involved in any major infrastructure
197 project to discover just how subjective and political planning can be. That is, although planning
198 processes are ideally informed by science and evidence, it is problematic to consider planning
199 decisions as entirely objective or rational, as all are made by humans and are therefore open to
200 interpretation and opinion.

201 Coping with current and future challenges to freshwater resources requires robust public policies,
202 relying on a clear assignment of duties across concerned stakeholders who are subject to regular
203 monitoring and evaluation [93,94]. Water governance and stakeholder engagement can contribute to
204 the design and implementation of such policies and frameworks, by sharing responsibility across
205 scales of government, civil society, and private actors. The European Water Framework Directive
206 (WFD) is one of the most encompassing and ambitious policy programs in regards to water protection
207 and management [95]. The WFD mandates that European state members produce planning
208 documents that detail how ‘good water status’ will be reached by 2015, or at the latest by 2027. These
209 planning documents are prepared and updated in six-year cycles and require citizen and stakeholder
210 participation in their creation [96]. This ‘mandated participatory planning’ approach [97] and common
211 timeframe for WFD implementation across European member states provides an excellent context to
212 compare the effectiveness of participatory environmental governance [98]. The WFD is based on the
213 concept of Integrated Water Resources Management (IWRM) which was developed during the 1990s.
214 IWRM was defined by the Global Water Partnership as a process which promotes the coordinated
215 development and management of water, land and related resources, in order to maximise the
216 resultant economic and social welfare in an equitable manner without compromising the sustainability
217 of vital ecosystems. In substantive terms, the WFD and its related policies are the main pieces of

218 legislation for the protection and sustainable use of European freshwater resources [see 99]. The
219 WFD follows the receptor-oriented management principle and focuses on an assessment of
220 biological, hydro-morphological, chemical and physico-chemical quality elements in all European river
221 basins, acknowledging that ecological and human health impacts are multiple-stress responses [100].
222 In procedural terms, the WFD belongs to a new generation of legal regulations that combines
223 traditional law with elements of new governance, such as the coordination of actions across policy
224 levels and the active involvement of all interested parties in the implementation [101]. Participation is
225 required for the elaboration of the 'river basin management plans', which are the central planning
226 instrument of the WFD, and it calls for three types and intensities of participation: comprehensive
227 information, consultation and active involvement [102]. There is, however, no prescription on who
228 should be involved in the planning process, at what stage they should be involved and how. As such,
229 the WFD leaves member states with considerable leeway in this regard [103]. According to this, most
230 river basin districts have established permanent organisational structures called water councils which
231 are comprised of representatives of a series of organisations (environmental NGOs, local farmers,
232 local enterprises, citizens, and so on).

233

234 **5. TOOLS AND STRATEGIES FOR GOVERNING CONFLICTS IN MULTIFUNCTIONAL** 235 **WATER BODIES**

236

237 Including stakeholder participation in decision-making processes is especially relevant when we are
238 trying to manage freshwater according to natural functions and human demands [104]. This entails
239 the need to develop better mechanisms than the previously reductive engineering-centred techniques
240 of the hydraulic paradigm. In addition, successful participation of stakeholders in natural-resources
241 management requires decision-making tools that are transparent and flexible [105]. These tools
242 should be designed to elicit knowledge from different stakeholder groups and operate as a platform to
243 carry out the debate [106]. The following examples provide some local experiences selected from
244 their innovative character and significance, with the aim of provide ideas for improving the perception
245 of participation as a benefit of multifunctional water systems management.

246

247 **5.1 France: When the debate is part of the decision-making policy**

248

249 Social involvement in environmental questions and the management of water resources has evolved
250 in France from environmental opposition of the 1970s and 1980s to the eco-citizen participation since
251 the 1990s. The Barnier Law (*Loi Barnier, relative au renforcement de la protection de*
252 *l'environnement, 1995*) is, until today, the most successful French legal tool in the process of
253 promoting participatory democracy regarding environmental and natural resources issues. This law
254 promotes public participation and involvement in the pursuit of territorial projects able to have a
255 significant impact on the environment. The Law provides a tool, named the National Commission of
256 the Public Debate (CNDP, *Commission nationale du débat public*) as institution created in order to
257 decide on the need to provide a prior public debate about any territorial project that entails a
258 landscaping and environmental impact [107]. Established in the early 1990s, this mechanism
259 promotes a new form of public consultation in those projects capable of given rise to environmental
260 impacts in natural resources and socioeconomic activities. Since 2002, more than 130 projects have
261 been debated as part of this consultation process organized by the CNDP. Many projects have been
262 modified; nearly a dozen have even been abandoned. Among the latter group, it is noteworthy the
263 proposal for developing a reservoir in Charlàs, in the Neste irrigation system, located in the Southwest
264 of France. The idea of the project resulted from a drought period which affected the Lannemezan
265 valley in the 1980s. In 1988 local representatives promoted the construction of this reservoir in order
266 to provide greater water availability for agricultural use. In 1996, the Bassin Adour-Garonne Committee
267 welcomed the project to build the dam and a year later, due to the territorial dimension of the project,
268 the environmental NGO France Nature Environnement called for a social discussion through a Public
269 Debate process. To this end, in 2003 the Public Debate Committee was created to organize the
270 participation process and from September to December, meetings were held open to stakeholder
271 participation (both geographically and by sectorial involvement). The scope of the process was: 10
272 meetings, 4,214 participants, 29 experts, 348 opened questions, and a cost of 569,958 Euros. The
273 infrastructure development changed as a result of this process, but it still recognised the need to act
274 in order to prepare for water shortages in the Lannemezan area. The formal process of Public Debate
275 closed, but the informal debate on the management of water as a scarce resource still continues in
276 the region.

277

278 In 2015 after several controversies about the level of governance and legitimacy stipulated in the
279 acceptance or rejection of projects with environmental impact –like the Charlàs reservoir proposal–
280 the CNDP considered that it would be useful to simplify procedures by reducing direct consultation of
281 the citizens. This idea was supported by a colloquium entitled “Citizens and public decision-making,
282 legitimacy and effectiveness” prepared by TNS Sofres surveys enterprise, where more than 90% of
283 participants endorsed the policy. In March 2015 the CNDP published several of these proposals, all
284 aimed at strengthening public debate, public consultation, and environmental dialogue. In particular, it
285 advocated: 1) to allow 10 parliamentarians, 10,000 citizens or an environmental protection association
286 to self-identify whether the project is of national interest or not; 2) to allow legislatures and / or
287 500,000 citizens to request a public debate on general plans, programs or options (a measure
288 provided for by the *Grenelle Law*); 3) to guarantee a continuum of collective participation in the public
289 debate and public utility investigation at the end of the project; 4) encouraging independent counter-
290 expertise more than contracting authorities and project-makers; 5) encouraging citizens’ conferences
291 as it was demonstrated that pluralistically trained citizens could make a relevant and circumstantial
292 judgment on the most complex issues; and 6) the CNDP have to reconcile conflicting projects as an
293 organism seized by the various stakeholders involved into the projects. These proposals transfer to
294 the CNDP the ability to provide a more direct consultation of the citizens as a mechanism to
295 guarantee public involvement throughout the duration of the project, that is, a test of the confidence
296 granted to the decision-making process.

297

298 **5.2 Italy: An agreement to overcome stereotypes**

299

300 In 2007, after a series of droughts occurred last two years, the Lombard region proposed a water
301 agreement, The Patto per l’Acqua, as a mechanism for managing multiple coexisting consumptive
302 and non-consumptive water uses. The aim of the agreement was to: 1) coordinate existing water
303 storage capacity; 2) promote tools for water use efficiency in the agricultural sector; 3) invest in
304 sustainable crops; 4) improve flood capacity; and 5) develop new tools for ensuring direct and clear
305 information. Although its origin from an emergency situation, the main objective was to ensure the
306 water resilience of the Lombard region from increasing co-responsibility actions in order to respond to
307 the more than foreseeable climate change scenario of decreasing water availability for the 2020-2025
308 time horizon. In fact, the ability to promote governance was included in the strategic lines of the
309 agreement from different actions [108]. Firstly, organizing events on water activities, awareness-
310 raising campaigns on the value of water, as well as the life and balance of the entire system, not only
311 in terms of water supply to the tap, the only value perceived by the citizens. Secondly, including the
312 management of freshwater in educational programs. Finally, creating a network for sharing data and
313 successful pilot experiences among end users.

314

315 The process of creating the water agreement was structured in five working groups: 1) evaluation and
316 updating of the management of the reservoirs, 2) analysis on the efficiency of water management for
317 agricultural use and irrigation systems, 3) sustainability and climate change adaptation of crop types,
318 4) structural allocations to manage and assess water resources, and 5) instruments and actions to
319 collect and disseminate accurate information to the citizens. The application of a creative
320 methodology (based on the “de-structuring of the problematic” to abandon stereotypes, prejudices or
321 false beliefs and begin to establish new points of view through the knowledge of the other) allowed
322 the establishment of a new set of rules: freedom of expression and legitimacy of all opinions,
323 validation of all contributions regardless of the role represented, obligation to listen the other and to
324 put oneself in the other’s place, and the challenge of transforming each water demand into proposals
325 elaborated from an heterogeneous points of view. One of the most surprising practices applied in the
326 process was the method devised to understand the point of view of the other, named “the dialogue
327 between masks”. On the basis of this method, each stakeholder puts on a Greek theatre mask with
328 which he formulated questions and interacted with other stakeholders in order to overcome those
329 stereotypes associated to each stakeholder.

330

331 The 66 signatory stakeholders represented public administration at different scales, different water
332 management bodies, consortia, public parks, agricultural unions, irrigators’ associations,
333 environmental platforms, the energy sector and university. All agreed a total of six lines of action to be
334 developed jointly: 1) the cultural approach, understood as the ability to disseminate and sensitize the
335 reality of water resources in the region; 2) the ability to share information among stakeholders; 3) the
336 promotion of river basin programs as a mechanisms to coordinate the consumptive water uses; 4) the
337 prioritization of the good ecological status of rivers and lakes; 5) the optimization of water use in

338 agriculture; and 6) the investment in infrastructural actions in order to ensure the efficiency of the
339 water network. Although the commitment to this pact has been a clear and innovative example of a
340 willingness to change water management from increasing the governance of the process, the main
341 criticism received comes from its weakness of implementation, since it is a voluntary agreement that
342 has not had continuity beyond the year in which it was proposed.

343

344

345 6. DISCUSSION

346

347 The Anthropocene, a proposed geological epoch in which humanity is positioned as the core driver of
348 planetary change, is redirecting attention to how multifunctional human-natural systems are managed
349 according to climate change [109,110]. Human-environmental conflicts and water management
350 debates are increasing globally [111,112]. Literature on natural resources conservation and natural
351 resources management highlights two important factors that affect the success with which these
352 conflicts can be tackled. First, stakeholders' perceptions of others and of the issues exert a strong
353 influence on management 'problems' and acceptable solutions [113]. Second, it is essential that
354 participatory processes address the ecological, economic and social consequences of different land
355 and water management alternatives in an integrated manner, because conflict often emerges where
356 resource users pursue disparate management objectives based on differing values [114]. Both factors
357 confirm that participation is valued for its potential to enhance the effectiveness of governance by
358 improving the ability of drivers to be involved on the water management paradigm [115]. However, it
359 will therefore be crucial to determine whether, and under what conditions, stakeholders' participation
360 improves the level of governance and promotes the integrated management of water resources where
361 and when water is a limiting factor. In theory, collaborative processes offer a mechanism through
362 which natural resources management can be achieved in a partnership capable of delivering mutual
363 and multiple benefits from sustainability issues [116]. They can help to increase understanding and in
364 doing so, allow different human demands to be negotiated and natural resources to be managed. In
365 practice, however, there is a tendency for environment management to focus on one of the three
366 aspects of sustainability, usually environmental sustainability.

367 How to resolve this puzzle? Arguably, the 'success' of participation measured in social terms depends
368 on various aspects of the wider context within which processes are situated and, more importantly, on
369 the characteristics of the participatory processes themselves, such as the inclusion and influence of
370 different interest groups. According to this, social learning has to include: (1) a change in
371 understanding multifunctional irrigation systems; (2) a change goes beyond the individual to be
372 focused on the involvement of the community; and (3) social interactions and learning processes
373 among stakeholders with confronted water interests. These factors confirm that as many stakeholders
374 are involved to resolve a particular issue, irrigation management institutions must undergo a transition
375 from being problem-oriented to proactive and forward-thinking, incorporating confronted interests and
376 promoting social learning. In fact, these three aspects must work to improve the exchange of points of
377 view amongst key stakeholders for defining a strategy able to addressing Anthropocene challenges
378 based on good governance and social learning practices from the involvement of public
379 administration, private services, rural community and civil society. That is, the analysis of the
380 dynamics of irrigation sustainability is the first step for balancing how ancient and new irrigation
381 projects are able to integrate the management of water resources with the involvement of political,
382 economic, environmental and social forces and drivers. This process is complex and it requires taking
383 into account the availability of natural resources and interpreting the changing demands of those who
384 are affected by these infrastructure projects. It is also necessary to consider the existing and potential
385 conflicts that arise between consumptive and non-consumptive water uses, especially in water
386 stressed contexts. With particular consideration toward water and irrigation management, the current
387 trend in natural resources management calls for an integrated approach that encourages social
388 learning and the empowerment of end users.

389

390

391 7. CONCLUSION

392

393 Irrigation systems, as examples of complex social-ecological systems, deal with both the uncertainty
394 of ecosystem dynamics and the interdependencies resulting from Anthropocene complexity. Debates
395 over irrigation management and governance have increasingly been framed in relation to social,
396 economic, environmental and cultural impact, stimulating policy framework changes at different

397 scales. That is, the water-agriculture nexus is context-dependent, socially constructed and technically
 398 uncertain, and it should be analysed as a hydrosocial cycle, which likewise takes into account the
 399 inseparability of social and physical aspects of water systems. The provision of water governance
 400 tools, strategies and policies are much more than simply finding technical (or technocratic) solutions
 401 for matching, in space and time, and in quantity and quality, water uses and water availability. The
 402 “context” is of fundamental importance: Who makes decisions? What type of instruments can be
 403 used? Through what kind of processes and institutions can water challenges be addressed in order to
 404 ensure that the Anthropocene will be managed from social-learning processes? Which actors and
 405 segments of civil society ought to be interacted and engaged with? According to French and Italian
 406 case experiences, a lack of involvement of stakeholders in decision-making processes can be cause
 407 of frustration between the theoretical aims about public participation and realistic engagement
 408 promoted by the official agenda. In addition, any decision-making process has to provide a team of
 409 facilitators able to determine and adapt the participation process to reconcile confronted water
 410 interests. The Anthropocene is an ideal framework for promoting governance approaches that take
 411 seriously physical and social issues in combination, as an approach attentive to power, scale, and
 412 context specific knowledge.

413

414

415

415 REFERENCES

416

417 1. Dawson L, Elbakidze M, Angelstam P, Gordon J. Governance and management dynamics of
 418 landscape restoration at multiple scales: Learning from successful environmental managers in
 419 Sweden. *J Environ Manage.* 2017;197:24-40.

420 2. Furlong C, De Silva S, Guthrie L, Considine R. Developing a water infrastructure-planning
 421 framework for the 20 complex modern planning environment. *Util Policy.* 2016;38: 1-10. DOI:
 422 10.1016/j.jup.2015.11.002.

423 3. Hipel KW, Fang L, Cullmann J, Bristow M. 2015. Conflict resolution in water resources and
 424 environmental management. Heidelberg: Springer., 2016.

425 4. Scholz JT, Stifel B. Adaptive governance and water conflict: New institutions for collaborative
 426 planning. Washington, DC: Resources for the Future Press, 2005.

427 5. Akhmouch A, Nunes F. The 12 OECD principles on water governance –When science meets
 428 policy. *Util Policy.* 2016;43:14-20. DOI:10.1016/j.jup.2016.06.004.

429 6. Antonelli M, Siciliano G, Turvani ME, Rulli MC. Global investments in agricultural land and the role
 430 of the EU: Drivers, scope and potential impacts.” *Land Use Policy.* 2015;47:98-111.
 431 DOI:10.1016/j.landusepol.2015.04.007

432 7. Azhoni A, Holman I, Jude S. Contextual and interdependent causes of climate change adaptation
 433 barriers: Insights from water management institutions in Himachal Pradesh, India. *Science of the Total
 434 Environment.* 2017; 576: 817-828. DOI: 10.1016/j.scitotenv.2016.10.151

435 8. Lacroix KE, Megdal S. Explore, synthesize, and repeat: Unraveling complex water management
 436 issues through the stakeholder engagement wheel. *Water.* 2016;8(4): 118. DOI: 10.3390/w8040118.

437 9. McGinnis MD, Ostrom E. Social-ecological system framework: initial changes and continuing
 438 challenges. *Ecol Soc.* 2014; 19(2):30. DOI:10.5751/ES-06387-190230.

439 10. Ayre ML, Nettle RA. Enacting resilience for adaptive water governance: a case study of irrigation
 440 modernization in an Australian catchment. *Ecol Soci.* 2016;22(3):1. DOI:10.5751/ES-09256-220301.

441 11. Warner JF. More sustainable participation? Multi-stakeholder platforms for integrated catchment
 442 management. *Water Res Devel.* 2006;22(1): 15-35. DOI:10.1080/07900620500404992.

443 12. Hassanzadeh E, Elshorbagy A, Wheeler H, Gober P. A risk-based framework for water resource
 444 management under changing water availability, policy options, and irrigation expansion. *Adv Water
 445 Resour.* 2016;94:291-306. DOI:10.1016/j.advwatres.2016.05.018

446 13. Reed P, Kasprzyk J. Water resources management: The myth, the wicked, and the future. *J Wat
 447 Res Plan Man;* 2009;135:411-413. DOI:10.1061/(ASCE)WR.1943-5452.0000047.

448 14. Powell N, Larsen RK. Integrated water resource management: A platform for higher education
 449 institutions to meet complex sustainability challenges. *Environ Educ Res.* 2013;19(4):458-476.
 450 DOI:10.1080/13504622.2012.704898.

451 15. Caniglia B, Frank B, Kerner B, Mix TL. Water policy and governance networks: A pathway to
 452 enhance resilience toward climate change. *Sociol Forum.* 2016;31(S1): 828-845.
 453 DOI:10.1111/socf.12275

454 16. Mollinga PP. Water, politics and development: framing a political sociology of water resource
 455 management. *Water Altern.* 2008;1(1):7-23.

- 456 17. Lopez-Gunn E. Agua para todos: A new regionalist hydraulic paradigm in Spain. *Water Altern.*
457 2009;2(3):370-394.
- 458 18. Smidt SJ, Haacker EMK, Kendall AD, Deines JM, Pei L, Cotterman KA, et al. Complex water
459 management in modern agriculture: Trends in the water-energy-food nexus over the High Plains
460 Aquifer. *Sci Total Environ.* 2016;566-567:988-1001. DOI:10.1016/j.scitotenv.2016.05.127
- 461 19. Frey UJ, Villamayor-Tomas S, Theesfeld I. A continuum of governance regimes: A new
462 perspective on co-management in irrigation systems. *Environ Sci Policy.* 2016;66:73-81.
463 DOI:10.1016/j.envsci.2016.08.008
- 464 20. Tingey-Holyoak JL. Water sharing risk in agriculture: Perceptions of farm dam management
465 accountability in Australia. *Agr Water Manage.* 2016;145:123-133. DOI:10.1016/j.agwat.2014.02.011
- 466 21. Gillet V, McKay J, Keremane G. Moving from local to State water governance to resolve a local
467 conflict between irrigated agriculture and commercial forestry in South Australia. *J Hydrol.*
468 2014;519(Part C):2456-2467. DOI:10.1016/j.jhydrol.2014.08.031
- 469 22. Anderson MB, Hall DM, McEvoy J, Gilbertz SJ, Ward L, Rode A. Defending dissensus:
470 participatory governance and the politics of water measurement in Montana's Yellowstone River
471 Basin. *Environ Polit.* 2016;25(6):991-1012. DOI:10.1080/09644016.2016.1189237
- 472 23. Antunes P, Karadzic V, Santos R, Beça P, Osann A. Participatory multi-criteria analysis of
473 irrigation management alternatives: the case of the Caia irrigation district, Portugal. *Int J Agr Sustain.*
474 2011;9(2):334-349.
- 475 24. Ricart S, Ribas A, Pavón D. Modeling the stakeholder profile in territorial management: The
476 Segarra-Garrigues irrigation system, Spain. *Prof Geogr.* 2016;68(3):496-510.
477 DOI:10.1080/00330124.2015.1121834
- 478 25. Howlett M, Rayner J, Tollefson C. From government to governance in forest planning? Lessons
479 from the case of the British Columbia Great Bear Rainforest initiative. *Forest Policy Econ.* 2009;11(5-
480 6):383-391. DOI:10.1016/j.forpol.2009.01.003
- 481 26. Lubell M, Edelenbos J. Integrated water resources management: A comparative laboratory for
482 water governance. *Int J Water Gov.* 2013;1:177-196. DOI:10.7564/13-IJWG14
- 483 27. Moore ML. Perspectives of complexity in water governance: Local experiences of global
484 trends. *Water Altern.* 2013;6:487-505.
- 485 28. Hileman J, Hicks P, Jones R. An alternative framework for analysing and managing conflicts in
486 integrated water resources management (IWRM): linking theory and practice. *Int J Water Resour D.*
487 2016;32(5):675-691. DOI:10.1080/07900627.2015.1076719
- 488 29. Armitage D, de Loë R, Plummer R. Environmental governance and its implications for
489 conservation practice. *Conserv Lett.* 2012;5:245-255. DOI:10.1111/j.1755-263X.2012.00238.x
- 490 30. Godden L, Ison RL, Wallis PJ. Water governance in a climate change world: appraising systemic
491 and adaptive effectiveness. *Water Resour Manag.* 2011;25(15):3971-3976. DOI:10.1007/s11269-011-
492 9902-2
- 493 31. Schulz C, Martin-Ortega J, Glenk C, Ioris A. The value base of water governance: A multi-
494 disciplinary perspective. *Ecol Econ.* 2017;131:241-249. DOI:10.1016/j.ecolecon.2016.09.009
- 495 32. Akhmouch A, Clavreul D. Stakeholder engagement for inclusive water governance: "Practicing
496 what we preach" with the OECD Water Governance Initiative. *Water.* 2016;8:204-220.
497 DOI:10.3390/w8050204
- 498 33. Araral Y, Wang Y. Water Governance 2.0: A review and second generation research agenda.
499 *Water Resour Manag.* 2013;27:3945-3957. DOI 10.1007/s11269-013-0389-x
- 500 34. Wiek A, Larson KL. Water, people, and sustainability –a systems framework for analyzing and
501 assessing water governance regimes. *Water Resour Manag.* 2012;26(11): 3153-3171.
502 DOI:10.1007/s11269-012-0065-6
- 503 35. Sinclair AJ, Kumnerdpet W, Moyer JM. Learning sustainable water practices through participatory
504 irrigation management in Thailand. *Natural Resources Forum.* 2013;37:55-66. DOI:10.1111/1477-
505 8947.12012
- 506 36. Das B, Singh A, Panda SN, Yasuda H. Optimal land and water resources allocation policies for
507 sustainable irrigated agriculture. *Land Use Policy.* 2015;42:527-537.
508 DOI:10.1016/j.landusepol.2014.09.012
- 509 37. Medema W, Adamowski J, Orr C, Furber A, Wals A, Milot N. Building a foundation for knowledge
510 co-creation in collaborative water governance: Dimensions of stakeholder networks facilitated through
511 bridging organizations. *Water.* 2017;9(1):60-82. DOI:10.3390/w9010060
- 512 38. Ricart S, Clarimont S. Modelling the links between irrigation, ecosystem services and rural
513 development in pursuit of social legitimacy: Results from a territorial analysis of the Neste System
514 (Hautes-Pyrénées, France). *J Rural Stud.* 2016;43:1-12. DOI:10.1016/j.jrurstud.2015.09.012

- 515 39. Nissen S. Who's in and who's out? Inclusion and exclusion in Canterbury's freshwater
516 governance. *New Zeal Geogr.* 2014;70(1):33-46. DOI:10.1111/nzg.12038
- 517 40. Obermeister N. From dichotomy to duality: Addressing interdisciplinary epistemological barriers to
518 inclusive knowledge governance in global environmental assessments. *Environ Sci Policy.*
519 2017;68:80-86. DOI:10.1016/j.envsci.2016.11.010
- 520 41. Alcamo J, Florke M, Marker M. Future long-term changes in global water resources driven by
521 socio-economic and climatic changes. *Hydrolog Sci J.* 2007;52(2):247-275.
- 522 42. Al-Kalbani MS, Price MF, O'Higgins T, Ahmed M, Abahussain A. Integrated environmental
523 assessment to explore water resources management in Al Jabal Al Akhdar, Sultanate of Oman. *Reg*
524 *Environ Change.* 2016;16:1345-1361.
- 525 43. Arnell NW, van Vuuren DP, Isaac M. The implications of climate policy for the impacts of climate
526 change on global water resources. *Global Environ Change.* 2011;21:592-603.
- 527 44. Ates S, Isik S, Keles G, Aktas AH, Louhaichi M, Nangia V. Evaluation of deficit irrigation for
528 efficient sheep production from permanent sown pastures in a dry continental climate. *Agr Water*
529 *Manage.* 2013;119:135-143.
- 530 45. Ellis EC. Physical geography in the Anthropocene. *Prog Phys Geog.* 2017;41(5):525-532.
- 531 46. Corlett RT. The Anthropocene concept in ecology and conservation. *Trends Ecol Evol.*
532 2015;30(1):36-41.
- 533 47. Cook BR, Rickards LA, Rutherford I. Geographies of the Anthropocene. *Geogr Res.*
534 2015;53(3):231-243.
- 535 48. Watts M. Adapting to the Anthropocene: Some reflections on development and climate in the
536 West African Sahel. *Geogr Res.* 2015;53(3):288-297.
- 537 49. Gordon LJ, Finlayson CM, Falkenmark M. Managing water in agriculture for food production and
538 other ecosystem services. *Agr Water Manage.* 2010;97:512-519.
- 539 50. Levidow L, Zaccaria D, Maia R, Vivas E, Todorovic M, Scardigno A. Improving water-efficient
540 irrigation: Prospects and difficulties of innovative practices. *Agr Water Manage.* 2014;146:84-94.
- 541 51. Jägermeyr J, Gerten D, Schaphoff S, Heinke J, Lucht W, Rockström J. Integrated crop water
542 management might sustainably halve the global food gap. *Environ Res Lett.* 2016;11(2).
- 543 52. Mizyed N. Impacts of climate change on water resources availability and agricultural water
544 demand in the West Bank. *Water Resour Manag.* 2009;23:2015-2029.
- 545 53. Berbel J, Mesa-Jurado MA, Pistón JM. Value of irrigation water in Guadalquivir Basin (Spain) by
546 residual value method. *Water Resour Manag.* 2011;25:1565-1579.
- 547 54. Iglesias A, Garrote L. Adaptation strategies for agricultural water management under climate
548 change in Europe. *Agr Water Manage.* 2015;55:113-124.
- 549 55. Biggsa TW, Rao PG, Bharati L. Mapping agricultural responses to water supply shocks in large
550 irrigation systems, southern India. *Agr Water Manage.* 2010;97:924-932.
- 551 56. Ricart S, Ribas A, Pavón D. Qualifying irrigation system sustainability by means of stakeholder
552 perceptions and concerns: lessons from the Segarra-Garrigues canal (Spain). *Nat Resour Forum.*
553 2016;40:77-90.
- 554 57. Brady M, Sahrbacher C, Kellermann K, Happe K. An agent-based approach to modelling impacts
555 of agricultural policy on land use, biodiversity and ecosystem services. *Landscape Ecol.*
556 2012;27(9):1363-1381.
- 557 58. Kahil MT, Connoer JC, Albiac J. Efficient water management policies for irrigation adaptation to
558 climate change in Southern Europe. *Ecol Econ.* 2015;120:226-233.
- 559 59. Ricart S, Ribas A, Pavón D. Modelling the stakeholder profile in territorial management: The
560 Segarra-Garrigues irrigation system, Spain. *Prof Geogr.* 2015;68(3):496-510.
- 561 60. Tarjuelo JM, Rodriguez-Diaz JA, Abadía R, Camacho E, Rocamora C, Moreno MA. Efficient water
562 and energy use in irrigation modernization: Lessons from Spanish case studies. *Agr Water Manage.*
563 2015;162:67-77.
- 564 61. Katz D. Undermining demand management with supply management: Moral hazard in Israeli
565 water policies. *Water.* 2016;(4):159.
- 566 62. Furlong C, De Silva S, Guthrie L, Considine R. Developing a water infrastructure planning
567 framework for the complex modern planning environment. *Util Policy.* 2016;38:1-10.
- 568 63. Lund JR. Integrating social and physical sciences in water management. *Water Resour Res.*
569 2015;51:5905-5918.
- 570 64. Attari SZ. Perceptions of water use. *P Nat Acad Sci USA.* 2014;111(14):5129-5134.
- 571 65. Mouratiadou I, Biewald A, Pehl M, Bonsch M, Baumstark L, Klein D, et al. The impact of climate
572 change mitigation on water demand for energy and food: An integrated analysis based on the Shared
573 Socioeconomic Pathways. *Environ Sci Policy.* 2016;64:48-58.

- 574 66. Biswas AK. Integrated Water Resources Management: is it working? *Int J Water Resour D.*
575 2008;24(1):5-22.
- 576 67. Martin-Carrasco F, Garrote L, Iglesias A, Mediero L. Diagnosing causes of water scarcity in
577 complex water resources systems and identifying risk management actions. *Water Resour Manage.*
578 2013;27(6):1693-1705.
- 579 68. Masseroni D, Ricart S, Ramírez de Cartagena F, Montserrat J, Gonçalves JM, De Lima I, et al.
580 Prospects for improving gravity-fed surface irrigation systems in Mediterranean European contexts.
581 *Water.* 2017;9(1):20-42.
- 582 69. Mehtaa VK, Haden VR, Joyce BA, Purkey DR, Jackson LE. Irrigation demand and supply, given
583 projections of climate and land-use change, in Yolo County, California. *Agr Water Manage.*
584 2013;117:70-82.
- 585 70. Ricart S, Gandolfi C. Balancing irrigation multifunctionality based on key stakeholders attitudes:
586 Lessons learned from the Muzza system, Italy. *Land Use Policy.* 2017;69:461-473.
- 587 71. Ward FA. Financing irrigation water management and infrastructure: A review. *Water Resour Dev.*
588 2010;26(3):321-349.
- 589 72. Vugteveen P, Lenders HJR. The duality of integrated water management: science, policy or both?
590 *J Integr Environ Sci.* 2009;6(1):51-67.
- 591 73. Lecina S, Isidoro D, Playán E, Aragüés R. Irrigation modernization in Spain: Effects on water
592 quantity and quality. A conceptual approach. *Int J Water Resour D.* 2010;26(2):265-282.
593 DOI:10.1080/07900621003655734
- 594 74. Luquet D, Vidal A, Smith M, Dauzat J. 'More crop per drop': how to make it acceptable for
595 farmers? *Agr Water Manage.* 2005;76:108-19
- 596 75. Montero J, Martínez A, Valiente M, Moreno MA, Tarjuelo JM. Analysis of water application costs
597 with a centre pivot system for irrigation of crops in Spain. *Irrigation Sci.* 2013;31:507-21.
- 598 76. Morison PJ, Brown RR. Understanding the nature of publics and local policy commitment to water
599 sensitive urban design. *Landscape Urban Planning.* 2011;99:83-92.
- 600 77. Furlong C, Guthrie L, De Silva S, Considine R. Analysing the terminology of integration in the
601 water management field. *Water Policy.* 2015;17:46-60.
- 602 78. Heinzerling L, Ackerman F, Massey R. Applying cost-benefit to past decisions: was environmental
603 protection ever a good idea? *Admin Law Rev.* 2005;57(1):155-192.
- 604 79. Bell S. Urban water systems in transition. *Emergence: Complexity and Organization.*
605 2012;14(1):44-57.
- 606 80. Faludi A, Altes WK. Evaluating communicative planning. In: Borri D, Khakee A, Lacirignola C,
607 editors. *Evaluating theory-practice and urban-rural interplay in planning.* Dordrecht (NL): Kluwer
608 Academic Publishers; 1997.
- 609 81. Jeffcoat S, Baughman D, Thoman PM. Total water management strategies for utility master
610 planning. *American Water Works Association.* 2009;101(2):56-64.
- 611 82. Ferguson L, Chan S, Santelmann M, Tilt B. Exploring participant motivations and expectations in
612 a researcher-stakeholder engagement process: Willamete Water 2100. *Landscape Urban Plan.*
613 2017;157:447-456.
- 614 83. Jakku E, Thorburn PJ. A conceptual framework for guiding the participatory development of
615 agricultural decision support systems. *Agr Syst.* 2010;103:675-682.
- 616 84. Carr G, Potter RB, Nortcliff S. Water reuse for irrigation in Jordan: Perceptions of water quality
617 among farmers. *Agr Water Manage.* 2011;98(5):847-854.
- 618 85. Gallego-Ayala J, Juízo D. Integrating stakeholders' preferences into water resources management
619 planning in the Incomati River Basin. *Water Resour Manag.* 2014;28(2):527-540.
- 620 86. Giordano R, Passarella G, Uricchio VF, Vurro M. Integrating conflict analysis and consensus
621 reaching in a decision support system for water resource management. *J Environ Manage.*
622 2007;84(2):213-228.
- 623 87. Reed MS, Graves A, Dandy N, Posthumus H, Hubacek K, Morris J, et al. Who's in and why? A
624 typology of stakeholder analysis methods for natural resource management. *J Environ Manage.*
625 2009;90(5):1933-1949.
- 626 88. Ferguson L, Chan S, Santelmann M, Tilt B. Exploring participant motivations and expectations in
627 a researcher-stakeholder engagement process: Willamete Water 2100. *Landscape Urban Plan.*
628 2017;157:447-456.
- 629 89. Kua HW. A new integrated framework for stakeholder involvement in sustainability policymaking –
630 A multidisciplinary approach. *Sustain Dev.* 2016;24:281-297.
- 631 90. Rola AC, Abansi CL, Arcala-Hall R, Lizada JC, Siason IML, Araral EK. Drivers of water
632 governance reforms in the Philippines. *Int J Water Resour D.* 2016;32(1):135-152.

- 633 91. Montgomery J, Xu W, Bjornlund H, Edwards J. A table for five: Stakeholder perceptions of water
634 governance in Alberta. *Agr Water Manage.* 2016;174:11-21.
- 635 92. Lane MB. Affirming new directions in planning theory: co-management of protected areas. *Soc*
636 *Natur Resour.* 2001;14:657-671.
- 637 93. Berg SV. Seven elements affecting governance and performance in the water sector. *Util Policy.*
638 2016;43:4-13.
- 639 94. Ruiz-Villaverde A, García-Rubio MA. Public participation in European Water Management: from
640 theory to practice. *Water Resour Manage.* 2017;31:2479-2495. DOI:10.1007/s11269-016-1355-1
- 641 95. Boeuf B, Fritsch O. Studying the implementation of the water framework directive in Europe: a
642 meta-analysis of 89 journal articles. *Ecol Soc.* 2016;21(2):19. DOI:10.5751/ES-08411-210219
- 643 96. Söderberg C. Complex governance structures and incoherent policies: Implementing the EU water
644 framework directive in Sweden. *J Environ Manage.* 2016;183:90-97.
- 645 97. Boeuf B, Fritsch O, Martín-Ortega J. Undermining European environmental policy goals? The EU
646 Water Framework Directive and the politics of exemptions. *Water.* 2016;8(9):388.
647 DOI:10.3390/w8090388
- 648 98. Voulvoulis N, Arpon K, Giakoumis T. The EU Water Framework Directive: From great
649 expectations to problems with implementation. *Sci Total Environ.* 2017;575:358-366.
650 DOI:10.1016/j.scitotenv.2016.09.228
- 651 99. Brack W, Dulio V, Agerstrand M, Allan I, Altenburger R, Brinkmann M, et al. Towards the review of
652 the European Union Water Framework Directive: Recommendations for more efficient assessment
653 and management of chemical contamination in European surface water resources. *Sci Total Environ.*
654 2017;576:720-737. DOI:10.1016/j.scitotenv.2016.10.104
- 655 100. Escribano G, Quevauviller P, San Martín E, Vargas E. Climate change policy and water
656 resources in the EU and Spain. A closer look into the Water Framework Directive. *Environ Sci Policy.*
657 2017;69:1-12. DOI:10.1016/j.envsci.2016.12.006
- 658 101. Feichtinger J, Pregernig M. Beyond mandated participation: Dealing with hydropower in the
659 context of the Water Framework Directive. *Environ Policy Gov.* 2016;26(5):351-365.
660 DOI:10.1002/eet.1699
- 661 102. Newig J, Koontz TM. Multi-level governance, policy implementation and participation: the EU's
662 mandated participatory planning approach to implementing environmental policy. *J Eur Public Policy.*
663 2013;21(2):248-267. doi:10.1080/13501763.2013.834070.
- 664 103. Kochskämper E, Challies E, Newig J, Jager NW. Participation for effective environmental
665 governance? Evidence from Water Framework Directive implementation in Germany, Spain and the
666 United Kingdom. *J Environ Manage.* 2016;181:737-748. DOI:10.1016/j.jenvman.2016.08.007
- 667 104. Carmona G, Varela-Ortega C, Bromley J. Participatory modelling to support decision making in
668 water management under uncertainty: Two comparative case studies in the Guadiana river basin,
669 Spain. *J Environ Manage.* 2013;128:400-412. DOI:10.1016/j.jenvman.2013.05.019
- 670 105. De Boer C, Vinke-de Kruijf J, Ozerol G, Bressers H. Collaborative water resource management:
671 What makes up a supportive governance system? *Environ Policy Gov.* 2016;26:229-241.
672 DOI: 10.1002/eet.1714
- 673 106. Muro M, Jeffrey P. Time to talk? How the structure of dialog processes shapes stakeholder
674 learning in participatory water resources management. *Ecol Soc.* 2012;17(1):3. DOI:10.5751/ES-
675 04476-170103
- 676 107. Blatrix C. Genèse et consolidation d'une institution: le débat public en France. In: *Le débat*
677 *public: une expérience française de démocratie participative*, PhD. Paris: La Découverte; 2007.
- 678 108. Ricart S, Rico A, Kirk N, Bülow F, Ribas A, Pavón D. What we learned about water governance
679 in multifunctional irrigation systems? Balancing stakeholder engagement from understanding
680 hydrosocial cycle. *Int J Water Resour D.* 2018. In press. DOI: 10.1080/07900627.2018.1447911
- 681 109. McGregor A, Houston D. Cattle in the Anthropocene: Four propositions. *Trans Inst Br Geogr.*
682 2017;43:3-16.
- 683 110. Ahmed OO, Ogunola SO. Climate change: Effects and adaptive measures in Africa. *Journal of*
684 *Geography, Environment and Earth Science International.* 2016;8(1):1-13.
- 685 111. Couix N, Gonzalo-Turpin H. Towards a land management approach to ecological restoration to
686 encourage stakeholder participation. *Land Use Policy.* 2015;46(1):155-162.
- 687 112. Maclean K, Robinson CJ, Natcher DC. Consensus building or constructive conflict? Aboriginal
688 discursive strategies to enhance participation in natural resource management in Australia and
689 Canada. *Soc Natur Resour.* 2014;28(2):197-211.
- 690 113. Booth A, Halseth G. Why the public thinks natural resources public participation processes fail: A
691 case study of British Columbia communities. *Land Use Policy.* 2011;28:898-906.

- 692 114. Castro AJ, Vaughn CC, Julian JP, García-Llorente M. Social demand for ecosystem services and
693 implications for watershed management. *J Am Water Resour As.* 2016;52(1):209-221.
- 694 115. Franzén F, Hammer M, Balfors B. Institutional development of stakeholder participation in local
695 water management – an analysis of two Swedish catchments. *Land Use Policy.* 2015;43:217-227.
- 696 116. Ingold K. How involved are they really? A comparative network analysis of the institutional
697 drivers of local actor inclusion. *Land Use Policy.* 2014;39:376-387.