

### **Editor's Comment:**

The paper is better but needs some corrections including:  
Comments

The following points need revision

- 1- Paragraph 1 in introduction needs a reference
- 2- last paragraph in introduction should be corrected to :

FROM : Present study ~~investigated reliability and validity of~~ ~~was carried out to evaluate~~ ICare<sup>TM</sup> tonometer reliability ~~and validity of IOP measurements~~ in diabetic patients and normal subjects in addition to evaluation of central and peripheral corneal pressures.

TO: The present study ~~investigated reliability and validity of~~ ~~was carried out to evaluate~~ ICare<sup>TM</sup> tonometer ~~and validity of IOP measurements~~ in diabetic patients and normal subjects in addition to evaluation of central and peripheral corneal pressures.

3- Line 43: this paragraph needs revision: ~~Cornea~~ ~~Pre-existing corneal~~ pathological lesions, previous ocular inflammations and surgeries, and diabetic retinopathy changes were excluded that might interfere with pressure measurements ~~plausibly due~~ ~~probably~~ to generalized microangiopathy of basement membrane throughout the body including angle structures and retinal vasculature.

4- Line 60 : this paragraph needs revision: With the device held perpendicularly ~~we took at most care~~ ~~was taken~~ to click when the ICare<sup>TM</sup> probe ~~was~~ at central cornea and for peripheral corneal pressures just within temporal/nasal limbus.<sup>4</sup>

5- Figures should be ordered as their order as they first appear in text

### **Editor's Details:**

Dr. Ayman Ahmed Alkawas  
Department of Ophthalmology, Zagazig University, Egypt