



SDI Review Form 1.6

Journal Name:	Physical Science International Journal
Manuscript Number:	2014_PSIJ_14438
Title of the Manuscript:	New metrology approach for single molecular device: probing of molecular energy gap by electrical and optical measurements
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	1. There are some typos and grammatical errors . 2. In first page line 32, "This development molecular orbital" this sentence is not properly framed please rewrite it. 3. The tabulated data are not compared with any of the previous results throughout the text. 4. The author should compare the authenticity of the result with the previous theoretical/experimental results or with the results of similar model.	
<u>Optional/General</u> comments	If there are any ethical issues please clarify	

Reviewer Details:

Name:	Anonymous
Department, University & Country	India