

Reduction of Environmental Impact of Fixed Bed Nuclear Reactor (FBNR) Waste

ABSTRACT

The Fix Bed Nuclear Reactor (FBNR) is a pressurized water reactor but its fuel elements are made of Tristructural-Isotropic (TRISO) type particles. Its spent fuel elements may be used as a source of radiation for irradiation purposes in medicine, industry and agriculture. Thereafter, the waste treatment problem is the same as for the fourth generation high-temperature nuclear reactors using TRISO particles. It is found that using the proposed simplified TRISO particles, increases the reactivity of the reactor, resulting in higher fuel burnup, while in recycling of its spent fuel, the amount of radioactive carbon is reduced by 57%.

Keywords: FBNR, Waste Treatment, Environmental Impact, TRISO Fuel, INPRO

1. INTRODUCTION

The global warming is no longer a philosophical discussion, but is a fact adversely affecting the future of humanity. Generation of nuclear energy does not produce CO₂ that is the cause of global warming. The 40 scenarios studied about the mixture of different forms of energy generation resulted that none of them can satisfy the world's demand for energy without considering the nuclear energy [1, 2]. But the present nuclear reactors are not acceptable to public opinion for energy generation [3-5].

The International Atomic Energy Agency (IAEA) has established the INPRO project [6-8]. INPRO defines a new philosophy and criteria on how to generate nuclear energy without having the adverse effects that are of concern to the public. It is expected that a new era of nuclear energy will soon emerge, in which the world will benefit from the environmental friendly and clean nuclear energy.

One proposal is the development of a new nuclear reactor concept called the Fixed Bed Nuclear Reactor (FBNR) [9-12]. At the present the development of FBNR is used as an instrument of in training the scientists and researchers to be innovative in the light of INPRO vision and criteria.

2. MATERIALS AND METHODS

2.1 Characteristics of the FBNR

The FBNR reactor type is essentially the Pressure Light Water Reactor (PWR) but its fuel elements are spheres of 15 mm in diameter containing TRISO type fuel particles embedded in SiC matrix clad by stainless steel [13-15].

The FBNR is a small reactor without the need of for on-site refueling. It utilizes the PWR technology. It has the characteristics of being simple in design, inherently safe, passive cooling, proliferation resistant, and reduced environmental impact [16-20].

The FBNR fuel chamber is fuelled in the factory. The sealed fuel chamber is then transported to and from the site. The FBNR has a long fuel cycle time and there is no need for onsite refueling [21]. It is an integrated primary system design.

~~The FBNR Nuclear Reactor~~ is an innovative and small nuclear reactor that meets all the INPRO criteria and philosophy. Small reactors have the advantages of serving the needs of local communities, need low capital investment and do not require expensive power transmission system [22]. ~~The~~ FBNR can serve as a multipurpose plant producing electricity, desalinated water, industrial steam, and supply district heating simultaneously [23, 24]. The FBNR is inherently safe that implies total safety and environmentally friendly. The spent fuel of FBNR may not be considered nuclear waste since it can serve as a source of radiation for irradiation purposes which has useful applications in agriculture, medicine and industry.

The FBNR is a foolproof non-proliferating reactor that cannot be misused for military purposes [25, 26]. It is economic with low capital investment. It can contribute to the solution of ever increasing demand for energy. ~~FBNR uses the well proven PWR technology.~~ The countries that adopt FBNR will participate in the research and development of ~~the~~ advanced technology and become the owners of nuclear technology and not merely be the users. ~~Science may be transferred, but technology is not transferable—it is developed.~~

2.2. Description of the reactor

~~As shown in the schematic Figure 1,~~ The reactor ~~as shown in the schematic Figure 1,~~ has in its upper part the reactor core and a steam generator and in its lower part the fuel chamber. The core consists of a 150 cm diameter cylinder connected to a 100 Cm long cone below it where in turn ~~it~~ is connected to a 40 Cm diameter helical tube constituting the fuel chamber [27, 28]. During the reactor operation, the 15 mm diameter spherical fuel elements are held together by the coolant flow in a fixed bed configuration, forming a suspended core. The coolant flows vertically upward into the core and thereafter to the steam generator [29-31]. The connecting helical tube is made of high neutron absorbing alloy, which is directly connected underneath the core tube. The fuel chamber consists of a helical 40 cm diameter tube flanged to the reserve fuel chamber that is sealed by the national and international authorities. A grid is provided at the lower part of the tube to hold the fuel elements within it [32-38]. A steam generator of the shell-and-tube type is integrated in the upper part of the module. The reactor is provided with a pressurizer system to keep the coolant at a constant pressure [38-45]. The pump circulates the coolant inside the reactor moving it upward through the fuel chamber, the core, ~~and~~ the steam generator. Thereafter, the coolant flows back down to the pump [45-47]. At a flow velocity called terminal velocity, the water coolant carries the spherical fuel elements from the fuel chamber up into the core [47-49]. A fixed suspended core is formed in the reactor. In the shutdown condition, the suspended core breaks down and the fuel elements leave the core and fall back into the fuel chamber by the force of gravity. The ~~15 mm in-diameter~~ spherical fuel elements are made of simplified TRISO micro spheres embedded in SiC and clad by stainless steel. The simplified TRISO particle has only one layer of graphite to contain fission products. This will decrease the content of graphite in the fuel thus reduce the problem of fuel recycling.

Any signal from any of the detectors, due to any initiating event, will not allow the pump to operate, causing the fuel elements to leave the core and fall back into the fuel chamber under the force of gravity, where they remain in a highly subcritical and passively cooled condition. The fuel chamber is cooled by natural convection, transferring heat to the water in the tank housing the fuel chamber [49-59].

The long-term reactivity is supplied by fresh fuel addition. A piston type core limiter adjusts the core height and controls the amount of fuel elements that are permitted to enter the core from the reserve chamber [60-67]. The control system is conceived to have the pump in the "not operating" condition and only operates when all the signals coming from the control detectors simultaneously indicate safe operation. Under any possible inadequate functioning of the reactor, the power does not reach the pump and the coolant flow stops causing the fuel elements to fall out of the core. The water flowing from an accumulator, which is controlled by a multi redundancy valve system, cools the fuel chamber functioning as the emergency core cooling system. The other components of the reactor are essentially the same as in a conventional pressurized water reactor [68-77].




Fig. 1: Schematic design of the Fixed Bed Nuclear Reactor (FBNR)

2.3. FBNR Fuel Element

The 15 mm in-diameter spherical fuel element is made of TRISO type particles embedded in SiC matrix covered by 0.5 mm thick stainless steel cladding. Consider 60% TRISO particles embedded in 40% SiC matrix.

The conventional TRISO particle as shown in Figure 2, consists of a fuel kernel composed of UO₂ in the center, coated with four layers of three isotropic materials. The four layers are a porous buffer layer made of carbon, followed by a dense inner layer of pyrolytic carbon (PyC), followed by a ceramic layer of SiC to retain fission products at elevated temperatures and to give the TRISO particle more structural integrity, followed by a dense outer layer of PyC. TRISO fuel particles are designed not to crack due to the stresses from processes (such as differential thermal expansion or fission gas pressure) at temperatures up to and beyond 1600°C, and therefore they can contain the fuel in the worst of accident scenarios in a properly designed reactor.

Since the principle difficulty associated with the recycling of TRISO fuel particles is the presence of graphite, the simplified TRISO particle is used for FBNR where only the first layer of porous carbon is maintained. As it is embedded in SiC matrix, the fuel bed retains the fission products. This will immensely reduce the carbon content of the fuel elements

126 which alleviate the problem of fuel recycling. The future detailed study may allow the total
127 elimination of graphite.
128






Fig. 2: FBNR fuel element

129
130
131
132 | Originally, the fuel elements were composed of ordinary TRISO particles where the UO₂
133 particles were covered by 3 graphite layers. This was chosen to simplify the implementation
134 of design by using the "commercially available" fuel. Also Another reason was to create an
135 exaggerated safety to increase acceptability of the FBNR concept adequate for an open end
136 fuel cycle. In order to have closed end fuel cycle, one will have additionally extra carbon that
137 is a source of radioactive C-14 problem in fuel reprocessing process. Therefore, we are
138 proposing the use of simplified TRISO particle where the UO₂ particle is covered only by
139 one layer of graphite to contain fission products and will be supported by robust SiC matrix.
140 This reduces the graphite content in the fuel by 57%. In the future, we may find that this
141 one layer of the graphite will not be necessary and we can avoid the problem of C-14 totally.
142 As shown in Figure 3 for equal FBNR core height, simplified TRISO has higher amount of K-
143 effective than original TRISO. Also at core height 200cm and an enrichment range from 10%
144 to 19%, simplified TRISO has higher amount of K-effective than original TRISO (Figure 4).
145

146



147

148

149

150

Fig. 3: K-effective with FBNR core height for original and simplified TRISO for 19% enrichment and coolant critical water




Fig. 4: K-effective with FBNR at core height of 200 cm for original and simplified TRISO in an enrichment range from 10% to 19% and coolant critical water

The reactor physics calculations show that such a choice will have additional advantage of increasing the reactivity of the reactor leading to a longer fuel cycle as seen.

3. RESULTS AND DISCUSSION

3.1 Useful Applications of Spent Fuel

The spent fuel elements of the FBNR before being reprocessed can serve as the source of radiation for irradiation purposes for many years. As shown in Figure 5, all types of point, line, and plane sources can be manufactured and utilized in the irradiators. Figures 6~8 show some various areas of application for the spent fuel.




Fig. 5: FBNR spent fuel for radiation applications

168
169
170

171




Fig. 6: Radiation applications in medicine

172
173
174




Fig. 7: Radiation applications in Food



Fig. 8: Radiation applications in industry

3.2 Waste Treatment Problem

The FBNR is a pressurized water reactor but its fuel elements are made of TRISO particles. Therefore, the waste treatment problem is the same as the fourth generation high-high temperature nuclear reactors. Because only a relatively small amount of fuel in a great amount of carbon will contain ^{14}C after burn up, processing these fuels to recover the fissile materials presents special problems.

Historical approaches to processing TRISO-coated fuel involved crushing and burning operations, which would reduce the fuel elements size (thereby increasing the surface area), breach the SiC layer, oxidize the metal carbide, and remove the carbon components from the fuel as gaseous carbon dioxide. The fuel is then easily separated from the remaining SiC fragments by dissolution in nitric acid.⁴ The primary disadvantage of this method is the need to capture and sequester the ¹⁴C-containing CO₂.

The crush-leach process may be used as a method to treat GEN IV TRISO-coated reactor fuels. The method retains the bulk of the carbon components in elemental form, which is favorable for achieving waste reduction goals.

4. CONCLUSION

The used fuel elements made of simplified TRISO particle will produce 57% less radioactive carbon compared to advanced high-high-temperature reactors which is a source of problem in fuel reprocessing.

The FBNR spent fuel elements may not be considered as nuclear waste since they serve useful purpose as the source of radiation for irradiation purposes.

The FBNR spent fuel after serving as a source of radiation and after some years of decaying, the fission products may be able to be re-used in the reactor since the neutron absorbing isotopes may have decayed out.

At the end of the cycle, the reprocessing is done using the same procedure as will be used by that of the fourth generation high-high-temperature reactors using TRISO particles; while it has with the advantage that for FBNR the problem of radioactive carbon is much reduced or may not exist. The cost of fabrication and recycling of such fuel are greatly reduced.

Supplementary video links

<http://www.youtube.com/watch?v=P8dnbEdqvoQ&authuser=0>
<http://www.youtube.com/watch?v=2w4JZ5tT5vY&authuser=0>
<http://www.youtube.com/watch?v=-g0vh5m25y8&authuser=0>
<http://www.youtube.com/watch?v=XnXcjpGc7N4&authuser=0>

REFERENCES

- [1] Farhang-Sefidvash Sefidvash F. "Nuclear Energy for the Next Century". 2nd European Congress on Economics and Management of Energy in Industry. April 5-9. Estoril, 1994.
- [2] Farhang-Sefidvash Sefidvash F. "Sustainability and Fixed Bed Nuclear Reactor (FBNR)". Sustainability (Basel). 4 (Aug. 2012) 2012:4. pp. 1683-1710. doi: 10.3390/su4081683.
- [3] Farhang-Sefidvash Sefidvash F, Ha Van-Thong Thong H V, Dam-Xum-Hiep Hiep D X, and Do Thi-Nguyet Minh Nguyet Minh D T. "Some Characteristics of the Fixed Bed Nuclear Reactor. 4th International Conference on Nuclear & Renewable Energy Resources. October 26-29. Antalya, 2014.

- 240 [4] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Fixed Bed Suspended Core Nuclear Reactor Concept".
241 ~~Kerntechnik, 68 (2003), 2003:68 ; pp. 56-59.~~
- 242
- 243 [5] ~~Sümer Sahin~~~~Sahin S, Tawfik Ahmed Al-Kusayer~~~~Al-Kusayer T A, and Farhang~~
244 ~~Sefidvash~~~~Sefidvash F.~~ "A Pathway to Initiate Nuclear Power Technology in Developing
245 Countries".— 5th International Conference on Advances in Mechanical Engineering and
246 Mechanics ICAMEM2010. December 20-22. Hammamet, 2010.
- 247
- 248 [6] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Preliminary Evaluation of the Fixed Bed Nuclear Reactor
249 Concept using IAEA-INPRO Methodology". —12th International Conference of Nuclear
250 Engineering. April 25-29. Arlington, 2004.
- 251
- 252 [7] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Fixed Bed Nuclear Reactor Concept". —International
253 Conference on Innovative Technologies for Nuclear Fuel Cycles and Nuclear Power. June
254 23-26. Vienna, 2003.
- 255
- 256 [8] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Preliminary Evaluation of the Fixed and Fluidized Bed
257 Nuclear Reactor Concept using IAEA-INPRO Methodology". -Kerntechnik, 2004;69;(3). (May
258 2004), pp. 127-131. doi: 10.3139/124.100200.
- 259
- 260 [9] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Fluidized Bed Nuclear Reactor proposed for the
261 Generation IV Reactor". —International Conference on the New Frontiers of Nuclear
262 Technology: Reactor Physics, Safety and High-Performance Computing. October 7-10.
263 Seoul, 2002.
- 264
- 265 [10] ~~Sümer Sahin~~~~Sahin S, Hacı Mehmet Sahin~~~~Sahin H M, and Adem Acir~~~~Acir A.~~ "Criticality
266 and burn up evolutions of the Fixed Bed Nuclear Reactor with alternative fuels". —Energy
267 Conversion and Management, 2010; -51-(9) (Sept. 2010). —14th International Conference on
268 Emerging Nuclear Systems (ICENES 2009), pp. 1781-1787. doi:
269 10.1016/j.enconman.2009.12.044.
- 270
- 271 [11] ~~Sümer Sahin~~~~Sahin S and, Farhang Sefidvash~~~~Sefidvash F.~~ "The Fixed Bed Nuclear
272 Reactor for decentralized energy needs". International Symposium on Peaceful Applications
273 of Nuclear Technologies in the GCC Countries. November 3-5. Jeddah, 2008.
- 274
- 275 [12] ~~Sümer Sahin~~~~Sahin S and, Farhang Sefidvash~~~~Sefidvash F.~~ "The Fixed Bed Nuclear
276 Reactor Concept". —Energy Conversion and Management, 2008; -49-(7). (July 2008). —13th
277 International Conference on Emerging Nuclear Energy Systems (ICENES'2007), June 3-8,
278 2007, Istanbul, Turkey, pp. 1902-1909. doi: 10.1016/j.enconman.2007.12.017.
- 279
- 280 [13] ~~Ha Van Thong~~~~Thong H V, Farhang Sefidvash~~~~Sefidvash F, and Do Thi Nguyet~~
281 ~~Minh~~~~Nguyet Minh D T.~~ "Some advantages of nuclear fuel under spherical form for nuclear
282 power plant". -International Journal of Nuclear Energy, Science and Technology, 2007; -3-(4):
283 (2007), p. 135.
- 284
- 285 [14] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Thermal Hydraulics of the Fixed Bed Nuclear Reactor
286 Concept". Kerntechnik, 2006; -71-(3). (May 2006), pp. 144-148. doi: 10.3139/124.100287.
- 287
- 288 [15] ~~Farhang Sefidvash~~~~Sefidvash F.~~ "Fluidized Bed Nuclear Reactor proposed for the
289 Generation IV Reactor". International Atlantic Conference. Aug, 11-16. Rio de Janeiro, 2002.
- 290

- 291 | [16] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Preliminary neutronics calculations of the Fixed Bed
292 | Nuclear Reactor FBNR - Status of Small Reactor Designs without On-site Refuelling". CD-
293 | ROM. IAEA-TECDOC-1536. Vienna, 2007.
- 294 |
- 295 | [17] ~~Sümer-Sahin~~~~Sahin S,~~ ~~Tawfik-Ahmed-Al-Kusayer~~~~Al-Kusayer T A,~~ and ~~Farhang~~
296 | ~~Sefidvash~~~~Sefidvash F.~~ "A Sustainable New Nuclear Reactor for Emerging Nuclear
297 | Countries". -The 9th International Conference on Sustainable Energy Technology. August
298 | 24-27, (invited paper). Shanghai, 2010.
- 299 |
- 300 | [18] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A new advanced safe nuclear reactor concept". 15th
301 | Brazilian Congress of Mechanical Engineering. Águas de Lindóia, 1999.
- 302 |
- 303 | [19] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A Fixed Bed Nuclear Reactor Concept". -IAEA
304 | Technical Meeting. June 7-11. Vienna, 2004.
- 305 |
- 306 | [20] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Fixed Bed Nuclear Reactor Concept. Innovative Small
307 | and Medium Sized Reactors: Design Features, Safety Approaches and R&D Trends". IAEA-
308 | TECDOC-1451. Vienna, 2005.
- 309 |
- 310 | [21] ~~Farhang-Sefidvash~~~~Sefidvash F,~~ ~~V. J. Petry~~~~Petry V J,~~ and ~~A. L. Bortoli~~~~Bortoli A L.~~
311 | "Passive Cooling of a Fixed Bed Nuclear Reactor". -4th International Conference on
312 | Computational Heat and Mass Transfer. May 17-20, Paris-Cachan. 2005.
- 313 |
- 314 | [22] ~~Sümer-Sahin~~~~Sahin S,~~ ~~Haci Mehmet-Sahin~~~~Sahin H M,~~ ~~Farhang-Sefidvash~~~~Sefidvash F,~~
315 | and ~~Tawfik-Ahmed-Al-Kusayer~~~~Al-Kusayer T A.~~ "Fixed Bed Nuclear Reactor for electricity and
316 | desalination needs of Middle-East Countries". Proceedings of the 1st International Nuclear
317 | and Renewable Energy Conference (INREC10).
318 | March, 21-24. Amman, 2010.
- 319 |
- 320 | [23] ~~Sümer-Sahin~~~~Sahin S,~~ ~~Haci Mehmet-Sahin~~~~Sahin H M,~~ ~~Tawfik-Ahmed-Al-Kusayer~~~~Al-~~
321 | ~~Kusayer T A,~~ ~~Farhang-Sefidvash~~~~Sefidvash F,~~ "An innovative nuclear reactor for electricity
322 | and desalination". International Journal of Energy Research. 2011; -35-(2): (Feb. 2011), pp.
323 | 92-102. doi: 10.1002/er.1772.
- 324 |
- 325 | [24] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Water desalination by Fluidized Bed Nuclear Reactor".
326 | Kerntechnik. 1999; 64: (1999), pp. 1-5.
- 327 |
- 328 | [25] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A Proliferation Resistant Nuclear Reactor Concept".
329 | Nuclear Atlantic Conference. Aug. 28 - Sept. 2. Santos, 2005.
- 330 |
- 331 | [26] ~~Farhang-Sefidvash~~~~Sefidvash F and,~~ ~~Walter-Seifritz~~~~Seifritz W.~~ "A fool proof non-
332 | proliferation nuclear reactor concept". -Kerntechnik. 2005; -70-(4) (Aug. 2005), pp. 243-245.
333 | doi: 10.3139/124.100252.
- 334 |
- 335 | [27] ~~Sümer-Sahin~~~~Sahin S,~~ ~~Adem Acir~~~~Acir A,~~ and ~~Haci Mehmet-Sahin~~~~Sahin H M.~~
336 | "Performance analysis of 233U for Fixed Bed Nuclear Reactor". Kerntechnik. 2010; 75-(5):
337 | (Sept. 2010), pp. 243-247.
338 | -doi: 10.3139/124.110097.
- 339 |
- 340 | [28] International Atomic Energy Agency. Guidance for the Evaluation of Innovative Nuclear
341 | Reactors and Fuel Cycles. IAEA-TECDOC-1362. Vienna, 2003.
- 342 |

343 | [29] ~~Farhang Sefidvash~~~~Sefidvash F and, A. A. Mohamad~~~~Mohamad A A~~. "Passive cooling
344 | characteristics of the Fluidized Bed Nuclear Reactor". -1st International Conference on
345 | Applications of Porous Media. June 02-08. Jerba, 2002.

346 |

347 | [30] ~~Farhang Sefidvash~~~~Sefidvash F and, A. A. Mohamad~~~~Mohamad A A~~. "Passive cooling
348 | characteristics of the Fluidized Bed Nuclear Reactor". -10th International on Emerging
349 | Nuclear Energy Systems. Petten, 2000.

350 |

351 | [31] ~~Farhang Sefidvash~~~~Sefidvash F and, Clésio Ismério de Oliveira~~~~Oliveira C I~~. "Análise
352 | Térmica do Reator Nuclear a Leito Fluidizado". -International Atlantic Conference. Aug, 11-
353 | 16. Rio de Janeiro, 2002.

354 |

355 | [32] ~~Farhang Sefidvash~~~~Sefidvash F and, Walter Seifritz~~~~Seifritz W~~. "An energy amplifier
356 | Fluidized Bed Nuclear Reactor concept". Kerntechnik. 2001; 66: (2001), pp. 59-61.

357 |

358 | .

359 |

360 | [33] ~~Farhang Sefidvash~~~~Sefidvash F, Flávio Van der Laan~~~~Laan F V, and Vanderlei~~
361 | ~~Cornelius~~~~Cornelius V~~. "An experimental study of Fluidized behavior using Flow Visualization
362 | and Image". Brazilian Congress of Thermal Engineering and Sciences. October 3-6. Porto
363 | Alegre, 2000.

364 |

365 | [34] ~~Sümer Sahin~~~~Sahin S, Hacı Mehmet Sahin~~~~Sahin H M, Adem Acir~~~~Acir A, and Tawfik~~
366 | ~~Ahmed Al-Kusayer~~~~Al-Kusayer T A~~. "Criticality investigations for the Fixed Bed Nuclear
367 | Reactor using thorium fuel mixed with plutonium or minor actinides". -Annals of Nuclear
368 | Energy. 2009; 36:(8): (Aug. 2009), pp. 1032-1038.
369 | doi: 10.1016/j.anucene.2009.06.003

370 |

371 | [35] ~~Farhang Sefidvash~~~~Sefidvash F~~. "The Fluidized Bed Nuclear Heat Reactor concept".
372 | International Conference and Exhibition on Industrial Heat Engineering. May 24-30. Kiev,
373 | 1999.

374 |

375 | [36] ~~Farhang Sefidvash~~~~Sefidvash F, Flávio Van der Laan~~~~Laan F V, Volnei Borges~~~~Borges V,~~
376 | ~~and Vanderlei Cornelius~~~~Cornelius V~~. "Estudo do comportamento de Fluidização usando
377 | Método de Visualização do Fluxo". -XII Encontro Nacional de Física de Reatores e
378 | Termohidráulica. Rio de Janeiro, 2000.

379 |

380 | [37] ~~Farhang Sefidvash~~~~Sefidvash F~~. "A high efficiency Fluidized Bed Nuclear Reactor
381 | Cooled by supercritical steam". -XI Encontro Nacional de Física de Reatores e
382 | Termohidráulica. August 18-22. Poços de Caldas, 1997.

383 |

384 | [38] ~~Walter Seifritz~~~~Seifritz W and, Farhang Sefidvash~~~~Sefidvash F~~. "An energy amplifier using
385 | Fluidized Bed Nuclear Reactor concept". -Conference on Nuclear Applications of Accelerator
386 | Technology. November 16-20. Albuquerque, 1997.

387 |

388 | [39] ~~Farhang Sefidvash~~~~Sefidvash F~~. "Advancement in the Fluidized Bed Nuclear Reactor
389 | concept". -8th International Conference on Emerging Nuclear Energy Systems. June 24-28.
390 | Obninsk, 1996.

391 |

392 | [40] ~~Farhang Sefidvash~~~~Sefidvash F~~. "Status of the Small Modular Fluidized Bed Light Water
393 | Nuclear Reactor concept". Nuclear Engineering Design. 1996; 167: (1996), pp. 203-214.

394 |

395 | [41] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ and ~~Volnei Borges~~~~Borges V.~~ "Reator Nuclear a Leito
396 | Fluidizado como formador de pessoal". -VI Congresso Geral de Energia Nuclear. October 27
397 | - November 1. Rio de Janeiro, 1996.

398 |

399 | [42] ~~Walter Seifritz~~~~Seifritz W.~~ and ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Non-linear Noise Theory
400 | for the Fluidized Bed Light Water Reactor". Kerntechnik. 1997; 62:(4): ~~(1997), pp.~~ 178-183.

401 |

402 | [43] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A Direct Cycle Fluidized Bed Nuclear Reactor
403 | operating at supercritical pressure". -Technologies for Energy Efficiency and Environmental
404 | Protection Conference. March 26-30. Cairo, 1995, pp. 47-50.

405 |

406 | [44] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A preliminary thermal-hydraulic study of the Fluidized
407 | Bed Nuclear Reactor concept". Kerntechnik. 1995; 60:(1): ~~(Feb. 1995), pp.~~ 48-51.

408 |

409 | [45] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ and ~~A. Elbern~~~~Elbern A.~~ "The study of transients in the
410 | Fluidized Bed Nuclear Reactor by Linkage and Fuzzy Methods". -3rd International
411 | Conference on Nuclear Engineering. April 23-27. Kyoto, 1995.

412 |

413 | [46] ~~Volnei Borges~~~~Borges V.~~ and ~~Marco Túlio Vilhena~~~~Vilhena M. T.~~ "Dynamical Stability of a
414 | Fluidized Bed Nuclear Reactor". -Nuclear Technology. 1995; 111:(2): ~~(1995), pp.~~ 251-259.

415 |

416 | [47] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Un reactor nuclear simple y seguro al servicio de la
417 | Humanidad". -Ecología y Unidad Mundial. 1994; 7: ~~(1994), p.~~ 23.

418 |

419 | [48] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "A Small Modular Fluidized Bed Nuclear Reactor".
420 | International European Nuclear Society Topical Meeting Towards the Next Generation of
421 | Light Water Reactors. April 25-28. The Hague, 1993.

422 |

423 | [49] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "An experimental method to study the porosity of a
424 | Fluidized Bed using Gamma Ray Transmission Technique". -45° Reunião Anual da
425 | Sociedade Brasileira para o Progresso da Ciência. Vol. 1. Julho 11-16. Recife, 1993, p. 203.

426 |

427 | [50] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "Preliminary thermal hydraulic analysis of a Fluidized
428 | Bed Nuclear Reactor concept". -ASME/AIChE/ANS/AIAA National Heat Transfer
429 | Conference. Vol. 7. August 8-11. Atlanta, 1993, pp. 378-382.

430 |

431 | [51] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "The structural design needs of a Small Modular
432 | Fluidized Bed Nuclear Reactor". -12th Conference on Structural Mechanics in Reactor
433 | Technology. Vol. SD-1, August 15-20. Stuttgart, 1993, pp. 261-266.

434 |

435 | [52] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ and ~~Volnei Borges~~~~Borges V.~~ "Métodos Operacionais
436 | do Reator Nuclear a Leito Fluidizado". -IX Encontro Nacional de Física de Reatores e
437 | Termohidráulica. Outubro 25-29. Caxambu, 1993.

438 |

439 | [53] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ and ~~Volnei Borges~~~~Borges V.~~ "Termohidráulica do
440 | Reator Nuclear a Leito Fluidizado". -IX Encontro Nacional de Física de Reatores e
441 | Termohidráulica. Outubro 25-29. Caxambu, 1993.

442 |

443 | [54] ~~Farhang-Sefidvash~~~~Sefidvash F.~~ "The Future of Nuclear Energy". -4° Congresso Geral
444 | de Energia Nuclear. Vol. 2. Julho 5-10. Rio de Janeiro, 1992, pp. 879-883.

445 |

- 446 | [55] ~~Farhang Sefidvash~~Sefidvash F. "Nuclear Energy and The New Era". –International
447 | Specialists Meeting on Potential of the Small Nuclear Reactor for Future Clean and Safe
448 | Energy Sources. October 23-25. Tokyo, 1991.
- 449 |
450 | [56] ~~Volnei Borges~~Borges V. and, Marco Túlio VilhenaVilhena M T. "A Fluidized Bed Nuclear
451 | Cell Calculation". Kerntechnik,1990; 55,(5); ~~(1990)~~, pp. 315-317.
- 452 |
453 | [57] ~~Marco Túlio Vilhena~~Túlio Vilhena M. and, Farhang SefidvashSefidvash F. "Solution of the
454 | heat conduction equation for a Fluidized Bed Nuclear Reactor". –Kerntechnik,1990; 55,(2);
455 | ~~(1990)~~, pp. 108-111.
- 456 |
457 | [58] ~~Farhang Sefidvash~~Sefidvash F. and, Volnei BorgesBorges V. "Método de cálculos
458 | neutônicos de uma célula esférica equivalente a uma cilíndrica, para utilização de
459 | códigos computacionais para reatores a água leve no Reator Nuclear a Leito Fluidizado". -VII
460 | Encontro Nacional de Física de Reatores. Abril 26-28. Recife, 1989.
- 461 |
462 | [59] ~~Farhang Sefidvash~~Sefidvash F. "An inherently safe small nuclear reactor concept".
463 | American Nuclear Society International Topical Meeting on Safety of Next Generation Power
464 | Reactors. May 1-5. Seattle, 1988.
- 465 |
466 | [60] ~~Farhang Sefidvash~~Sefidvash F. "Um Novo Conceito de Reator Nuclear". -39º Reunião
467 | Anual da Sociedade Brasileira para o Progresso da Ciência. Julho 12-18. Brasília, 1987.
- 468 |
469 | [61] ~~Farhang Sefidvash~~Sefidvash F, Marco Túlio VilhenaVilhena M T, E. StreckStreck E,
470 | ~~Volnei Borges~~Borges V, and M. JohanssonJohansson M. "State of Art of the Fluidized
471 | Bed Nuclear Reactor Concept". -IV Congresso Brasileiro de Energia. Agosto 17-21. Rio de
472 | Janeiro, 1987.
- 473 |
474 | [62] ~~Marco Túlio Vilhena~~Vilhena M T and, Farhang SefidvashSefidvash F. "Análise de
475 | transferência de calor em regime transiente em Reator Nuclear a Leito Fluidizado utilizando
476 | a transformada de Laplace". -I Simpósio Brasileiro de Transferência de Calor e Massa.
477 | Julho 1-3. Campinas, 1987.
- 478 |
479 | [63] ~~Farhang Sefidvash~~Sefidvash F. "Transient heat transfer in a Fluidized Bed Nuclear
480 | Power Reactor". -II Congresso Latinoamericano de Transferência de Calor e Matéria. Maio
481 | 12-15. São Paulo, 1986.
- 482 |
483 | [64] ~~Farhang Sefidvash~~Sefidvash F. "Um Conceito de Reator Nuclear a Leito Fluidizado". -I
484 | Congresso Geral de Energia Nuclear. Vol. 1. Março. Rio de Janeiro, 1986, p. 333.
- 485 |
486 | [65] ~~Farhang Sefidvash~~Sefidvash F. and, Lirio SchaefferSchaeffer L. "Fabricação de
487 | revestimento dos elementos de combustível para o Reator Nuclear a Leito Fluidizado". -III
488 | Congresso Brasileiro de Engenharia e Ciências de Materiais. Dezembro 10-12.
489 | Florianópolis, 1986.
- 490 |
491 | [66] ~~Farhang Sefidvash~~Sefidvash F. "A Fluidized Bed Nuclear Reactor Concept". –Nuclear
492 | Technology,1985; 71,(3); ~~(1985)~~, pp. 527-534.
- 493 |
494 | [67] ~~Farhang Sefidvash~~Sefidvash F. "A simple, small, safe nuclear reactor for developing
495 | countries". -II Course International on Nuclear Physics and Reactor. February. Bogotá, 1985.
- 496 |

497 | ~~[68] M. R. HaroonHaroon M R-Haroon M and R. Farhang SefidvashSefidvash F. "Reactor~~
498 | ~~Physics study of organic moderated Fluidized Bed Nuclear Reactor". -Journal of Natural~~
499 | ~~Science and Mathematics.1984; 24-(1):- (1984), pp- 129-146.~~
500 |
501 | ~~[69] Farhang SefidvashSefidvash F. "A Small Safe Nuclear Power Reactor". -III Congresso~~
502 | ~~Brasileiro de Energia. Outubro. Rio de Janeiro, 1984.~~
503 |
504 | ~~[70] Farhang SefidvashSefidvash F, J. R. L. MattosMattos J R L, L. M. M. EberleEberle L M~~
505 | ~~M, M. T. M. B. VilhenaVilhena M T M B, L. SchaefferSchaeffer L, Luiz F.~~
506 | ~~DegrazziaDegrazzia L F, E. Z. SilviaSilvia E Z, J. E. M. RamsyRamsy J E M, and A. B. P.~~
507 | ~~MachadoMachado A B P. "Relatório do progresso alcançado na pesquisa e~~
508 | ~~desenvolvimento de um Reator Nuclear a Leito Fluidizado". -IV Encontro Nacional de Física~~
509 | ~~de Reatores. Novembro. Itaipava, 1983.~~
510 |
511 | ~~[71] Farhang SefidvashSefidvash F. "A Nuclear Power Reactor for Developing Countries".~~
512 | ~~1st International Course of Reactor Physics for Developing Countries. Bogotá, 1983.~~
513 |
514 | ~~[72] Farhang SefidvashSefidvash F. "Loss of Coolant Accident in the Fluidized Bed Nuclear~~
515 | ~~Power Reactor". -Atomkernenergie/Kerntechnik.1983; 42-(2):- (1983), pp- 125-126.~~
516 |
517 | ~~[73] Farhang SefidvashSefidvash F. "Heat Transfer in a Fluidized Bed Nuclear Power~~
518 | ~~Reactor". -I Congresso Latinoamericano de Transferência de Calor y Materia. 31 de~~
519 | ~~Octubreal 4 de Noviembre. La Plata, 1982.~~
520 |
521 | ~~[74] Farhang SefidvashSefidvash F. "Physics and thermal and hydraulic of the Fluidized Bed~~
522 | ~~Nuclear Power Reactor". -II Encontro Nacional de Física de Reatores. Dezembro 12-14.~~
523 | ~~Itaipava, 1982.~~
524 |
525 | ~~[75] Farhang SefidvashSefidvash F. "Preliminary thermal design calculation of the Fluidized~~
526 | ~~Bed Nuclear Power Reactor". -Atomkernenergie/Kerntechnik.1982; 41-(1):- (1982), pp- 45-49.~~
527 |
528 | ~~[76] Farhang SefidvashSefidvash F. "A Nuclear Power Reactor concept for Brazil". Revista~~
529 | ~~Brasileira de Tecnologia.1980; 11-(3):- (1980), pp- 145-158.~~
530 |
531 | ~~[77] Farhang SefidvashSefidvash F and, M. R. HaroonHaroon M R. "Preliminary Reactor~~
532 | ~~Physics calculations of the Fluidized Bed Nuclear Reactor concept".~~
533 | ~~Atomkernenergie/Kerntechnik.1980; 35-(3):- (1980), pp- 191-195.~~