



**SDI Review Form 1.6**

Journal Name:	<a href="#">Physical Science International Journal</a>
Manuscript Number:	Ms_PSIJ_39318
Title of the Manuscript:	Study of Heat Transfer on Cemented Hip Replacement
Type of the Article	

**General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

**PART 1: Review Comments**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b>Compulsory</b> REVISION comments		
<b>Minor</b> REVISION comments	Please describe the clinical relevance.	
<b>Optional/General</b> comments	I wanted to know how to use the results of this study clinically. However, I could not find it even if I read it until the conclusion.	

**Reviewer Details:**

Name:	<b>Hiroaki Kijima</b>
Department, University & Country	<b>Department of Orthopedic Surgery, Akita University Graduate school of Medicine, Japan</b>